



EXPRESSION WITHOUT LIMITS

# SCANIA VEHICLE ACCESSORIES



**SCANIA**



# THE PREMIUM CHOICE

The Scania vehicle accessories range is the true premium choice for your Scania, delivering a perfect combination of quality, prestige and long-term value.

Engineered to premium Scania standards, our range is the result of decades of close collaboration with many industry-leading partners. In addition, we ensure that our range is manufactured responsibly and for the maximum performance of both your business and operations.

This makes us one of the most trusted providers of vehicle accessories in today's marketplace.



# STAY TRUE TO YOUR HERITAGE

Back in 1891, we began a journey of innovation. Driven by a commitment to progress and engineering excellence, bringing value to our customers has always been of paramount importance.

From the pioneering innovations of Scania-Vabis, to the legendary power of the King of the Road, we've travelled through truly historical eras of engineering. As we look to the future and newer generations, we pay homage to those who helped build our heritage. To the restless pioneers who continually pushed new engineering benchmarks. To the iconic Scania generations who made us what we are today.

Welcome to the Scania heritage styling collection.



## A journey through iconic Scania eras

The Scania heritage styling collection showcases iconic Scania ages of times past, from Scania-Vabis, to King of the Road and SUPER.

Designed in Sweden by Scania, our styling collection has been meticulously engineered to complement the unique design principles of newer Scania generations. Offering the traditional quality hallmarks of a true Scania, our collection has been crafted to deliver high-quality performance – guaranteed to weather the roads, elements and operations ahead.

The collection, featuring exclusively developed products, revisits iconic Scania trademarks across previous generations. From grille, cab door and handle badges, to welcome lights, hub caps, mud flaps and authentic Scania striping which accentuates the unique design of the Scania cab.

The heritage styling collection showcases the very best of iconic Scania eras. Own a piece of Scania heritage today.



**Modular styling**

From our first modularised engine range of the 1930s, to the premiere of a fully modularised truck range in the 1980s – Scania’s modular design features prominently throughout our story. It’s who we are.

Our styling collections – from V8 to XT, and Genuine to Heritage – honour the tradition of Scania modular design, and allow you to tailor your Scania so it reflects your own personal taste.

Make your Scania your own with our heritage styling collection.

**Scania Vabis styling package**

For striping, see page 23.

For mudflaps, see page 134.

For hubcaps, see page 30.

# A PERFECT VIEW OF THE CITY

Our latest range of efficient safety systems marks a new era in roadside safety.

Today's urban centres present many evolving challenges to medium- and heavy-duty truck drivers. Pedestrians, cyclists and new agile forms of inner-city mobility make it increasingly difficult to park, load and manoeuvre in the towns and cities where most journeys begin and end.

That's why we're putting roadside safety in focus. Explore the full range of our camera and radar systems on page 98–133.





**Stay in control with efficient safety systems**  
 Imagine having a full view of your vehicle's immediate environment from the safety of your cab. Our area-view camera system offers an overall view of every situation through a single 7-inch monitor on your dashboard and four wide-angle HD cameras at the front, rear, and the sides of your vehicle. View the full range on page 96–99.



**Keep your blind side in check**

PreView Side Defender II helps you to stay ahead of potential accidents on your blind side. Today, it's the most advanced side object detection and vulnerable road user (VRU) protection radar available for on-road medium- and heavy-duty trucks.

# CONSISTENT EXPRESSIONS

A global company like Scania needs to have a standard nomenclature, with clear guidelines for our abbreviations, acronyms, Scania-specific naming, and much more. The list below is a short excerpt that will help you make the best use of this catalogue.

## **PGR-series**

P-, G- and R-cab series from 2003 onwards.

## **NTG**

The new generation Scania. L-, P-, G-, R- and S-cab series from 2016 onwards.

## **RHD**

Right-hand drive.

## **LHD**

Left-hand drive.

## **Right side**

Right side of the vehicle (driving direction).

## **Left side**

Left side of the vehicle (driving direction).

## **FPC code**

Functional Product Characteristic, factory option code for production assembly, used by sales staff for vehicle specification.



Accessory fitting both PGR-series and NTG-series.



Accessory fitting the Scania PGR-series.



Accessory fitting the Scania NTG-series.



Accessory fitting Scania buses and coaches.



Accessory with different versions, fitting PGR-series, NTG-series and/or Scania buses and coaches respectively.



Accessory fitting the Scania 4-series.

## **No icon**

Generic accessory, not vehicle-specific.

# TABLE OF CONTENT

## ■ STYLING

- 014 Courtesy lights
- 016 Exterior styling
- 028 Wheel equipment

## ■ COMFORT

- 038 Seat covers
- 044 Mats
- 052 Mattresses
- 054 Parking coolers
- 060 Heaters and chargers
- 064 Driving comfort
- 066 Tables
- 068 Storage
- 072 Kitchen equipment
- 076 Electronics
- 080 Office equipment
- 082 Cleaning equipment
- 084 Miscellaneous

## ■ SAFETY & SECURITY

- 090 Alcolock systems
- 092 Radar
- 094 Cameras – Scania
- 106 Cameras – Orloco
- 130 Safety clothing
- 132 Mud flaps
- 136 External lighting
- 146 LED bar spot lamps
- 152 Work and Reverse lamps
- 168 Marker lights, DRL and tail lights, lamp protection
- 174 Rotating beacons
- 178 Traffic warning systems and strobe flashers
- 184 NTG: Scania stainless steel light bars
- 196 Scania NTG: KAMA/METEC stainless steel light bars
- 200 Aluminium light bars from SCANIA
- 204 Scania PGR-series: KAMA/METEC stainless steel light bars
- 214 Hand-held worklamps
- 218 Fuel-related equipment
- 222 Warning and emergency equipment
- 226 Wheel equipment
- 230 Snow chains onspot
  
- 232 Part no. index



STREAMLINE

STREAMLINE

SCANIA

SUPER

R730

UGM 362

# STYLING



- 014** Courtesy lights
- 016** Exterior styling
- 028** Wheel equipment



STYLING

# REFINE YOUR PERSONAL STYLE

Your vehicle is more than your work tool. It is your faithful partner, your home on the road. You pay close attention to detail and are adamant about keeping the look, comfort, and performance perfectly in tune with your taste and ambitions. Make sure your vehicle reflects your personality, because the two of you make a strong team.





COURTESY LIGHTS

# YOU ARE ALWAYS WELCOME

Be sure to make an entrance by equipping your truck with a welcoming light. When the door is opened, a lamp illuminates the ground facilitating safe entry and exit from your truck. Choose from projection design Scania wordmark, V8, Scania griffin, XT, Super, or Scania-Vabis. This range also includes an eye-catching Scania symbol interior lamp, clearly visible even from a distance.


## SCANIA WELCOME LIGHT KIT

The Welcome light kit includes a lamp assembly for both left-hand and right-hand drive, replacing the original foot step well lamps. Easy to mount with just a screwdriver, thanks to “plug and play” connection to the original cable harness. Note: Fits only trucks ordered with originally fitted foot step well lamps.

Left-hand and right-hand parts for each projection design can also be ordered separately. See [accessories.scania.com](https://accessories.scania.com) for details.



**Scania wordmark projection**  
Part no. 2819978. Factory mount FPC 08237 C



**V8 projection**  
Part no. 2819981. Factory mount FPC 08237 B



**Griffin symbol projection**  
Part no. 2819984. Factory mount FPC 08237 D



**Scania wordmark XT projection**  
Part no. 2819997. Factory mount FPC 08237 A



**Scania SUPER projection**  
Part no. 2820000. Factory mount FPC 08237 E



**Scania Vabis projection**  
Part no. 2820003. Factory mount FPC 08237 F



**Scania symbol interior lamp**  
Eye-catching LED lamp for mounting on the cab wall. Height 360 mm, width 380 mm, thickness 50 mm, weight 0.5 kg, 24 V, 1 W. Connecting cable: 2x0.5 mm or greater.  
Part no. 2055995



## EXTERIOR STYLING

# TAILOR YOUR IMAGE

From the smallest badge to the powerful griffin striping, our range of styling accessories includes everything you need to augment and personalize your vehicle. Whether you want to express the engine power or go for a more vintage look, you will find the right products here. The range also includes a wide variety of air horns, bringing both volume and personality to your truck.



## HADLEY AIR HORNS



Description	Hadley air horns	Cover	Support bracket
	Chromed brass and zinc horns. Volume 115–120 dB at a distance of two metres.	Round bell shield in stainless steel.	Front support bracket. Fits Hadley air horns 2033232 and 2033233.
Specification	Part no.	Part no.	Part no.
Chrome plated brass, 94 cm	2033232*	1745819	2419223
Chrome plated brass, 61 cm	2033233*	1745820	2419223
Chrome plated zinc, 54 cm	358202*	358204	
Rectangular chrome plated brass, 66 cm			
Rectangular chrome plated brass, 74 cm			
Mounting	Front support bracket included	N/A	N/A
* Factory mount <b>FPC 3900</b> .			

## BEAM AIR HORNS



Description	Air horns Beam	Cover
	Scania-branded air horns from Beam. Stainless steel.	Fits all Scania-branded air horns from Beam. Stainless steel.
Specification	Part no.	Part no.
Length 55 cm	2034799	2076873
Length 60 cm	2034800	2076873
Length 85 cm	2034801	2076873
Mounting	Support brackets included	N/A
		



Support bracket	Support bracket	Rectangular air horn	Support bracket
Front support bracket, fits Hadley air horn 358202.	Enables simple mounting on NTG. For round Hadley air horns.	Chromed brass, Scania-branded. Rectangular front.	Enables simple mounting on NTG. For rectangular Hadley air horns.
Part no.	Part no.	Part no.	Part no.
	2609854		
	2609854		
585069	2609854		
		2433775	2594622
		2433776	2594622
N/A	N/A	N/A	N/A
PGR	NTG	PGR NTG	NTG

### INSTALLATION HORNS (KITS)



Description	Switch	Cable Harness	Air pressure kit	Connection Kit
	Electrical connection. For vehicles without air horn preparation.	Electrical connection. For vehicles without air horn preparation. Chromed cover.	Note article numbers below; different kits depending on make (Beam or Hadley).	For Hadley air horns. Particularly useful when the horns are fitted on the roof rail, or on a bracket.
Specification	Part no.	Part no.	Part no.	Part no.
Fits both Hadley and Beam	1421841	1886105		
For Hadley air horns only			2153325	2153326
For Beam air horns only			2054883	
	PGR	PGR	PGR	PGR NTG

## BADGES

Badges have been used through history as a symbol of membership or authority, and the Scania badge range is no different. Whether you choose to express legendary power or go for the classic look, the Scania badge range offers you a simple way to augment, personalise and perfect your cab style.



### Scania badge

Simple to install, suitable for S, R, G, P 20 cabs. Supplied in a kit of two, for left and right-hand sides. *Part no. 2800833*



### Scania Vabis badge

Simple to install, suitable for S, R, G, P 20 cabs. Supplied in a kit of two, for left and right-hand sides. *Part no. 2828792*



### SUPER badge

Simple to install, suitable for S, R, G, P 20 cabs. Supplied in a kit of two, for left and right-hand sides. *Part no. 2828791*



### King of the road badge

Simple to install, suitable for S, R, G, P 20 cabs. Supplied in a kit of two, for left and right-hand sides. *Part no. 2800833*



### Scania V8 badge

Simple to install, suitable for S, R, G, P 20 cabs. Supplied in a kit of two, for left and right-hand sides. *Part no. 2828790*





**Super emblem**

The Super emblem is manufactured according to the original drawing from the 1970s and is die-cast from zinc alloy with a chromated surface.  
 Fit for PGR. Part no. 2380091  
 Fit for NTG. Part no. 2813273



**Scania symbol – Door**

Smart door badge with the Scania symbol in chrome plastic. Reinforces the visual impression of the vehicle. Placed in front of the door handle.  
 For left side. Part no. 2435462  
 For right side. Part no. 2435463



**For left and right side, sold in pairs**  
 Fitted in the front grille, suitable for G- and R-cabs.  
 For left and right side, sold in pairs. Part no. 2294292



**Scania – Front wheel**  
 Elegant Scania badge in high-gloss polished stainless steel placed behind the front wheel.  
 For left and right side, sold in pairs. Part no. 2292055



**V8 – Front wheel**  
 Stylish V8 badge in high-gloss polished stainless steel placed behind the front wheel.  
 For left and right side, sold in pairs. Part no. 1919864



## STRIPING

The Scania styling stripe range is designed by Scania engineers to blend with the natural form of your Scania cab. It is thoroughly tested to resist the impact of weather conditions, UV lighting and high-pressure cleaning, ensuring colour and luster over time.



### Scania V8 striping, Silver Reflective

Customize the appearance of your V8 vehicle with this unique décor. Suitable for CR20, CS20 and CR17 cabs. Choose between an assembly décor kit, which comes with stripes to add additional emphasis on the vehicle's design, or showcase simply the V8 symbol, which is available in both large and small format.

*Complete kit for CR20, CS20 cab V8 striping. Part no. 2813322*

*Complete kit for CR17 cab V8 striping. Part no. 2813323*

*Large V8 Symbol. Part no. 2713162*

*Small V8 Symbol. Part no. 2713187*





#### Scania Vabis striping, Gold

Add a touch of heritage to your NTG with the classic Scania Vabis symbol. The gold symbol is available in both large and small formats, or you can opt for the assembly décor kit which also includes stripes for emphasis. Suitable for CR20, CS20, CR17, CG20, CP20, CG17, CP17 and CG14, CP14 cabs. Factory mount **FPC 7193E**.

*Complete kit for CR20, CS20 cab. Part no. 2813324*

*Complete kit for CR17 cab. Part no. 2813345*

*Complete kit for CG20, CP20 cab. Part no. 2813346*

*Complete kit for CG17, CP17 cab. Part no. 2813347*

*Complete kit for CG14, CP14 cab. Part no. 2813348*

*Large Scania Vabis symbol. Part no. 2713164*

*Small Scania Vabis symbol. Part no. 2713186*



NTG



#### Scania V8 striping, Mat black

Add some character to your cab with this distinctive design. Suitable for CR20, CS20 and CR17 cabs. With our assembly décor kit, extra stripes that accentuate the vehicle's design are included. You can also choose the standalone V8 symbol, which is available in both large and small formats. Factory mount **FPC 7193D**.

*Complete kit for CR20, CS20 cab V8 striping. Part no. 2813320*

*Complete kit for CR17 cab V8 striping. Part no. 2813321*

*Large V8 symbol. Part no. 2713161*

*Small V8 symbol. Part no. 2713185*



NTG



**XT striping, orange**

Decorate your cab with this smart orange XT striping. Supplied in pairs.  
The sticker suits the cab types G/R/S 20L/N/H, 17L/N.

Factory mount **FPC 7193**.

*Orange XT striping. Part no. 2628230*

*Grey XT striping. Part no. 2628231*





**Cropped griffin**

Cropped griffin symbol that covers the side of the truck. Reinforces the visual impression of your Scania. Sold in pairs. Factory mount **FPC 7193A** (for 2536321 and 2536322).  
 Silver 1827x1007 mm. Part no. 2536321  
 Silver 1200x614 mm. Part no. 2536322  
 Silver 1827x885 mm. Part no. 589804  
 Black 1200x614 mm. Part no. 2823131  
 Black 1827x1007 mm. Part no. 2823130



**V8 cab side decor**

The V8 striping gives your Scania a unique, distinct look. Fits R- and S-series cabs. Sold in pairs. Semi-transparent, 1165x956 mm.  
 Part no. 2095787



**V8 trailer decor**

Give your trailer a unique appearance, also from behind. Brushed aluminium, 1620x1345 mm.  
 Part no. 2095788



## CONTRAST DECOR



Description	Black contrast decor
These easily mounted black contrast stripes will enhance the sides of your cab and give your Scania a distinctive look.	
Specification	Part no.
Crew cab, including both left and right side, PGR	1871816
For B-pillars, PGR	1850848
For both doors, PGR	1850847
For cabs without side window, left side, PGR	1850853
For cabs without side window, right side, PGR	1850854
For left body side, PGR	1850849
For right body side, PGR	1850850
Tape kit for crew cab, PGR	1871813
Tape kit, behind left/right door window, PGR	1850851
Contrast decor kit, NTG	2746045
Contrast decor kit, for trucks without CPM mirrors, NTG	2644590



STYLING



**Cover for door handle**  
 Using this exclusive design element, you can simply enhance the appearance of your vehicle. Casing in stainless steel with cropped griffin as a detail.  
*Griffin stainless steel. Part no. 1919872*



**Stainless steel**  
 High-gloss, polished stainless steel rings. Two pieces on each side. Delivered in a kit of 4 pieces.  
*For left and right side, 4 pcs. Part no. 1919871*



**Cover for roof sign illumination**  
 Stainless steel, Topline cabs. Part no. 1919868





## WHEEL EQUIPMENT

# RIDE WITH STYLE

The shoes on your feet say a lot about who you are. If you are serious about adding shine and style to your wheels, Scania's rims, wheel covers, liners and trims are guaranteed to give impact to your statement. The range includes XT, V8, classic Scania Vabis and modern Scania insignia.

WHEEL NUT CAPS



**Stainless steel with Scania symbol**  
 Nut cap Scania symbol, with platina crown.  
 10 caps per pack.  
 Stainless steel. Part no. 2654355



**Stainless steel with V8 symbol**  
 Nut cap with V8 symbol. 10 caps per pack.  
 Stainless steel. Part no. 2766301



**Embossed with Scania wordmark**  
 10 caps per pack.  
 Black plastic with glossy finish. Part no. 2051176  
 Chromed plastic. Part no. 2660320  
 Stainless steel. Part no. 1872116

HUB CAPS



**Hub Cap with V8 symbol**  
 For half shaft AD/ADA 90, 1100, 1300 (without hub reduction). Sold individually.  
*Driving axle, black. Part no. 2897383*  
*Driving axle, polished stainless steel. Part no. 2673731*



**Polished stainless steel with XT symbol**  
 For half shaft AD/ADA 90, 1100, 1300 (without hub reduction). Sold individually. Factory mount **FPC 8767B**.  
*Driving axle. Part no. 2673732*



**Scania symbol with platina crown**  
 Polished stainless steel with Scania symbol. For half shaft AD/ADA 90, 1100, 1300 (without hub reduction). Sold individually. Screws for mounting included. Factory mount **FPC 8767C**.  
*Driving axle. Part no. 2654354*



**Polished stainless steel with Scania Vabis symbol**  
 For half shaft AD/ADA 90, 1100, 1300 (without hub reduction). Sold individually. Factory mount **FPC 8767D**.  
*Driving axle. Part no. 2673733*



**With Scania symbol**  
 Adapted for single reduction axles. Can be used for vehicles with or without tyre pressure monitoring. Sold individually.  
*Driving axle, polished. Part no. 1908390*



**Scania symbol, non-driven axle**  
 22.5-inch wheels. Sold in pairs.  
 Non-driving axle, stainless steel. Part no. 2847551



**V8 symbol, non-driven axle**  
 22.5-inch wheels. Sold in pairs.  
 Non-driving axle, black. Part no. 2847548?



**V8 symbol, non-driven axle**  
 22.5-inch wheels. Sold in pairs.  
 Non-driving axle, stainless steel. Part no. 2847548



**XT symbol, non-driven axle**  
 22.5-inch wheels. Sold in pairs.  
 Non-driving axle, stainless steel. Part no. 2847552



**Scania Vabis symbol, non-driven axle**  
 22.5-inch wheels. Sold in pairs.  
 Non-driving axle, stainless steel. Part no. 2847549

## WHEEL COVERS



**Embossed Scania griffin symbol**  
22.5-inch wheels. Sold individually.  
*Non-driving axle, polished.*  
Factory mount **FPC 8765B**.  
Part no. 1899129  
*Non-driving axle, stainless steel.* Factory mount **FPC 8765A**. Part no. 1885664



**Open centre**  
22.5-inch wheels. Sold in pairs.  
*Non-driving axle, stainless steel.* Part no. 1322707



**Scania wordmark**  
22.5-inch wheels. Sold in pairs.  
*Non-driving axle, stainless steel.* Part no. 1786571



**Scania wordmark, black**  
22.5-inch wheels. Sold in pairs.  
*Non-driving axle, stainless steel.* Part no. 581123



**Plastic**  
These high-quality plastic wheel trims protect the hubs and give the vehicle a whole new appearance. Supplied in high-gloss silver paint or unpainted to match company colours. Scania wordmark in the centre. Simple fitting and low weight. Suitable for both truck and bus. Sold individually.  
*High-gloss, driving axle.* Part no. 1766559  
*High-gloss, steering axle.* Part no. 1766558  
*Unpainted, driving axle.* Part no. 1766561  
*Unpainted, steering axle.* Part no. 1766560



**Stainless steel**  
These high-quality wheel trims in polished stainless steel protect the wheels and wheel studs and give the vehicle a whole new appearance at the same time. Scania wordmark in the centre. Suitable for 22.5 wheels. Sold in pairs.  
*Driving axle.* Part no. 1878133  
*Steering axle.* Part no. 1878132

## RIMS



**Aluminium rim, brushed**  
 Brushed aluminium rims that give a satin appearance.  
 22.5x8.25. Part no. 2300482  
 22.5x9.00. Part no. 1508725  
 22.5x11.75. Part no. 2156537



**Aluminium rim, mirror-polished**  
 Mirror-polished rims gives an ultimate shine.  
 22.5x8.25. Part no. 1508724  
 22.5x9.00. Part no. 1508726  
 22.5x11.75. Part no. 2156538



**Aluminium rim, Dura Bright**  
 Dura Bright is a patented surface treatment allowing easy cleaning with soap and water. These wheels do not need polishing.  
 22.5x8.25. Part no. 2294371  
 22.5x9.00. Part no. 2294372  
 22.5x11.75. Part no. 2294373



**Aluminium rim, Dura Flange**  
 Dura Flange is a patented treatment that adds protection to the flange for a longer service life.  
 22.5x8.25. Part no. 2300494  
 22.5x9.00. Part no. 1911071  
 2156540  
 22.5x11.75. Part no.

## WHEEL TRIM



**Polished stainless steel**  
 Attractive and durable wheel trim from Kama. Suitable for vehicles with wide rim. 11.75x22.5 ET 135 mm. Bolt circle. 335 mm. Bolt number: 10. Part no. 2717770

## WHEEL LINER



**Stainless steel**  
 Wheel liner/rim side in stainless steel for standard steel rim.  
 Deep liner (300 mm)  
 9.00x22.5. Part no. 2245491  
 Wheel liner 8.25/9.00x22.5. Part no. 2245490  
 Wheel liner 11.75x22.5 ET 120 mm. Part no. 2245489



The image shows the interior of a vehicle, likely a motorhome or camper, with a focus on the sleeping area. A bed is visible, covered with a light-colored, quilted blanket. A dark-colored seat cover is in the foreground, partially obscuring the view. A small, illuminated reading light is mounted on the wall above the bed. The overall atmosphere is cozy and comfortable.

# COMFORT

- 038 Seat covers
- 044 Mats
- 052 Mattresses
- 054 Parking coolers
- 060 Heaters and chargers
- 064 Driving comfort
- 066 Tables
- 068 Storage
- 072 Kitchen equipment
- 076 Electronics
- 080 Office equipment
- 082 Cleaning equipment
- 084 Miscellaneous

COMFORT

# GEAR UP FOR COMFORTABLE RIDES

Your work environment should be as enjoyable during long work hours as on overnight stops. And a relaxed driving environment is as essential to your well-being as a comfortable bed and fresh cab climate. Here you will find the accessories that ensure true driving satisfaction, from seat covers and mattresses, to parking coolers and kitchen equipment.





## SEAT COVERS

# KEEPING THE GOOD LOOKS

Our range of seat covers has been developed to enhance comfort and looks, while protecting the original interior. The seat covers are flame-proof, dirt-repellent, and designed for perfect fit. Look through the range, find your favourite, and take the opportunity to adapt your vehicle's interior to your own taste. For ultimate comfort, add the exclusive sheepskin cover.



TEXTILE



Description	Textile Griffin	Textile Scania	Textile Scania
	Scania-tailored textile seat cover that breathes and offers excellent comfort. With cropped Scania Griffin and a backrest pocket. Washable at 40 °C.	Scania-tailored textile seat cover that breathes and offers excellent comfort. With a backrest pocket. Washable at 40 °C.	Scania-tailored textile seat cover that breathes and offers excellent comfort. With a backrest pocket. Washable at 40 °C.
Colour	Brown/black	Black polyester fabric	Dark grey in velour fabric
Specification	Part no.	Part no.	Part no.
Medium (Isri), basic static, static, basic. Left side	2076180	2076185*	2066044
Medium (Isri), basic static, static, basic. Right side	2076181	2076186*	2066045
Luxury (Isri). Left side	2076178	2076183	2066042
Luxury Luxury (Isri). Right side	2076179	2076184	2066043
Foldable passenger seat (Be-Ge). Both left side and right side	2076182	2076187*	2066046
Premium (Recaro). Left side		2329763*	
Premium (Recaro). Right side		2329764*	
Reclining/resting passenger seat (Isri). Both left side and right side		2711382	
Medium plus (Recaro). Left side		2711383	
Medium plus (Recaro). Right side		2711384	
Mounting	Instructions included in delivery.	Instructions included in delivery.	Instructions included in delivery.

\* Factory mount **FPC 7006**.



Textile Scania	Textile Scania	Textile Scania	XT Seat cover
Scania-tailored textile seat cover that breathes and offers excellent comfort. With a backrest pocket. Washable at 40 °C.	Scania-tailored textile seat cover that breathes and offers excellent comfort. With a backrest pocket. Washable at 40 °C.	Scania-tailored textile seat cover that breathes and offers excellent comfort. With a backrest pocket. Washable at 40 °C.	A hard-wearing seat cover with a unique design. Protects the seat against dirt and dust. Available for the Medium plus and Foldable seats.
Sport knitted	Spotted black knitted	Sport knitted	
Part no.	Part no.	Part no.	Part no.
1504065*	1504039	1797310	
1504066*	1504040		
1504061		1797306	
1540713		1797307	
1504064*	1504063	1797314	
2329765*			
2329766*			
			2642236*
			2642239*
			2642238*
Instructions included in delivery.			

IMITATION LEATHER AND LEATHER



Description	Imitation leather Scania Symbol	Imitation leather Quick	Leather griffin	
	Imitation leather seat cover, removable and washable. The fabric offers excellent comfort. Reinforcements in areas susceptible to wear and tear. Made to measure.	Moisture-resistant seat cover, fits easily and protects the seats from dirt. Not tailored fitting.	Exclusive Italian leather with cropped Scania griffin. The Scania-tailored seat covers meet high demands on durability, comfort and fire safety. Imitation leather sides and rear cover.	
Colour	Black	Black	Black leather	Sand leather
Specification	Part no.	Part no.	Part no.	Part no.
Medium (Isri), basic static, static, basic. Left side	1879141	1783150	2076195	2076190
Medium (Isri), basic static, static, basic. Right side	1889074	1783150	2076196	2076191
Luxury (Isri). Left side	1929823	1783150	2076193	2076188
Luxury (Isri). Right side	1929824	1783150	2076194	2076189
Premium (Recaro). Left side	2442881			
Foldable passenger seat (Be-Ge). Both left side and right side	2442882		2076197	2076192
Premium (Recaro). Right side	2442883			
Reclining/resting passenger seat (Isri). Both left side and right side	2711395			
Medium plus (Recaro). Left side	2711396			
Medium plus (Recaro). Right side	2711397			
Mounting	Instructions included in delivery.	Instructions included in delivery.	Instructions included in delivery.	Instructions included in delivery.

**Scania sheepskin seat cover**

Increase the feeling of a home environment and sit comfortably in all positions with Scania's sheepskin seat cover, both during long drives and when you are taking a break. Wool is a material known for being comfortable in all temperatures; it warms in chilly temperatures and cools when it is hot. In addition, it is pressure-relieving and has the capacity to absorb moisture without feeling damp.

*Part no. 2531532*



## MATS

# PROTECT YOUR WORK SPACE

Our floor mats, engine tunnel mats, and extended mats are available in a wide variety of designs and materials. From robust rubber to stylish textile with symbols and logos, all present excellent fitting and durability.



MATS  
NTG



Description	Textile mat	Textile mat	Textile mat, V8
	Loose mat in black or sand fabric, creates a snug atmosphere and makes cleaning easier. Upper side in soft, durable fabric and underside in rubber.		Loose mat V8, provides insulation and creates an exclusive atmosphere. Upper side in soft, durable fabric with red contrast seams and an inlay of leather with embossed V8 symbol. Underside in rubber.
Colour	Sand	Black	Black
Series	R, S, P and G	R and S	R, S, P and G
Specification	Part no.	Part no.	Part no.
Driver's side, LHD	2095281		2801997
Driver's side, RHD	2095284		2801998
Passenger side, LHD	2109586	2801999	
Passenger side, RHD	2109583	2802000	
	 NTG	 NTG	 NTG



Description	Rubber mat		
	Loose rubber mat, practical and easy to clean. Adapted surface pattern prevents slipping and enables easy brushing off of sand and dirt.		
Colour	Black		
Series	L, P and G	R	S
Specification	Part no.	Part no.	Part no.
Driver side, LHD	2489360	2489375	2489379
Driver side, RHD	2489361	2489376	2489380
Passenger side, LHD	2489373	2489378	2489382
Passenger side, RHD	2489362	2489377	2489381
	 NTG	 NTG	 NTG



Description	Engine tunnel mat, textile		Engine tunnel mat, textile			Engine tunnel mat, textile, V8		
	Mat for engine tunnel in black or sand fabric, soft and insulating. Creates a snug atmosphere. Durable, easy-to-clean material.						Mat for engine tunnel, V8. Soft and insulating, creating an exclusive atmosphere. Upper side of hard-wearing textile with red contrasting seams and leather inlay with embossed V8 symbol.	
Colour	Dark sand		Black			Black		
Series	R	S	R	S	G, P	R	S	
Specification	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.	
LHD Centre Consol	2618329	2128046	2618331	2382084	2620971	2802002	2802001	
RHD Centre Consol	2618330	2128047	2618332	2382085	2620972	2802004	2802003	
LHD Velcro, centre consol, manual gearbox	2618324		2618326			2802015		
RHD Velcro, centre consol, manual gearbox	2618325		2618327			2802016		
	NTG	NTG	NTG	NTG	NTG	NTG	NTG	



Description	Engine tunnel mat, rubber		
	Rubber mat for engine tunnel, practical and easy to clean.		
Colour	Black		
Series	R	S	G, P
Specification	Part no.	Part no.	Part no.
LHD and RHD, manual and automatic	2013378	2382086	2577065
	NTG	NTG	NTG

MATS  
PGR



Description	Textile mat, aluminium Scania logotype
	Exclusive, coarse-patterned velour bouclé in dark grey or sand. Scania logotype in aluminium effect. Sold in pairs or separately. For G- and R-series.
Colour	Dark grey
Series	R and G
Specification	Part no.
Kit, LHD	1798877
Left side, LHD	1798883
Right side, LHD	1798887
Kit, RHD	1798896
Left side, RHD	1798889
Right side, RHD	1798894
Kit, LHD*. Grey edges	
Right side, LHD*. Grey edges	
Right side, RHD*. Grey edges	
Left side, RHD*. Grey edges	
Left side, LHD*. Grey edges	
Right side, extra long mat suitable for vehicles with folding passenger seat*	

\* For vehicles produced after May 2013.



Description	Textile mat, extra protective	
	Durable, strong textile mat with embossed Scania logotype. Edged with dark grey nylon yarn.	
Colour	Dark grey	Dark grey
Series	R and G	P
Specification	Part no.	Part no.
Left side, LHD	1430669	1430671
Right side, LHD	1723765	1430668
Left side, RHD	1406487	1430667
Right side, RHD	1723766	1430672
Right side, extra long mat suitable for vehicles with folding passenger seat, LHD**		
Left side, LHD*. Dark grey		
Right side, LHD*. Dark grey		
Left side, RHD*. Dark grey		
Right side, RHD*. Dark grey		

\* For premium seat or all vehicles manufactured after August 2014.

\*\* For vehicles produced after May 2013.





**Textile mat, cropped griffin**

Eye-catching textile mat with short, dense surface for easy cleaning. Cropped Scania griffin and woven dual-tone grey or red edges. For G- and R-series.

**Textile mat, Scania symbol**

Black velour mat with Scania symbol. Black or reflective edges in nylon yarn. For G- and R-series.

Grey edges

Red edges

Black with reflective edges

Black with black yarn edges

R and G

R and G

R and G

R and G

Part no.

Part no.

Part no.

Part no.

2040617

2040627

2040612

2040622

1745916

1745920

2040614

2040624

1767575

1767579

2040615

2040625

1745918

1745922

2040616

2040625

1767577

1767581

2473457

2199110

2199127

2473458

2199111

2199128

2473456

2473459

2477228



**Textile mat, protective**

Protective mats for G- and R-series vehicles in dark grey or sand textile.

Dark grey

Dark grey

Sand

Sand

R and G

P

R and G

P

Part no.

Part no.

Part no.

Part no.

1877957

1871901

1877958

1871902

1877959

1871903

1877960

1871904

2473489

2473489

2473490

2473490

2114778

2078064

2114780

2114784

2078065

2114794

2114779

2078066

2114781

2114793

2078067

2114795



MATS  
PGR



Description	Engine tunnel mat, cropped griffin	
	Durable and strong engine tunnel mat with short, dense surface that is easy to clean. Cropped Scania griffin. For G- and R-cabs.	
Colour	Grey edges	Red edges
Series	G	R
Specification	Part no.	Part no.
Opticruise, LHD and RHD*	2040619	2040629
Opticruise, LHD and RHD**	2198905	2198906
Manual gearbox, LHD*	2040621	2040631
Manual gearbox, RHD*	2040620	2040630
Manual gearbox, LHD**	2198907	2198909
Manual gearbox, RHD**	2198908	2198910
Vehicles with manual gearbox		
Vehicles with Scania Opticruise		

\* For vehicles produced up to November 2008.  
\*\* For vehicles produced after February 2009.



Description	Rubber mat, rubber grip mat			Rubber mat, vacuum moulded mat		
	Compression-moulded black rubber mat that makes it easy to keep the cab clean. Durable and strong. Sold separately.			Lightweight mat made of vacuum-moulded polymer with raised edges, making it easier to empty dirt and water.		
Colour	Dark grey			Black		
Series	P	G	R	P	G	R
Specification	Part no.	Part no.	Part no.	Part no.	Part no.	Part no.
Left side, LHD	1430665	1406491	1406491	1850802	1789380	1789380
Right side, LHD	1406714	1723767	1723767	1850803	1850804	1850804
Left side, RHD	1406713	1406485	1406485			
Right side, RHD	1933218					
Left side, LHD	2014988	2114776	2114776			
Right side, LHD*	2014990	2114782	2114782			
Left side, RHD*	2014989	2114777	2114777			
Right side, RHD*	2014991	2114783	2114783			

\* For premium seat or all vehicles manufactured after August 2014.





Engine tunnel mat, Scania logotype		Engine tunnel mat, Scania symbol		Engine tunnel mat, V8 symbol leather
Durable and strong mat that protects the engine tunnel from dirt and water. For G- and R-series.		Durable and strong mat that protects the engine tunnel from dirt and water. For G- and R-series.		Black leather engine tunnel cover with V8 symbol.
Sand		Grey		Black
Part no.	Part no.	Part no.	Part no.	Part no.
1872909	1872912	1854065	2198904	1931768
		1853804		
		1854064		
1872910	1872913	2198895		1931769
1872911	1872914	2198896		1931770
				1920558
				1921133



Description	Extended mat, aluminium Scania logotype		Extended mat, Scania ribbed	Extended mat, Scania symbol
Colour	Velour bouclé	Beige edging	Grey	Black
Specification	Part no.	Part no.	Part no.	Part no.
Right side, LHD	1869562	1920259		1869564
Right side, LHD*	2473466	2473464		
Right side, LHD, without fire extinguisher*				2543318
Left side, LHD, with fire extinguisher	1885207	1925375		1885208
Left side, LHD, without fire extinguisher	1869561	1920258		1869563
Left side, LHD, without fire extinguisher*	2473465	2473463	2473467	2473461
Left side, RHD*		2473472	2473475	
Left side, RHD, without fire extinguisher*			2473476	2473474
Right side, RHD*			2473468	
Right side, RHD, without fire extinguisher*		2473471		2473473
Extra long mat suitable for vehicles with a folding passenger seat. Produced after May 2013, right side		2473491		2473492

\* For vehicles produced after May 2013.





MATTRESSES


# BETTER RESTING, BETTER DRIVING

A restful sleep is one of the key elements for a healthy life. Scania offers a selection of comfortable bedding solutions to ensure you wake alert and ready for the road ahead.



**Beds**

Scania mattresses come in three different versions to meet comfort levels of all kinds.  
*Pocket. Part no. 2255736. Bonell. Part no. 2255737. Foam. Part no. 2255738*



**Mattress topper**

For extra comfortable sleep, complete your mattress with a specially designed mattress topper.  
*Part no. 2231388*



**Mattress pad**

Specially designed comfortable bed mattresses to fit in sleeper cabs.  
*Lower bed, LHD and RHD R-series sleeper cab, thick. Part no. 2258936*





## PARKING COOLERS

# ENJOY COOL PARKING

During hot summers, the cab temperature can raise rapidly due to the large windscreen. Keeping the cab cool requires hours of idling, resulting in increased fuel consumption and emissions. Parking coolers are cost-efficient and are kinder to the environment than idling. Besides maintaining a pleasant temperature during loading and unloading operations, the parking coolers also contribute to more relaxing resting periods for the driver.



## PARKING COOLERS

Covering a wide variety of cab air conditioning systems, our parking coolers include a pre-mounted unit together with cable harness. For NTG models, there is also a special reinforcement kit for the roof air deflector.

Rooftop-mounted parking coolers must have a pre-ordered roof hatch.

When installing rooftop-mounted parking coolers, remember to take the extra height into account to avoid exceeding any height restrictions.

Please download mounting instructions, spare parts list and user manuals at [scania.dirna.com](http://scania.dirna.com).



### Bycool Slim

Ivory-white, rooftop-mounted, stand-alone air conditioning unit. Advanced compressor technology, especially designed for on-road trucks. Lower, more aerodynamic profile compared to Bycool Compact 1.4 and 3.0, therefore a perfect fit for high cabs. Suitable for dual battery systems and pre-charged with refrigerant gas, 134A. Delivered preassembled, including Scania-specific mounting kit. For easier installation, the cable preparation **FPC 5168** is recommended.

For NTG. Part no. 2760059

For PGR. Part no. 2760060



### Bycool Lite

Ivory-white, rooftop-mounted, electrical air conditioning unit, especially designed for on-road trucks. Electrical compressor, suitable for dual battery systems, and pre-charged with refrigerant gas, 134A. Recommended for high cabs, short cabs, day cabs, and low sleeper cabs. Delivered preassembled, including Scania-specific mounting kit. For easier installation, the cable preparation **FPC 5168** is recommended.

For NTG. Part no. 2673442

For PGR. Part no. 2673443





**Bycool Compact 3.0 Day & Night**

High-performance, ivory-white, stand-alone air conditioning unit, rooftop-fitted in the roof hatch. Advanced compressor technology, especially designed for on-road trucks.

Recommended for day cabs and sleeper cabs. Suitable for dual battery systems and pre-charged with refrigerant gas, 134A. Delivered preassembled, including Scania-specific mounting kit.

For NTG. Part no. 2542520

For PGR. Part no. 2533319



**Bycool Compact 1.4**

Ivory-white, rooftop-mounted, stand-alone air conditioning unit. Advanced compressor technology, especially designed for on-road trucks. Recommended for short cabs, day cabs, and low sleeper cabs. Suitable for dual battery systems and pre-charged with refrigerant gas, 134A. Delivered preassembled, including Scania-specific mounting kit.

For easier installation, the cable preparation **FPC 5168** is recommended.

For NTG. Part no. 2760061

For PGR. Part no. 2760062



**Bycool Blue Line – Flat**

Evaporative system, improving comfort while consuming only a small amount of energy. Hot, outside air passes through a wet filter where the water evaporates and absorbs heat. The active carbon filter prevents dust, pollen and particles from entering the cab. Delivered with Scania-specific mounting kit.

For NTG. Part no. 2673321

For PGR. Part no. 2238021



**Bycool Dinamic 1.1**

Stand-alone air conditioning system, mounted on the back wall of the cab – perfect when installation on the roof is not possible. Scania-adapted installation through improved wiring solution that enables tilting of the cab without disconnecting the cabling. Suitable for dual battery systems and pre-charged with refrigerant gas, R134A. Delivered with Scania-specific mounting kit.

For PGR. Part no. 2533321





Description	Bycool Slim	Bycool Compact 1.4
Part no. NTG	2760059	2760061
Part no. PGR	2760060	2760062
On-Road	Yes	Yes
Installation	Roof	Roof
Recommended use	Night	Night
Compressors	2 hermetic	2 hermetic
Power W*	1400 W	1400 W
BTU*	4,777 BTU/h	4,777 BTU/h
Electrical consumption	10.5–18 A/h	10.5–18 A/h
Voltage	24 V	24 V
Maximum air flow	840 m <sup>3</sup>	800 m <sup>3</sup>
Refrigerant gas	134A	134A
Pre-charged with gas	Yes	Yes
Battery protection	Double battery protection	Double battery protection
Systems prepared for hazardous goods transport (ADR)	Yes	Yes
Adapted to Scania Dual Battery system	Yes	Yes
Min. battery required	No	No
Min. alternator required	No	No
Dimensions LxDxH mm	896x874x116 mm	826x726x179 mm
Weight	34 kg	29.9 kg
Remote control	Remote control by radio frequency 433.92 MHz	Remote control by radio frequency 433.92 MHz
Features	Delivered preassembled. Including Scania-specific mounting kit.  For NTG version, kit included for stabilising roof air deflector when cut.	Delivered preassembled. Including Scania-specific mounting kit.  For NTG version, kit included for stabilising roof air deflector when cut.
CE-approved/E-approved	Yes	Yes
	 	 

\* In accordance with JIS standard test conditions: Outside temperature 35 °C, return temperature 27 °C.

\*\* Flat is an evaporative system. No quantified info under these categories.



	Bycool Compact 3.0	Bycool Lite	Bycool Dinamic 1.1	Bycool Flat
	2542520	2673442	–	2673321
	2533319	2673443	2533321	2238021
	Yes	Yes	Yes	Yes
	Roof	Roof	Rear wall	Roof
	Night/day	Night	Night	Night
	2 hermetic	1 hermetic	1 hermetic	N/A**
	3000 W max	1000 W	1050 W	N/A**
	10,236 BTU/h max	3,412 BTU/h	3,853 BTU/h	N/A**
	Engine Off: 11–24 A/h Engine On: 25–38 A/h	12–19 A/h	9.5–16 A/h	0.4–4 A/h
	24 V	24 V	24 V	24 V
	800 m <sup>3</sup>	700 m <sup>3</sup>	420 m <sup>3</sup>	800 m <sup>3</sup>
	134A	134A	134A	N/A**
	Yes	Yes	Yes	N/A**
	Double battery protection	Double battery protection	Double battery protection	No
	Yes	Yes	No	No
	Yes	Yes	Yes	N/A
	180 A	No	No	No
	80 A/h	No	No	No
	826x726x205 mm	672x740x122 mm	Evaporator unit (Int): 308x650x128 mm Condenser unit (Ext): 788x638x202 mm	818x718x135 mm
	39.3 kg	25 kg	Evaporator unit (Int): 5 kg Condenser unit (Ext): 21.5 kg	14.8 kg
	Remote control by radio frequency 433.92 MHz	Remote control by radio frequency 433.92 MHz	Remote control by radio frequency 433.92 MHz	Remote control by radio frequency 433.92 MHz
	Delivered preassembled. Including Scania-specific mounting kit.  For NTG version, kit included for stabilising roof air deflector when cut.	Delivered preassembled. Including Scania-specific mounting kit.  For NTG version, kit included for stabilising roof air deflector when cut.	Delivered preassembled. Including Scania-specific mounting kit.	Delivered preassembled. Including Scania-specific mounting kit.  For NTG version, kit included for stabilising roof air deflector when cut.
	Yes	Yes	Yes	Yes



## HEATERS AND CHARGERS

# COMFORT FOR MAN AND MACHINE

Everything we do is aimed at maximising comfort and reliability, while minimising vehicle downtime. A vital part of this is our heater and charger range. Here you will find engine heaters, an electric cab heater, and a heated mat to be placed underneath the regular floor mat, for extra comfort. This group of accessories also includes an efficient battery charger – a fully charged battery ensures long service life and better operating economy.



**Floor heating pad 50 W**

A very neat solution to keeping the floor warm and dry. Simply place it under the existing floor mat. Plugs into either the 24V outlet or into the heated chair. Can be used on either the driver or passenger side.

*Floor heating pad, seat connection kit. Part no. 2293832*

*Floor heating pad, universal 24V kit. Part no. 2293833*

*Cable harness, seat connection (spare part). Part no. 2292120*

*Cable harness, 24V plug (spare part). Part no. 2292121*





**Electric cab heater**

WaveLine 1700 have two power modes (1700 W and 1100 W) and is fitted with a three-position switch, off/half-power/full-power. The cab heater is self-adjusting, meaning it adjust the power based on the surrounding temperature. It's also fitted with a resettable temperature limiter that cuts power if the temperature exceeds a permitted value. The design is black and red. Dimensions are 195x145x50 mm. It can be installed in different ways: use the mounting hold, the quick clip, or the wire bracket. The cab heater must be connected to 230 V AC power. Part no. 2796076

**Socket installation kit**

Install a socket that makes it easier and faster to install the electrical cab heater.

*G and R sleeper cabs. Part no. 1900736*

*P sleeper cab. Part no. 1900737*

*G and R day cabs. Part no. 1900738*

*Short G cab. Part no. 1900740*

*Short P cab. Part no. 1900741*

*Connection kit, all cabs. Part no. 2166156*





**Engine heaters**

In cold temperatures, the engine consumes more fuel and emits more harmful substances. Regardless of engine type, an engine heater is an efficient solution providing easier starts, less engine wear, reduced environmental impact, and enhanced comfort for the driver.

- PGR D9, non XPI. Part no. 1900732*
- PGR D11 and D12. Part no. 1900731*
- PGR D13 XPI. Part no. 2157938*
- PGR D16 non XPI. Part no. 1900730*
- NTG D9/D13. Part no. 2714080*
- NTG D16. Part no. 2714081*
- Connection kit. Part no. 2166156*



**Battery charger**

Modern vehicles with advanced electrical systems require a fully-charged battery, particularly for short journeys. Consuming minimal power, the Calix battery charger ensures that your battery is fully charged at all times. It can also be used as a power supply and for charging fully discharged batteries.

- Charger. Part no. 2148986*
- Installation kit. Part no. 2192479*
- Power cord EU plug 5 m. Part no. 1423904*
- Power cord EU plug 15 m. Part no. 1447109*
- Power cord UK plug 5 m. Part no. 2152701*



**Electrical fuel heater**

To improve injection, combustion, and ultimately your uptime, the Scania fuel heaters prevent paraffin from forming at low temperatures or when diesel quality is poor.

*Part no. 1777451*



**Battery desulfator**

A battery reconditioner improves battery performance by preventing buildup and forming of crystalline sulfate. The Canadus Battery Reconditioner HD-1224 helps to extend the battery life, increase equipment productivity, improve electrical system performance, and reduce electrical system maintenance costs.

*Part no. 2416824*





DRIVING COMFORT

# FOR A SMOOTH FLOW

Driving with an open window is pleasant, but sometimes noisy. Wind deflectors reduce both loudness and air flow, maintaining a comfortable driving experience. Before purchasing a wind deflector, make sure to check national legal requirements. This range also includes a smart drip strip above the door preventing water on the roof from entering the cab when the door is opened.



**Wind deflector door NTG**

Wind deflector made of transparent plastic. Easy to fit with adhesive tape. Factory mount **FPC 5613**.

*Left side. Part no. 2617531*

*Right side. Part no. 2617532*



**Drip strip – Door**

Prevents water on the roof from entering the cab when the door is opened.

*Left side. Part no. 1433597*

*Right side. Part no. 1435236*



**Wind deflector door PGR**

Wind deflector made of transparent acrylic plastic and bearing the Scania logo. Easy to fit using adhesive tape and clips.

*Kit for both sides, including clamps. Part no. 2607788*

*Left side. Part no. 2607786*

*Right side. Part no. 2607787*

*Clamps (needs to be ordered separately). Part no. 1904353*

*Left side, non-tinted plastic. Part no. 2551613*

*Right side, non-tinted plastic. Part no. 2551614*





## TABLES

# SURFACES FIT FOR PURPOSE

Life in the cab should be simple. Being able to place a cup of coffee, a book, or a laptop in a handy location is convenient for both you and your passengers. Explore our smart table solutions, featuring a wide variety of sizes and designs. Before purchasing a table, make sure to check national legal requirements.

## INSTRUMENT PANEL TABLE



### Scania table, instrument panel

The Scania table for the instrument panel has edges and a rubber mat on top, preventing items from sliding off, as well as a groove for storing pens. To fit various requirements, the table top can easily be removed. Mounting is recommended to be done by Scania workshop. Instruction not included in kit, it's in Scania's parts catalogue. Please be aware, there may be local variations in national legislation concerning requirements for fitting the table. Factory mount **FPC 7218**.

Table kit left-hand drive. Part no. 2671952

Table kit right-hand drive. Part no. 2672076



### Aluminium

For LHD mounting. Fits Grundig and Siemens 1373 toll collection system.

### P-, G- and R-series with hard dashboard

Long dashboard. Part no. 2030241

Short dashboard. Part no. 2030265

### R-series with soft dashboard

Long dashboard. Part no. 2373772

Short dashboard. Part no. 2373794



### Black leather

For LHD mounting. Fits Grundig and Siemens 1373 toll collection system.

### P-, G- and R-series with hard dashboard

Long dashboard. Part no. 2030239

Short dashboard. Part no. 2030263

### R-series with soft dashboard

Long dashboard. Part no. 2373770

Short dashboard. Part no. 2373792



### 4-series

Part no. 2030261



### Walnut

For LHD mounting. Fits Grundig and Siemens 1373 toll collection system.

### P-, G- and R-series with hard dashboard

Long dashboard. Part no. 2030240

Short dashboard. Part no. 2030264

### R-series with soft dashboard

Long dashboard. Part no. 2373771

Short dashboard. Part no. 2373793



## FOLD-OUT TABLE



### Fold-out table passenger side

Practical fold-out table for passenger side. Table with rubberised surface, including mounting parts.. Part no. 2870771



### Fold-out table passenger side

Table including hinges and strip.

Part no. 1939975

Fold-out table for passenger side, including storage compartment, mat and mounting parts. Part no. 2078467





## STORAGE

# A PLACE FOR EVERYTHING

In the Scania cab, every item you have has its own place. Hooks and storage boxes of various sizes make it easy to keep the cab nice and tidy. There is also a bag and storage net, specially designed for a storage bar mounted on the back wall.



### Storage box

Designed to fit under the bed, the plastic storage box holds approx. 29 litres and provides a smart and easily accessible space for storing belongings. Can be placed on the driver's side, passenger side or both at the same time. The storage box fits G, R and S sleeper cabs. Factory mount **FPC 6871**. Part no. 2602308



### Coat hook

Convenient hook for clothes and belongings, for use only when standing still as visibility is impaired. Available in dark or light sand colour and easily pressed into position from the inside of the storage compartment above the driver's or passenger door.

Coat hook, light sand colour. Part no. 2485674

Coat hook, dark sand colour. Part no. 2489770



### Storage bar kit

For simple and accessible storage options, you can put your personal items in the nets and the bag on the storage bar on the rear cab wall. All units are easily fastened to the storage bar with Velcro straps. Storage net and bag fit the large storage bar, ordered from factory on **FPC 5210**. Factory mount, XT storage kit or Scania symbol storage kit, **FPC 8236**. Kit, storage nets and centre bag with Scania symbol. Part no. 2642931  
 Kit, storage nets and centre bag with XT logotype. Part no. 2642752  
 Storage net, left-hand side. Part no. 2642751  
 Storage net, right-hand side. Part no. 2629504  
 Centre bag with Scania symbol logotype. Part no. 2629941  
 Centre bag with XT logotype. Part no. 2629503



### Storage bar box and hook

Box and hook in sand-coloured plastic, matching the cab interior. Both accessories can be securely fastened to either the small or large storage bar. Box dimensions 220x350x150 mm. Factory mount **FPC 2472**.

Storage bar hook. Part no. 2738297

Storage bar box. Part no. 2039627



### Hatch Handle

TEXT

Part no. 2325506



### Rubrik NY TEXT

Part no. 2325506



## BAWER TOOLBOXES

The range consists of stainless steel toolboxes, with matt body and polished lid in different sizes. Shelves, mats, ventilation and gas spring are accessories to customize each box for each customer demand.



### Bawer toolboxes

Toolboxes are approved as lateral protection devices (LPD). Approval number stamped on box side. Gas springs set (50N) 2192060 can be added to customize boxes with hinges positioned on bottom.

#### Toolbox with dimensions (LxHxD) 600x400x500 with one lock

Hinges on left side. Part no. 2828794  
Hinges on right side. Part no. 2828805  
Hinges on bottom side. Part no. 2828806

#### Toolbox with dimensions (LxHxD) 800x500x500 with one lock

Hinges on left side. Part no. 2828807  
Hinges on right side. Part no. 2828808  
Hinges on bottom side. Part no. 2828809

#### Toolbox with dimensions (LxHxD) 1000x500x500 with one lock

Hinges on bottom side. Part no. 2828810

#### Toolbox with dimensions (LxHxD) 1200x500x500 with two locks

Hinges on bottom side. Part no. 2828811

#### Toolbox with dimensions (LxHxD) 1450x500x500 with two locks

Hinges on bottom side. Part no. 2828812



### Shelf

Stainless steel shelf. Fasteners not included.

Shelf for toolbox 600x400x500 mm. Part no. 2828816  
Shelf for toolbox 800x500x500 mm. Part no. 2828817  
Shelf for toolbox 1000x500x500 mm. Part no. 2828818  
Shelf for toolbox 1200x500x500 mm. Part no. 2828819  
Shelf for toolbox 1450x500x500 mm. Part no. 2828820



### Mat

Plastic mat to be positioned on the bottom of box.

Mat for toolbox 600x400x500 mm. Part no. 2828821  
Mat for toolbox 800x500x500 mm. Part no. 2828822  
Mat for toolbox 1000x500x500 mm. Part no. 2828823  
Mat for toolbox 1200x500x500 mm. Part no. 2828824  
Mat for toolbox 1450x500x500 mm. Part no. 2828825



**Ventilation**

Ventilation in plastic with diameter 100 mm. No fasteners included.

Part no. 2828826



**Brackets**

Couple of brackets in stainless steel to embrace the body of box. Fasteners for fixing to the box included.

Part no. 2828813



**Beams**

Kit of beams to be used in combination with bracket 2828813. Fasteners included for fixing to box.

Beam for toolbox 600x400x500 mm. Part no. 2828815

Beam for toolbox 800x500x500 mm. Part no. 2828814

Beam for toolbox 1000x500x500 mm. Part no. 2841236

Beam for toolbox 1200x500x500 mm. Part no. 2841235

Beam for toolbox 1450x500x500 mm. Part no. 2841204



**Stainless steel brackets**

Couple of brackets, stainless steel – 2,5 mm 420x160 mm. Fasteners not included.

Part no. 2843014

Couple of brackets, stainless steel – 2,5 mm 520x205 mm. Fasteners not included.

Part no. 2843035



**Hinge**

Spare parts hinge in plastic with stainless steel pin.

Part no. 2828827



**Lock**

Spare part lock with studs. Two spare parts keys included.

Part no. 2828828



KITCHEN EQUIPMENT

# THE GOOD LIFE

You drive many miles every day and spend long hours in the cab, so taking regular breaks is essential. Make sure to fit your vehicle with the right equipment so you can enjoy the freedom of coffee breaks and meal breaks whenever it suits you.



**Water kettle**

When you need a pot of tea, cup of coffee or a mug of soup, this water kettle is the solution for you. The Scania approved water kettle is a 24V unit, with automatic cut-off overheating protection. The kettle is possible to fixate on the instrument panel together with the mounting frame (included). Features: 24V. 300W. 1 L capacity. Soft touch on/off buttons. automatic cut-off overheating protection.

Part no. 2323638



**Dometic coffee maker**

Equipped with mesh filters and a transparent water container with cup capacity marked. The coffee pot is secured while the vehicle is being driven. Capacity for 5 cups (680 ml). 24 V. Supplied with a bottom plate for securing in the cab.

Part no. 2439387



**Scania branded coffee maker**

Adapted to the driver's environment, the coffee maker makes up to 6 cups in just a few minutes with regular, type 102 paper filters. Heating plate with thermostat and overheating protection. The coffee maker can be fitted on the instrument panel or on the roof shelf. Suitable for G/R/S cabs, roof shelf mounting also require high roof. The installation requires a factory prep., **FPC 3840**, of cable harness with 24-V connectors. Spare parts are available in Scania's parts catalogue. Fitting on the instrument panel is not possible in combination with Scania tablet holder. Factory mount **FPC 3840**.

Scania coffee maker. Part no. 2024218



Holder for instrument panel mounting. Part no. 2037604

Holder for roof shelf mounting. Part no. 2567073



**Microwave oven with integrated 24 V power supply**

The microwave oven makes it easy to cook meals while on the road. 500 W, 3 heating programs, and 1 defrost function. Dimensions (HxWxD) 280x449x336 mm, volume 17 litres. Equipped with a 24-V connector, and the cab must have the option for microwave oven preparation (factory mount **FPC 6542**). The microwave oven can only be fitted in a high-roof cab, in the central storage compartment.

Retrofitting complete kit NTG. Part no. 2733090





**Refrigerator NTG**

Choose either cooling mode, 0–10°C, or freezing mode, -15°C (min temperature depends on surrounding temperature). Equipped with an energy limiting function. The refrigerator requires factory prep. (box with cable harness) and can also be factory mounted **FPC 5158** or **FPC 5159**.

*Refrigerator S-series sleeper cab, 36.7 litres. Part no. 2706575*

*Refrigerator R-series sleeper cab, 26.7 litres. Part no. 2706544*

*Refrigerator R-series day cab, 13.3 litres. Part no. 2770786*



**Refrigerator NTG**

Choose either cooling mode, 0–10°C, or freezing mode, -15°C (min temperature depends on surrounding temperature). Equipped with an energy limiting function. The refrigerator requires factory prep and can also be factory mounted **FPC 2042**.

*Refrigerator P- and G-series sleeper cab, 30.3 litres. Part no. 2770774*

*Refrigerator P- and G-series day cab, 14 litres. Part no. 2770785*

*Refrigerator P- and G-series day cab, 14 litres. Part no. 2770785*

*Refrigerator P- and G-series day cab, 14 litres. Part no. 2770785*



**Refrigerator and freezer PGR**

Enjoy convenience with an under-bed refrigerator, with or without freezer. For Scania P-, G-, and R-series sleeper cabs. Factory prep. for refrigerator needed, **FPC 2042**.

*Refrigerator and freezer, R-series. Part no. 2540272*

*Refrigerator box for 2540272. Part no. 1515749*

*Freezer box for 2540272. Part no. 1515750*

*Refrigerator without freezing compartment, P- and G-series. Part no. 2540273*

*Refrigerator without freezing compartment, R-series. Part no. 2540271*

*Refrigerator box for 2540271. Part no. 2114787*

*Refrigerator for P, G, R 16 cab (from 2003). Part no. 1421478*





**Cupholder**

Simply retrofit a cupholder into one of the vacant slots for separate switches. Flexible rubber pins allow you to securely fit a large thermos mug or a narrow coffee mug. Supplied with mounting fittings and instructions.

Part no. 2455832



**Electric lunchbox heater**

This compact lunchbox heater has room for one or two stainless-steel lunchboxes. Connects to the 24-V socket in the cab.

For 1 lunchbox (incl. 1 lunchbox). Part no. 583040

For 2 lunchboxes (incl. 2 lunchboxes). Part no. 583041


Lunchbox. Part no. 583032



**Cool box 20 litres**

The cool box allows cooling to approx 30°C less than surrounding temperature. Capacity 20 litres. 12/24/230V.

Part no. 2051846



ELECTRONICS

# ENTERTAINMENT ALONG THE ROAD

Sitting behind the wheel involves so much more than just driving. To optimise both comfort and safety, our range of electronics offer several solutions for communication, sound, navigation, and more. Explore and enjoy.



#### Pioneer radios with satellite navigation

The Pioneer AVIC-Z6210BT-CT and AVIC-Z7210DAB-CTAN are full-scale navigation, entertainment and communication systems equipped with truck-specific navigation. This simple and versatile navigation unit can help you find your delivery location, with precise and updated maps and driving instructions for the whole of Europe.

Both models are 2 DIN and have large (6.2-inch), high contrast multi-touch screen which can be adapted to suit your own personal requirements.

*AVIC-Z6210BT-CT, with truck specific navigation and Bluetooth. Part no. 2836291*

*AVIC-Z7210DAB-CTAN with truck-specific navigation, DAB/DAB+ radio and Bluetooth. Part no. 2836292*



#### Scania centre panel for installation of Pioneer 2-DIN navigation

The centre panel has been designed especially for installation of Pioneer's 2-DIN navigation units.

*Part no. 2473788*





**Alan 48 PRO, from Midland**

Classical designed CB-radio by Midland with a brand new re-designed internal circuit to increase the technical performances, equipped with multifunction blue backlit display. This is a 12/24 V power supply, Digital Automatic Squelch, Noise Blanker/ANL filter for the highest audio quality, multi-frequency band equipment, DIN-Size ready with the DIN mounting kit; for countries with codes I, I2, D4, EU, EC W, F, PL, UK. Frequency range: 26.565–27.99125 MHz. Features: Power: 1 W/4 W depending on country. Microphone with up/ down/lock buttons. RF gain: sensitivity control in RX. MIC gain: microphone amplification. Four memory positions. There is direct access to an emergency channel 9. Scan function. Dual watch. 6 pin microphone socket and external loudspeaker connection. Power supply voltage DC 12.6 V DC ±10%. Equipment is compliant with EU regulation 2014/53/UE. CB-radio is delivered together with microphone, mounting bracket and screws.  
 Alan 48 Plus Multi B. Part no. 2902922  
 Mounting frame. Part no. 1924391



**Alan 78 Plus Multi B, from Midland**

A compact CB-radio with multifunction blue backlit display. Multi frequency band equipment, for countries with codes I, I2, D4, EU, EC W, F, PL, UK. Frequency range is: 26.565–27.99125 MHz. Features: Microphone with up/down/lock buttons. Squelch. There is direct access to an emergency channel 9. Scan function. 6 pin microphone socket and external loudspeaker connection. Power supply voltage DC 12.6 V DC ±10%. Equipment is compliant with EU regulation 2014/53/UE. CB-radio is delivered together with microphone, mounting bracket and screws.  
 Alan 78 Plus Multi B. Part no. 2801825  
 Mounting frame. Part no. 2847091



**CB radio xm 5008e-R VOX 12/24 from Stabo**

Equipped with hands free speaking (VOX function). 6 switchable frequency tables (EU, d, PL, EC, UK, In) and direct access to channels 9 and 19. Frontspeaker with powerful sound. 12V/ 24V operation without switching. Energy efficient 24V operation. 6-pin microphone socket. Socket for external loudspeaker. Multifunction LC display. Frequency range: 26.565 – 27.99125 MHz. Power supply voltage 13,2/26,4 V DC. 1-DIN installation frame, power-plug to fit Scania and microphone are included. E-mark certified (E24 10R-05 3091).  
 xm 5008e-R VOX 12/24. Part no. 2926994



**CB radio xm 3004e-R VOX 12/24 from Stabo**

Equipped with hands free speaking (Super VOX function). 6 switchable frequency tables (F key: EU, d, PL, EC, U, rU) and emergency key (1&2) e.g. direct access to channel 9/19. ANL (automatic noise limiter) . Key Beep & Roger Beep, ToT (time out timer) , 6-pin microphone socket. LED display with 7 backlight colours to choose between. 12V/24V operation without switching. Energy efficient 24V operation. ASC automatic squelch control (president patent) Frequency range: 26.565 – 27.99125 MHz. Mode key AM/FM, Power supply voltage 13,2/26,4 V DC. 1-DIN In-dash frame with acoustic channel (no additional loudspeaker required), Socket for external loudspeaker and external vox mic. Power plug to fit Scania and microphone are included. E-mark certified (E24 10R-05 3065). Factory mount **FPC 6581**.  
 xm 3004e-R VOX 12/24. Part no. 2901107





**Pioneer 1 DIN**

Enjoy your music with 1-DIN Pioneer radios via either RDS FM/AM tuner radio stations, CD or connected to other devices.

*DEH-S420BT, red button illumination, Bluetooth, USB, Aux-In and Apple and Android device compatible. Part no. 2862343*

*DEH-S220UI, multicolour illumination, RDS tuner, USB, Aux-In and Apple and Android device compatible. Part no. 2826342*

*DEH-S120UBG, green button illumination, USB, Aux-In and Android smartphone compatible. Part no. 2862341*

*DEH-150MPG, green button illumination and green illuminated front AUX-In. Part no. 2186590*



**Pioneer 1 DIN**


1-DIN Pioneer radios with built in DAB/DAB+ and RDS FM/AM tuner. You can also enjoy your favourite music via CD or connected to other devices as well. A DAB aerial is also included.

*DEH-S720DABAN, multicolour illumination, AUX-In, USB, Bluetooth and Apple and Android device compatible. Part no. 2862344*

*DEH-S410DABAN, multicolour illumination, USB, Aux-In, Apple and Android device compatible. Part no. 2782255*

*DEH-X8700DABAN, multicolour illumination, AUX-In, USB, Bluetooth and Apple and Android device compatible. Part no. 2559447*

*MVH-S520DABAN, multicolour illumination, AUX-In, USB, Bluetooth, without CD. Apple and Android device compatible. Part no. 2862365*



**Pioneer radio interfaces**

All you need to upgrade your Pioneer music experience.

*Adapter cable, FAKRA to ISO. Part no. 2204849*

*Aerial adapter. Part no. 2064806*

*USB audio adapter cable. Part no. 2399273*

*USB audio and video adapter cable. Part no. 2399274*

DAB antenna for fitting on the windscreen. Connected to the digital antenna input on the Pioneer unit (DAB model).

*Pioneer DAB antenna. Part no. 2429096*



**Speakers, Pioneer**

Rock-solid, full-bodied performance. Pioneer speakers release the full potential of the audio setup in your Scania.

*Subwoofer 150 W (TS-WX210A). Part no. 2064803*

*4-Way 6"x8", 350 W (TS-A6880F). Part no. 2836293*

*Mounting adapter for loudspeaker in door. Part no. 2279869*





## OFFICE EQUIPMENT

# OFFICE ON A ROLL

Your cab is also quite often your office. We provide several easily accessible solutions to make it easier for you to maintain structure and order – also during stressful working conditions.



**Tablet holder mount NTG**

Holder measurement range 140–223 mm, maximum load 800 grams. Packed into a kit including all parts needed for installation in the instrument panel. Please note! A tablet PC is not included in the delivery, nor any wiring for charging the tablet PC. Holder not possible in combination with coffeemaker mounted on the instrument panel. Mounting instruction in Scania's spare parts catalogue. Before purchase please make sure to check national legal requirements. Factory mount **FPC 6311**.

Tablet holder kit, LHD. Part no. 2674927

Tablet holder kit RHD. Part no. 2674928



**Driver information folder**

Driver information folder in leather and fabric. Keeps documents in place and easy to find. Includes a leather pocket for pens and other small items.

Part no. 2119894



**Adapter plate for mobile phone holder**

The adapter plate enable a position to mount a mobile phone holder close to USB and AUX input if pre-selected from factory. **FPC 6498** or **FPC 6499**.

Kit for driver position, LHD or RHD.

Part no. 2870772



**TV wall mount**

The TV mount is developed with the Scania cab in mind to guarantee safety and comfort. The TV must not be larger than 19 inches and support VESA 75 standards. Fits the R-series Highline and Topline sleeper cabs produced after September 2009. The TV bracket can be tilted both horizontally and vertically, and should be mounted above the passenger door to allow visibility from both bed and driver's seat. The TV is mounted to the bracket with a VESA 75 connector which is standard on most TVs up to 19 inches or 6 pounds. Our recommendation is not to install a TV bigger than 19 inches as this will block the storage shelf.

R-series Topline sleeper cab. Part no. 2152751

R-series Highline sleeper cab. Part no. 2152754



**Adapter plate for mobile phone holder**

The adapter plate enable a position to mount a mobile phone holder close to USB and AUX input if pre-selected from factory. **FPC 6498** or **FPC 6499**.

Kit for centre cab position, LHD.

Part no. 2870773

Kit for centre cab position, RHD.

Part no. 2870774





CLEANING EQUIPMENT

# KEEPING IT NICE AND TIDY

A clean and uncluttered cab environment is vital for a pleasant work experience. Make sure to install waste bins in smart places so you can keep the cab free from rubbish. Our range of cleaning equipment also includes a convenient compressed air gun, for quick and easy dust removal.



**Compressed air gun**

Small compressed air gun, easily fitted to the dashboard. 3 different versions. For quick removal of dust from the dashboard and seats.

*Chromed. Part no. 1899962*

*Blue. Part no. 2118539*

*Red. Part no. 2118540*



**Waste bin**

Use the Scania waste bin to keep the cab tidy. The bin is made of tarpaulin and fits neatly into several places in the cab.

*Part no. 2116993*



**Waste bin with cover**

The waste bin is produced to fit the door pocket in the NTG P-, G-, R-, and S-cabs. It can also be used in other locations, thanks to the Velcro strap on the rear. Made of sand-coloured plastic to match the cab interior. The waste bin holds approximately 1.25 litres and has a cover to close in undesirable odour. Factory mount **FPC 5612**.

*Part no. 2117011*



**Ashtray**

Ashtray with space for two cigarettes. The ashtray is suitable for both G- and R-series (PGR), as well as NTG. It fits securely and precisely in the cup holders in the central storage. The ashtray is easily removed, thus easy to clean.

*Part no. 2558693*





MISCELLANEOUS

# THAT LITTLE BIT EXTRA

We always try to ensure your life on the road is as trouble-free as possible, so make sure to have our combined snow brush/ice scraper and squeegee on board. And should you have to repair or fix anything while on the road, choose one of the two handy tool kits.



**Snow brush and ice scraper**

An effective snow brush and ice scraper for cleaning in all snow conditions. It has a brush head with integrated rubber scraper to remove wet and heavy snow. The brush head can be set in two positions, either T-shape or straight. The handle is telescopic and can be adjusted steplessly for extra long reach. In T-shape the length is 820–1140 mm, and for straight it is 930–1250 mm.

Part no. 2748039

Replacement blade for snow brush and ice scraper, 2748039 and 2599617. Part no. 2748040



**Telescopic rubber scraper with sponge**

Flexible, effective rubber scraper with sponge. Ideal for cleaning glass and side windows on trucks and buses. The aluminium handle is telescopic, and the scraper is 550–750 mm long. The rubber scraper/sponge can easily be folded towards the handle to facilitate storage.

Part no. 2409540



**Telescopic snowbrush/ice scraper**

Smart all-in-one snow brush and ice scraper. Includes a built-in telescopic, extendable handle, 770–1050 mm. Easy to use and the telescopic lock is stable and weatherproof. At one end an effective snow brush, and the other end a tough ice scraper made of frost-proof polycarbonate. The ice scraper has 3 scraping edges and a notch for cleaning wiper blades from ice and snow. Comfortable grip handle.

Part no. 2599617



**Vehicle toolkit**

45-piece toolkit for carrying out smaller emergency repairs.

Part no. 1723293

**Toolbox, Home edition**

61-piece toolkit for most garage repairs to the vehicle, gardening equipment, the house, camper vans etc.

Part no. 1893226



# SAFETY & SECURITY

- 090 Alcolock systems
- 092 Radar
- 094 Cameras – Scania
- 106 Cameras – Orlaco
- 130 Safety clothing
- 132 Mud flaps
- 136 External lighting
- 146 LED bar spot lamps
- 152 Work and Reverse lamps
- 168 Marker lights, DRL and tail lights, lamp protection
- 174 Rotating beacons
- 178 Traffic warning systems and strobe flashers
- 184 NTG: Scania stainless steel light bars
- 196 Scania NTG: KAMA/METEC stainless steel light bars
- 200 Aluminium light bars from SCANIA
- 204 Scania PGR-series: KAMA/METEC stainless steel light bars
- 214 Hand-held worklamps
- 218 Fuel-related equipment
- 222 Warning and emergency equipment
- 226 Wheel equipment
- 230 Snow chains onspot



SAFETY & SECURITY

# ON THE MOVE FOR SAFER RIDES

Driving gets more complicated and challenging the longer the haul, the busier the traffic or the steeper the terrain. To help you prepare for the unexpected, we have a wide range of safety and security equipment, such as traffic warning systems, beacons, cameras, anti-siphon devices, and emergency equipment, along with an extensive assortment of lighting accessories. Products that will help you work and move safely around your vehicle, ensuring that both you, and others on the road, always operate in the best light.





## ALCOLOCK SYSTEMS

# STAY ALERT AND IN CONTROL

A flawless traffic safety record is a contractor's most important asset. To maximise safety for everyone on the road, adhere to legislation and stay ahead of competition, Scania offers market-leading alcohol interlock systems. We are co-operating with Dräger, the world's most trusted maker of breath alcohol measurement devices. The interlock system is easy to use and reliable. If an elevated alcohol concentration level is detected, we guarantee that the vehicle will not start.

### Quick and easy to use

The Scania alcohol interlock has very short warm-up and is almost ready instantaneously. It has a modern, ergonomic design with user-friendly menu navigation displayed on a colour LED screen.

### Robust, yet sensitive

The inside of vehicles are subject to a wide range of temperatures and humidity. Ensuring reliable performance in temperatures from

-45 °C to +85 °C, the Scania alcohol interlock is durable and reliable even in demanding conditions. In addition, it is also very sensitive and accurate. Multiple sensors confirm that a human is using the device, which means it is very difficult to trick the system. Any attempts to manipulate the process are stored in a log.

The alcohol interlock system can distinguish alcohol on the breath (blood) with extreme accuracy. The precise electro-chemical sensor does not react to washer fluid, mouth spray,

alco gel, cigarette smoke or cleaning agents, resulting in very few false readings.

### Employer's responsibility

If an employee shows signs of having an alcohol-related problem, the employer is expected to take on a large part of the rehabilitation process. The earlier a problem is discovered and treated, the better. With alcohol interlocks installed in the vehicles, you help your team to fight alcohol abuse.

**Alcohol interlock 7000**

The new Scania alcohol interlock 7000 has a new design, improved features and is the only alcolock of its kind that meets the requirements of two updated EU-standards as from 2014. Factory mount **FPC 6635**. The user can choose the language. The following 10 languages are available: Swedish, German, English, French, Spanish, Finnish, Danish, Dutch, Norwegian and Portuguese.  
Part no. 2282294



**Protection for Alcohol Interlock 7000**

Shock protection for Alcohol Interlock 7000.  
Part no. 2390877  
Display protection for Alcohol Interlock 7000.  
Part no. 2390878



**Nozzles**

Mouthpieces with non-return valves for our two different alcohol interlocks.  
5 pieces to alcolock XT. Part no. 2036303  
300 pieces to alcolock XT. Part no. 2036304  
5 pieces to new alcolock 7000. Part no. 2282282  
300 pieces to new alcolock 7000. Part no. 2282283



RADAR

# SIDE OBJECT DETECTION

Add Vulnerable Road User (VRU) protection with PreView Side Defender II, the next generation of side blind zone collision mitigation. PreView Side Defender II is the most advanced side object detection and VRU protection radar available for on-road medium and heavy-duty trucks.



## PREVIEW SENTRY RADAR - REAR VIEW DETECTION

### Intelligent operating modes

#### Accurate

Sentry accurately identifies the location and velocity of up to 16 people or objects simultaneously and is designed to withstand the harsh environments encountered by heavy-duty equipment. With built-in fail safe alerts that notify the operator of radar blockage or communication issues, operators and fleet managers can be sure that they are working with the most reliable object detection system available.

#### Flexible

PreView Sentry is the industry's most flexible, accurate, and powerful active blind spot monitoring solution available. Sentry has a pre set detection zone, with the ability to detect objects from the face of the radar to 6 meters long and 3 meters wide, the detection zone is pre set to fit almost all specifications of Scania.

#### Tough

Sentry is built to meet rugged J1455 specs for vibration, shock, temperature, humidity, salt spray, immersion, steam cleaning, general electrical environment, steady state electrical, transient/noise, EMC, and EMI.

### Additional smart features

- Engineered to operate in all weather conditions
- Provides audible and visual in-cab active alerts
- Ability to report sensor data to a logging or telematics device

**PreView Sentry Rear View Radar**  
Kit Part no. 2950465



Audible Cab Alerts



PreView Sentry®



Reverse Detection Zone



### PARTS INCLUDED



**PreView Sentry®**  
Radar sensor FMCW Radar  
@24 GHz IP69K  
12.4 cm x 10.3 cm x 3.25 cm  
6x3 meter detection range



**D2002 display unit**  
Built in LED and audio alert  
function



**Body harness**  
13 meter

## PREVIEW SENTRY RADAR - SIDE & REAR VIEW DETECTION

For some applications, it can be very beneficial to combine side view and rear view detection. Both systems minimize the risk for incidents in traffic and maneuvering.

### PreView Sentry Rear View and Side View Detection Radar

Kit LHD Part no. 2950462  
Kit RHD Part no. 2950464



PreView SDII



Audible Cab Alerts



PreView Sentry®



## PARTS INCLUDED



**PreView Sentry®**  
Radar sensor FMCW Radar  
@24 GHz IP69K  
12.4 cm x 10.3 cm x 3.25 cm  
6x3 meter detection range



**D2002 display unit**  
Built in LED and audio alert  
function



**PreView SDII**  
Radar sensor FMCW Radar  
@24 GHz IP69K  
12.4 cm x 10.3 cm x 3.25 cm  
3x12 meter detection range



**Body harness**  
13 meter



**Transition cable**  
7,6 meters



**Display cable**



CAMERAS – SCANIA

# THE ULTIMATE VIEW

With your operational safety in focus, we have developed a smart assortment of Scania-approved camera systems which are easy to use, ergonomically tested and designed to match the interior of your Scania cab. Our comprehensive camera systems, together with a safe driver, can help to reduce accidents and downtime by making it easier for you to drive, park and manoeuvre your vehicle at all times.




## SCANIA 360° AREA-VIEW: DIGITAL

Give yourself a panoramic 360° view of your vehicle with our Area-view camera system. Four wide-angle HD cameras work together to transmit live images straight to a single 7-inch monitor. Covering the front, rear, and sides of the vehicle, full visibility is ensured and parking,

loading, and manoeuvring can be carried out with a higher level of safety.

Minimize blind spots, lower stress and increase safety with this unique area-view system – which can be easily retrofitted to trucks or buses.


Slow speed




Driving > 15 kmph




Turn signal



Reversing



Minimize your blind spots in tight city situations, or in busy construction sites. Trucks or buses can get the system retrofitted. Lower the stress and increase your safety by investing in this area view system.



### Area View 360 Digital

Complete set with 7 inch digital screen and bracket for mounting as IP extension.

LHD. Part no. 2823153

RHD. Part no. 2823154

DVR Unit for recording on a 128 GB SD-card. Part no. 2717618

Calibration equipment. Part no. 2719518



Area view ECU	
Video in	HD TVI 4 ch (1280x720 p)
Video Out	TVI 1 channel (1280x720 p) and CVBS (720x480 p)
Switch of image	Triggerwire
Power	DC 9–36 V (36 V max)
Power consumption	17 W (max with camera)
Power standby	3 mA (max)
Temp.	-30°–+75° Celsius
Measurement	178.9x113.3x26 mm
Trigger	Rear gear, Flasher left/right, Speed
Instalment	ECU rack wings included



Camera HD-TVI (x4)	
Sensor type	ISX013 Sony
Viewing angle	190.5° (H) / 119.1° (v)
Resolution	1280x720 p
Brightness	1 LUX
Video Standard	PAL/NTSC
Whitebalance	AUTO
Protection class	IP69K With housing
Power consumption	DC 5v, 220 mA max
Temp.	-30°–+75° Celsius
Measurement	60x40x43 mm
Wheight	80 g



LCD Screen IP protected	
Size	7"
Resolution	800x480 pixel RGB
Brightness	400 cd/m <sup>2</sup>
Contrast	500:1
Viewing angle	70/70/50/50 (L/R/T/B)
Power	DC 12 V–24 V
Video Input 1	TVI 720 p 30 Hz Differential type
Video Input 2	TVI 720 p 30 Hz Single type
Button	Dim/Mode/Menu/Up/Down/Power
Dimentions	187x113.5x26,5 mm
Temperature	-30°–+70° Celsius




Spare parts	
Camera	2717595
Cable Camera 3 m	2717615
Cable Camera 5 m	2717600
Cable Camera 7 m	2754803
Cable Camera 10 m	2754804
Cable Camera 13 m	2717601
Cable Camera 16 m	2717602
Cable Camera 18 m	2717603
Cable Camera 24 m	2717604
Monitor 7"	2717617
DVR 128 GB	2717618
ECU	2721908
SD card DVR 128 GB	2823144

## SCANIA 360° AREA-VIEW: ANALOGUE

See your vehicle from every angle on a 10-inch monitor with our Area-view camera system. Four wide-angle HD cameras work together to cover the front, rear, and sides of the vehicle, giving you an overall view of every manoeuvre.

Minimize blind spots, lower stress and increase safety with this unique area-view system – which can be easily retrofitted to trucks or buses.

Top view



View forward



View backwards




View right



View left



Minimize your blind spots in tight city situations, or in busy construction sites. Trucks or buses can get the system retrofitted. Lower the stress and increase your safety by investing in this area view system.



### Area View 360 Analogue

Complete set with 10 inch screen and bracket for mounting as IP extension.

LHD. Part no. 2761021

RHD. Part no. 2761022

DVR Unit for recording on a 32 GB SD-card. Part no. 2761024

Set without monitor. Part no. 2823098

HCT Wireless installation kit. Part no. 2823108



Area view main unit	
Video in	4 (NTSC)
Video Out	2 (Pal/NTSC)
CPU	700 Mhz
Switch of image	Remote or triggerwire
Remote	Threaded
Speaker	N/A
Certification	E/ECE (E9-10R-05. 11486)
Power	DC 12–24 V (32 V max)
Power consumption	7,2 W (max)
Power standby	2 mA (max)
Temp.	-30°–+75° Celsius
Measurement	173x100x30 mm
Wheight	461 g



Camera CS-7518 (x4)	
sensor type	1/3" CMOS
Viewing angle	180° (H)/145° (v)
Resolution	1280x960 p (1.3 MP WDR)
Brightness	0,2 LUX
Aperture	f 1.0
Video Standard	PAL/NTSC
Whitebalance	AUTO
Protection class	IP69 With housing
Material cover	Aluminium
Power consumption	DC 5v, 80 mA max
Certification	E/ECE
Temp.	-40°–+85° Celsius
Measurement	60x40x43 mm
Wheight	80 g



LCD Screen IP protected	
Size	10,1"
resolution	1280x800 pixel RGB
Brightness	500 cd/m <sup>2</sup>
Contrast	500:1
Viewing angle	170°
Power	DC 12V–24V
Power consumption	450 mA @ 12 V
Refresh rate H	15.734 kHz NTSC/15.625 kHz PAL
Refresh rate V	60 Hz NTSC / 50 Hz PAL
Video	Composit
Sound	Analog mono
Speaker	0.5 W max
Menu languages	EN, DE, FR, ES, IT
Certifications	E / ECE
Protection class	IP67
Temperature	-30°–+70° celsius



DVR 2-channel	
Resolution	2x1280x960 @ 30 fps
Mode	Normal/motionactivation
Compression	h264/avi
Storage	SDHC/SDXC 32 GB
G-sensor	Internal (5 levels)
Microphone	External (option)
Trigger	Electronic, Reverse gear
Software PC	Included
Power	DC 12V–24 V (32 V max)
Temp.	-10°–+60° Celsius
Measurement	140x23x78 mm
Wheight	194 g

## SHUTTER REAR-VIEW CAMERA

The shutter rear-view camera features an auto shutter that protects the lens against dirt and ensures a clear image in all weather conditions. The rear-view camera can be connected to the premium radio via the interface or to the 8-inch LED monitor.



REQUIRED ITEMS FOR SHUTTER REAR-VIEW CAMERA WITH PREMIUM RADIO



**Articulated vehicle with one trailer (with reversing camera for connected trailer only)**

- 1 x 2660324 HD shutter camera
- 1 x 2758817 adapter cable for premium radio
- 1 x 2758823 cable (10 m) to connect stereo adapter to trailer connection
- 1 x 2758807 trailer kit (incl. spiral cable and connectors)
- 1 x 2758820 extension cable (15 m) or 1 x 2758821 extension cable (20 m)



**Rigid truck with extra trailer (with 2 cameras for rigid and trailer)**

- 2 x 2660324 HD shutter camera (for rigid and trailer)
- 1 x 2758817 adapter cable for premium radio
- 1 x 2758816 prioritisation box (detects which camera needs to be active)
- 2 x 1903616 cable (20 m) to connect stereo adapter to trailer connection and camera on superstructure (2 x 2660323 (15 m) if rigid trailer is shorter)
- 1 x 2758807 trailer kit for one camera (incl. spiral cable and connectors between rigid and trailer)
- 1 x 2758820 extension cable (15 m) or 1 x 2758821 extension cable (20 m) depending on the length of the trailer



**Articulated vehicle with two trailers (with reversing cameras for connected trailers only)**

- 2 x 2660324 HD shutter camera
- 1 x 2758817 adapter cable for premium radio
- 1 x 2758816 prioritisation box (detects which camera needs to be active)
- 2 x 2629326 cable (5 m) to connect stereo adapter to trailer connection
- 1 x 2758809 trailer kit for two cameras (incl. spiral cable and connectors between tractor and trailer)
- 1 x 2758807 trailer kit for one camera to connect between trailers
- 3 x 2758820 extension cable (15 m) or 3 x 2758821 extension cable (20 m)

REQUIRED ITEMS FOR SHUTTER REAR-VIEW CAMERA WITH EXTRA MONITOR (FITS UP TO 3 CAMERAS)



**Articulated vehicle with one trailer (with reversing camera for connected trailer only)**

- 1 x 2660324 HD shutter camera
- 1 x 2660322 digital 8" TFT LCD monitor
- 1 x 2724637 monitor arm LHD (optional)
- 1 x 2758823 cable (10 m) to connect stereo adapter to trailer connection
- 1 x 2758807 trailer kit (incl. spiral cable and connectors)
- 1 x 2758820 extension cable (15 m) or 1 x 2758821 extension cable (20 m)



**Rigid truck with extra trailer (with 2 cameras for superstructure and trailer)**

- 2 x 2660324 HD shutter camera (for rigid and trailer)
- 1 x 2660322 digital 8" TFT LCD monitor
- 1 x 2724637 monitor arm LHD (optional)
- 1 x 2758816 prioritisation box (detects which camera needs to be active)
- 2 x 1903616 cable (20 m) to connect stereo adapter to trailer connection and camera on superstructure (2 x 2660323 (15 m) if rigid trailer is shorter)
- 1 x 2758807 trailer kit for one camera (incl. spiral cable and connectors between rigid and trailer)
- 1 x 2758820 extension cable (15 m) or 1 x 2758821 extension cable (20 m) depending on the length of the trailer



**Articulated vehicle with two trailers (with reversing cameras for connected trailers only)**

- 1 x 2660322 digital 8" TFT LCD monitor
- 1 x 2724637 monitor arm LHD (optional)
- 2 x 2660324 HD shutter camera
- 1 x 2758817 adapter cable for premium radio
- 1 x 2758816 prioritisation box (detects which camera needs to be active)
- 2 x 2629326 cable (5 m) to connect stereo adapter to trailer connection
- 1 x 2758809 trailer kit for two cameras (incl. spiral cable and connectors between tractor and trailer)
- 1 x 2758807 trailer kit for one camera to connect between trailers
- 3 x 2758820 extension cable (15 m) or 3 x 2758821 extension cable (20 m)

## MONITORS



**Monitor, 8-inch**  
Connects up to 3 cameras. Single camera view.  
Part no. 2660322



**Monitor, 8-inch QUAD**  
Connects up to 4 cameras. Supports multiple views.  
Part no. 2660321

## MONITOR HOLDERS



**Monitor arm flexible**  
Adjustable arm to fit with Scania 7", 8" and 10" monitors.  
Flexible LHD. Part no. 2724637  
Flexible RHD. Part no. 2724639



**Monitor arm fixed**  
Fixed arm to fit with Scania 7", 8" and 10" monitors.  
Fixed LHD. Part no. 2902545  
Fixed RHD. Part no. 2902546



## CAMERAS



**Rear-view camera HD**  
Rear-view camera with integrated microphone for extra safety.  
Part no. 2660324



**Side-view camera IR LED**  
IP68, mirror/normal 130° view.  
Part no. 2633324



**Rear/Side View camera**  
IP69k, Mirror/normal 150 view.  
Part no. 2758822

## PREMIUM RADIO INTERFACE



**Interface premium radio**  
Connects and operate one shutter camera on premium radio.  
*Part no. 2758817*



**Interface premium radio**  
Connects and operates up to 2 cameras on premium radio.  
*The new generation Scania.*  
*Part no. 2629325*  
*Scania P-, G- and R-series.*  
*Part no. 2629324*

## OTHER INTERFACE



**Interface 4-pin monitor**  
Connects shutter camera to 7-inch monitor.  
*Part no. 1903617*



**Prioritisation box**  
Automaticly switches between cameras on trailer/tractor.  
*Part no. 2758816*

## CABLES



**Cable, 5-pin**  
Standard cable mini DIN.  
*5 m. Part no. 2629326*  
*15 m. Part no. 2660323*  
*20 m. Part no. 1903616*



**Extention Cable Mini DIN**  
*5 m. Part no. 2758818*  
*10 m. Part no. 2758819*  
*15 m. Part no. 2758820*  
*20 m. Part no. 2758821*



**Cable HD ADR approved Mini DIN**  
*10 m. Part no. 2758823*  
*20 m. Part no. 2758824*

## TRAILER CABLES



**Trailer kit for 1 camera Mini DIN**  
 1 pcs Tractor Socket Male, 1 pcs  
 Curl-E coil cable, 1 pcs Trailer  
 Socket Female.  
*Part no. 2758807*



**Trailer kit for 2 camera Mini DIN**  
 1 pcs Tractor Socket Male, 1 pcs  
 Curl-E coil cable, 1 pcs Trailer  
 Socket Female.  
*Part no. 2758809*

## TRAILER SOCKETS



**Trailer socket Female Mini DIN**  
 For installation on trailer side.  
 1 cam. *Part no. 2758810*  
 2 cam. *Part no. 2758812*



**Trailer socket Male Mini DIN**  
 For installation on tractor side,  
 1 cam. *Part no. 2758811*  
 2 cam. *Part no. 2758813*

## OTHER CABLES



**Spiral cable**  
 7 pin, oil resistant.  
 4.5 m. *Part no. 2758814*  
 8 m. *Part no. 2758815*



**Adapter Mini DIN**  
 Mini DIN male to Orloco 4-pin  
 Female.  
*Part no. 2660325*



CAMERAS – ORLACO

# EXTEND YOUR FIELD OF VISION

To ensure the safety of your operations, it is critical that drivers have excellent visibility around their vehicle at all times. To complement the comprehensive set of mirrors on the Scania cab, we have selected an assortment of cameras which are easy to mount, install and operate. The Orloco range of cameras are also made to meet and exceed today's tough European legislations for vehicle cameras.



## CORNEREYE HD CAMERA AND MONITOR

The CornerEye camera system offers you a continuous view of blind spots at the front and side of your vehicle. Detailed live images are displayed on a HD monitor in your cab, allowing you to manoeuvre safely and efficiently through busy traffic situations while having a full view of cyclists, pedestrians, obstacles, and other road users in the nearby area.

The camera is shockproof, waterproof and resistant to ice.

The kit consists of a HMOS camera with watertight and wide-angle lens and a 10-inch HD automotive HLED monitor. All brackets and cabling are also included. The single camera covers mirror classes V and VI and is approved as a replacement for your cab's front mirror.

All items are also available as spare parts.



### CornerEye camera

CornerEye is also available from **FFU 3832G**.

The NTG Scania mirror replacement (monitor center side dashboard).

*Kit LHD. Part no. 2843668*

*Kit RHD. Part no. 2843669*

The NTG Scania surveillance (monitor above passenger door).

*Kit LHD. Part no. 2621566*


*Kit RHD. Part no. 2623788*

Scania PGR-series.

*Part no. 2623787*



CornerEye configuration drawing



## FRONT VIEW HD CAMERA AND MONITOR

Offering all the features of the Scania front view camera (page 114), the Scania front view HD camera presents a high definition image of the class VI area at the front of your vehicle for a perfect view.

The camera is 100% waterproof and features a heated lens to prevent the build-up of frost

and moisture, guaranteeing operability all weather conditions.


A mountable plastic bracket is included which is designed for optimized vision and suitable for spray painting in your cab's colour.

A 7" monitor is available separately.





Front view HD configuration drawing




## REAR VIEW HD CAMERA & MONITOR (RIGID TRUCKS ONLY)

The Scania rear view HD camera & monitor comprises a compact HMOS GMSL (low-latency) digital HD camera and 10-inch HLED LCD monitor. Both combine to offer the best possible view of the rear of your vehicle with

very low latency. The camera is 100% waterproof and shockproof and mounted on a special adjustable bracket to ensure flexible installation in any position.



Extension with HD rear view camera (only rigid trucks) configuration drawing



**Monitor HD 10"**  
HLED LCD Monitor.  
Part no. 2473498



**Monitor HD 7"**  
HLED LCD Monitor.  
Part no. 2864969



**Camera HMOS 180° With Bracket**  
For side and front view installations.  
180°. Part no. 2487975  
Camera Bracket (without camera)  
Part no. 2473501



**Digital cables**  
Digital Coaxial shielded cable.  
Cable 2 m UNI DigiCoax.  
Part no. 2473500  
Cable 5 m UNI DigiCoax.  
Part no. 2864965  
Cable 11 m UNI DigiCoax.  
Part no. 2864966  
Cable 16 m UNI DigiCoax.  
Part no. 2864967  
Cable 21 m UNI DigiCoax.  
Part no. 2864968



**Monitor arm flexible**  
Adjustable arm to fit with Scania 7", 8" and 10" monitors.  
Flexible LHD. Part no. 2724637  
Flexible RHD. Part no. 2724639



**Monitor arm fixed**  
Fixed arm to fit with Scania 7", 8" and 10" monitors.  
Fixed LHD. Part no. 2902545  
Fixed RHD. Part no. 2902546



**Camera HMOS HD**  
For reverse/side view installations.  
90°. Part no. 2864963  
120°. Part no. 2864964  
180°. Part no. 2473497



**Digital Switcher (only rigid trucks)**  
Connects up to 4 cameras.  
Part no. 2864962



## FRONT VIEW CAMERA

The Scania front view camera visualizes the class VI area at the front of your vehicle, offering you a clear line of sight for cyclists, pedestrians and other vulnerable road users immediately ahead of your vehicle. The camera is 100% waterproof and features a heated lens to prevent the build-up of frost and moisture, guaranteeing operability all weather conditions.

A mountable plastic bracket is included which is designed for optimized vision and suitable for spray painting in your cab's colour.


A 7" monitor is available separately.

This item is also available as a factory fitted component as FPC 3832E (on premium radio) and 3832F (separate 7" monitor).





Front view configuration drawing



Learn more about the various installation options for Scania Premium Radio on page 125.

## SCANIA SIDE VIEW CAMERA

The Scania side view camera provides you with extra visibility at the side of your vehicle around bends and makes it easier for the driver to manoeuvre in tight and low-rise areas, as well


as knowing when to swing the rear of the vehicle out safely. The camera is waterproof, shockproof and has a built-in heater.



**Tip!**  
Want to extend your rear view camera (FPC 3832F) with a side view camera? You should order a side view camera 129° (2545698), junction block (1789393) and 5 m cable (1789386).



Side view camera configuration drawing



Learn more about the various installation options for Scania Premium Radio on page 125.

## FAMOS REAR VIEW CAMERA (RIGID TRUCKS ONLY)

The FAMOS rear view camera offers an improved continuous view of the working area immediately behind your vehicle. For safe operation, the monitor in your cab intuitively displays the live feed from the rear camera image as soon as the reverse gear is engaged.

You can choose to display either a mirror image as standard or complement your camera with integrated guidelines when reversing. You can also set continuous or manual operation. In addition, the rear-view camera system can be fitted to both rigid trucks and trailer trucks.


The camera is 100% waterproof, shockproof and features a heated lens glass to prevent the build-up of frost and moisture, guaranteeing operability all weather conditions. For additional safety, the integrated safety ticker detects 'frozen' images, allowing you to also know that the camera is active at all times.

For installation, your cabling depends on your truck combination. In this catalogue, we describe the configuration options for rigid trucks (page 119) and trailer trucks (page 120).




**Tip!**

Want to extend your front view camera (FPC 3832F) with a rear view camera? You should order a rear view camera 102° (2545697), rear view camera 102° with guiding lines (2545699) or rear view camera 118° (2545694). In addition, you will also need a junction block (1789393), 16 m cable (1789387) and 21 m cable (1789388).



Famos rear view (rigid truck) configuration drawing



Learn more about the various installation options for Scania Premium Radio on page 125.



Also available guiding lines  
Part no. 2545699

## FAMOS REAR VIEW CAMERA (TRAILER TRUCKS ONLY)

Want to extend your front view camera (FPC 3832F) with a rear-view camera? Choose from a rear-view camera 102o (2545697), rear view camera 102o with guiding lines (2545699), or rear-view camera 118o (2545694).

For installation, your cabling depends on your truck combination. Trailer truck combinations

require an 8m cabin cable (2022517) and cable extension spiral (2022518). For rigid truck combinations, you require both a 16 m cable (1789387) and 21 m cable (1789388). Both truck combinations require a junction block (1789393).





**Tip!**

Want to extend your front view camera (FPC 3832F) with a rear view camera? You should order a rear view camera 102° (2545697), rear view camera 102° with guiding


lines (2545699) or rear view camera 118° (2545694). In addition, you will also need a junction block (1789393), 8 m cabin cable (2022517) and cable extension spiral (2022518).

### Extension tipper configuration drawing





Famos rear view (trailer trucks) configuration drawing



## NOZZLE LENS CLEANER

Your vehicle operates in tough terrain, where the build-up of dust, mud and salt on mirrors, windows and camera lenses can cause potential hazards. The nozzle lens cleaner provides high-pressure cleaning of the camera

lens to guarantee a clear field of vision in all weathers and conditions.

Simply mount your Famos camera in the aerodynamic cover and the nozzle will take care of the rest.




**Tip!**

Already have the front view camera (**FPC 3832F**) and want to extend with a rear-view camera?

Remember to complement your order with an aerodynamic cover and nozzle (2864960), waterhose (2289351), valve (2864961) and ATVC pump (2289345).



Nozzle lens cleaner configuration drawing




Learn more about the various installation options for Scania Premium Radio on page 125.


## INSTALLATION OPTIONS FOR THE SCANIA PREMIUM RADIO



Example of how the front view surveillance is configured




Options for configuring the rear view solution




1. Configuration for rigid trucks (rear view camera only)




2. Configuration for rigid trucks (with front- and rear camera)



3. Configuration for rigid trucks (with multiple cameras, up to 8)



4. Configuration for trailer trucks



## MONITORS



**Monitor 7" DDIN**  
Fits double din slot.  
Part no. 2245725



**Monitor 7" RLED Z2 PL**  
Includes bracket.  
Part no. 2596992

## MONITOR HOLDERS



**Monitor arm flexible**  
Adjustable arm to fit with Scania 7", 8" and 10" monitors.  
Flexible LHD. Part no. 2724637  
Flexible RHD. Part no. 2724639



**Monitor arm fixed**  
Fixed arm to fit with Scania 7", 8" and 10" monitors.  
Fixed LHD. Part no. 2902545  
Fixed RHD. Part no. 2902546




**Monitor mounting bracket**  
For mounting of the 7" Monitor on the center of the dashboard.  
Part no. 1902784



**Monitor mounting bracket DDIN**  
For assembly of the 7" Monitor.  
Part no. 2009551

VISIBILITY DEPTH CAMERAS

All distances are approximate values



Part no.	2545696	2545697	2545694	2545700	2545698
Horizontal	102°	102°	118°	118°	129°
Vertical	86°	86°	89°	89°	97°



**FAMOS Mirror**  
Mirrored rear-view camera for use with premium radio or monitor.  
102°. Part no. 2545696  
118°. Part no. 2644357



**FAMOS Colour PAL**  
Rear-view camera for combination with monitor.  
102°. Part no. 2545697  
129°. Part no. 2545698



**FAMOS Mirror**  
Rear-view camera with guidinglines for use with Premium Radio.  
102° with guidelines.  
Part no. 2545699



**FAMOS Front View camera with bracket**  
This camera is fixed in the bracket to secure the correct mounting.  
118°. Part no. 2545704



**FAMOS IR LED PAL PL**  
Rear-view camera in combination with monitor.  
118° IR LED. Part no. 2545700  
118° IR Mirrored. Part no. 2934424

CABLES



**Cable extension tipper/trailer automatic (Set)**  
Trailer switcher box 1x16 m and 1x21 m cable, spiral cable with 2x10 pin connector, ADR approved.  
*Part no. 2009552*



**Tractor cabin cable**  
8 metres cable to cabin, IP 67, waterproof connectors, ADR approved.  
*Part no. 2022517*



**Cable extension spiral**  
3,5 metres spiral cable, IP 67, waterproof connectors, ADR approved.  
*Part no. 2022518*



**Cable trailer 25 m**  
25 metres cable to trailer, IP 67, waterproof connectors, ADR approved.  
*Part no. 2022518*



**Cables 4 pins**  
4 pin cable, IP 67, oil and petrol resistant, ADR approved.  
2 m. *Part no. 1901754*  
5 m. *Part no. 1789386*  
11 m. *Part no. 1901755*  
16 m. *Part no. 1789387*  
21 m. *Part no. 1789388*



**Cables 7 pins**  
4 pin cable, IP67, waterproof connectors, oil and petrol resistant, ADR approved.  
6 m. *Part no. 2286346*  
11 m. *Part no. 2289347*  
16 m. *Part no. 2289348*  
21 m. *Part no. 2289349*



**Adapter cable to Scania Premium Radio PGR**  
Y-split cable.  
*Part no. 2253547*



**Video signal cable with RCA connector**  
Connect Orlaco camera to 3rd party monitors with RCA connectors.  
*Part no. 2009550*



**Interface to Premium radio NTG**  
Adapter Cable premium radio NTG  
Connects one Orlaco camera to AUS4.  
*The new generation Scania.*  
*Part no. 2476347*



**Complete cable connector kit 10p**  
Spiral cable connectors, IP67, ADR Approved.  
*Part no. 2059120*



**Extension fit Fit For Use with monitor 2407253**  
Special FFU connector.  
*Part no. 2305623*

## SWITCHERS



**4-Camera switch  
(third party monitors)**

Allows you to connect up to 4 different cameras on for example your Premium radio.  
*Part no. 2594676*



**Junction block**

Allows you to connect 3 cameras to 1 monitor.  
*Part no. 1789393*

## HOLDERS



**Bracket for camera  
(without camera)**

With friction pad. Spare part for all cameras.  
*Part no. 2563994*



**Extention bracket  
(without camera)**

The bracket with extension is suitable to mount in front or the side of the cabin.  
*Part no. 2482655*



**Bracket Class VI  
(without camera)**

Standard color bracket-cover is black. Plastic material is suitable for spraypainting to spray in cab-color for optimum esthetics of the truck. Spare part.  
*Part no. 2594677*



**Rain cover**

Offers extra protection to compact cameras against rain and sun, snow, rocks and dirt.  
*Part no. 2482656*



**Aerodynamic cover with nozzle**

Allows connection to fluid pump for cleaning.  
*Part no. 2864960*



## SAFETY CLOTHING

# MAKE SURE YOU CAN BE SEEN

Traffic congestion is constantly increasing and should you have to make a stop in a vulnerable location, it is crucial that you are clearly visible on the road side. Our range of security clothing includes vests and gloves in bright fluorescent colour, as well as robust helmets. Vests are approved in accordance with EN 471 class 2, whereas helmets are EN 397-approved.



**Flouro fleece**  
EN471 class 2.  
Size XL. Part no. 1854894  
Size L. Part no. 1854893  
Size M. Part no. 1850807



**Safety vest, yellow**  
Fluorescent safety vest with Scania symbol on the back. EN 471 class 2.  
Part no. 2029220



**Safety vest, orange**  
Fluorescent safety vest with Scania symbol on the back. EN 471 class 2.  
Part no. 2029220



**Helmet with Scania logotype**  
Lightweight shell with Protector airflow option. New 8-point terylene head harness, adjustable for head sizes 50 to 66 cm. CE certification to EN397 (-30° C) and VDE certification for electrical insulation to 1,000 V.  
Helmet. Part no. 2447116  
Hook tape. Part no. 2304021



**Gloves**  
Hardwearing gloves with fluorescent areas.  
Semi lined, size 10. Part no. 1905271  
Fully lined, size 10. Part no. 1905272



**Gloves**  
Durable and flexible gloves. Full grain oxhide on knuckles and wrist.  
Size 8. Part no. 1850805  
Size 10. Part no. 1853636  
Size 11. Part no. 1853637



**Safety equipment XT design**  
Helmet with XT logo on front and fluorescent safety vest with black seams and XT logo on front and back. Vests are classified according to EN 471 class 2.  
Safety vest XT. Part no. 2642925 (Orange), 2646489 (Yellow)  
Hook tape. Part no. 2304021



#### MUD FLAPS

# CARING FOR OTHER ROAD USERS

Mud flaps prevent water spray and wheel splatter from impairing visibility for other road users travelling behind you. While they are a mandatory safety feature, Scania accessories mud flaps also add personality to your vehicle. Choose among several designs as King of the Road, Scania Vabis, V8, XT etc.



#### Scania original spray suppression inserts

Spray suppression is a legal demand in some countries according to regulation 91/226/EG. Scania supplies replaceable inserts for some mud flap applications. Black plastic, with anti-spray surface, cut to exact form and fit.



#### Scania mud flap rear

Scania original rear mud flaps. Scania-branded, black plastic with or without spray suppression. Available in a number of sizes to fit all different chassis heights. For dimensions matching specific chassis numbers, contact your Scania dealer.



#### Scania mud flap front

Scania original front mud flaps. Scania-branded, black plastic with or without spray suppression. Available in a number of sizes to fit all different chassis heights. L/H and R/H versions. For dimensions matching specific chassis numbers, contact your Scania dealer.



**Rear mudflaps XT**

Scania XT rear mudflaps available in selected sizes, of which 3 with spray suppression. Black, with grey XT print.  
 710x252 mm, w/o spray suppression. Part no. 2628391  
 710x367 mm, w/o spray suppression. Part no. 2628392  
 710x238 mm, with spray suppression. Part no. 2628415  
 710x298 mm, with spray suppression. Part no. 2628416  
 710x358 mm, with spray suppression. Part no. 2628417



**Rear mudflaps V8**

Scania V8 mudflaps available in selected sizes, of which 3 with spray suppression. Black with silvergrey V8 print.  
 710x252 mm, w/o spray suppression. Part no. 2748254  
 710x252 mm, with spray suppression. Part no. 2748265  
 710x367 mm, w/o spray suppression. Part no. 2748266  
 710x367 mm, with spray suppression. Part no. 2748267  
 620x400 mm, w/o spray suppression. Part no. 2748268  
 620x400 mm, with spray suppression. Part no. 2748269



**Rear mudflaps SCANIA VABIS**

Scania Vabis mudflaps available in selected sizes, of which 3 with spray suppression. Black with gold SCANIA VABIS print.  
 710x252 mm, w/o spray suppression. Part no. 2748270  
 710x252 mm, with spray suppression. Part no. 2748271  
 710x367 mm, w/o spray suppression. Part no. 2748272  
 710x367 mm, with spray suppression. Part no. 2748273  
 620x400 mm, w/o spray suppression. Part no. 2748274  
 620x400 mm, with spray suppression. Part no. 2748275



**Rear mudflaps SUPER**

Scania SUPER mudflaps available in selected sizes, of which 3 with spray suppression. Black with silver grey SUPER print.  
 710x252 mm, w/o spray suppression. Part no. 2748276  
 710x252 mm, with spray suppression. Part no. 2748277  
 710x367 mm, w/o spray suppression. Part no. 2748278  
 710x367 mm, with spray suppression. Part no. 2748279  
 620x400 mm, w/o spray suppression. Part no. 2748280  
 620x400 mm, with spray suppression. Part no. 2748281





**Rear mudflaps SCANIA V8**

Scania V8 rear mud flaps available in one size. Black, with or without spray suppression.

710x250 mm, w/o spray suppression, left. Part no. 1922646

710x250 mm, w/o spray suppression, right. Part no. 1922647

710x252 mm, with spray suppression, left. Part no. 1922448

710x252 mm, with spray suppression, right. Part no. 1922449



**Rear mudflaps King of the Road**

King of the road rear mudflap available in 3 versions, of which 2 with spray suppression. Black plastic, with King of the road print.

710x252 mm, w/o spray suppression. Part no. 2030443

710x252 mm, with spray suppression. Part no. 2030444

710x367 mm, w/o spray suppression. Part no. 2030445

710x367 mm, with spray suppression. Part no. 2030446

620x400 mm, w/o spray suppression. Part no. 2030447

620x400 mm, with spray suppression. Part no. 2031056

2400x380 mm, full width. Part no. 2030448



**Rear mudflap SCANIA, full width**

Available in 2 versions. Black or white plastic with Scania trademark. Mounted on the rear underrun protection bar. 2400x380 mm.

Black with Scania trademark in silver. Part no. 2030449

White with Scania trademark in 4 colours. Part no. 2030450

Bracket. Part no. 2063025



**Bracket**

Fit part no. 2030448 to rear underrun protection.

Part no. 2063025

Spare plastic clips.

Part no. 2790811



**Bracket**

Fit part no. 2030447 and 2031056.

Part no. 2030453



**Rear mudflaps**

Most sizes also available with spray suppression.



## EXTERNAL LIGHTING

# HAVE A GOOD LOOK AROUND

Not all lighting equipment and work lamp suppliers provide products with the quality you and we require. At Scania, we are proud of our renowned quality and are fastidious when it comes to selecting partners and suppliers with the same high standards we demand.

By working in close cooperation with industry-leading brands, we feel secure knowing that their knowledge, experience, and standards match our own as well as the needs of our customers. Our wide assortment contains products for all our customers' applications.

### Hella

Not only a world-leader in lighting technology and electronic products, Hella is also a long-term supplier of OEM lighting components to the Scania production lines, as well as aftermarket range of products. Our vast assortment of Hella work lamps include both halogen and LED lamps of various types, sizes, and price ranges.

### Grote

Grote is an American global manufacturer of lighting components for various industries, including automotive. They are also a major supplier of OEM lighting components for the new Scania truck range, as well as aftermarket,

presenting products with a high-profile design and quality. Our range of lamps from Grote includes an exclusive collection of LED work lamps and reverse lamps, perfectly matched for your Scania.

### ABL/NBB

ABL/NBB is a French lighting company with a Scandinavian heritage, and has been a supplier of high-quality lamps and equipment to Scania for several years. The ABL work lamps have a compact and uniform style, making them easy to match to our vehicles. All LED versions in our range are ADR-approved.

### Cibié

Founded already in 1919, French company Cibié has a heritage as a main lighting supplier to the French automotive industry and global motorsport. Cibié is owned by the major OEM supplier VALEO, ensuring a high level of technology and quality, to match modern automotive industry standards.

### Vision X

As the most recent supplier to be added to our lighting portfolio, Vision X is an innovative American lighting company with premium quality and advanced technology as their hallmark. We have a well-selected range of products for you to choose from, all possessing the typical Vision X modern design and high-end functionality.

### Other brands

In line with our extensive co-operation with highly rated brands, we also provide products from Osram and Maxtel.

When specifying the vehicle, we recommend to always include cable preparation for extra lights: Cable prep for roof aux lamps **FPC 5062**. Cable prep for front aux lamps **FPC 5063**.

CIBIÉ



**Super Oscar, 230 mm, LED, broad beam, LED position lights, black, chrome trim ring, Ref. 27.5**  
Full LED spot lamp, black alu housing, chrome trim ring, clear plastic lens, IP67, 12V/24 V.  
*Part no. 2447399*



**Super Oscar, 230 mm, LED, broad beam, LED position lights, chrome, Ref. 27.5**  
Full LED spot lamp, chromed alu housing and trim ring, clear plastic lens, IP67, 12V/24 V.  
*Part no. 2447400*



**Super Oscar, 230 mm, LED, broad beam, chrome, Ref. 27.5**  
Full LED spot lamp, chromed alu housing and trim ring, clear plastic lens, IP67, 12V/24V.  
*Part no. 2724786*



**Oscar, 180 mm, LED, broad beam, black, chrome trim ring, Ref. 17.5**  
Full LED spot lamp, black alu housing, chrome trim ring, clear plastic lens, IP67, 12V/24 V.  
*Part no. 2596714*



**Oscar, 180 mm, LED, broad beam, chrome, Ref. 17.5**  
Full LED spot lamp, chrome alu housing and trim ring, clear plastic lens, IP67, 12V/24 V.  
*Part no. 2596713*



NBB/ABL



**NBB Alpha 225 Halogen, with LED Position light, Ref. 25**  
Halogen spot lamp, 225 mm, broad beam, H1 bulb, not included. Plastic reflector, black, fibre reinforced plastic housing. Clear plastic lens. Grommet version, no cables included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2793607*



**NBB Alpha 225 Xenon, with LED Position light, Ref. 20**  
Xenon spot lamp, 225 mm, broad beam, D1S Xenon bulb, integrated ballast, plastic reflector, black, fibre reinforced plastic housing, clear plastic lens. Grommet version, no cables included, 12V/24V. Recommended D1S replacement bulb: Scania part no. 2022920.  
*Part no. 2793605*



**NBB Alpha 225 Halogen, with LED Position light, Ref. 40**  
Halogen spot lamp, 225 mm, pencil beam, H1 bulb, not included. Plastic reflector, black, fibre reinforced plastic housing. Clear plastic lens. Grommet version, no cables included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2793606*



**NBB Alpha 225 Pro Halogen, with LED Position light, Ref. 37.5**  
Halogen spot lamp, 225 mm, broad beam, H1 bulb, not included. Alu reflector, black alu housing with chrome trim ring, clear hardened glass lens. Grommet version, no cables included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2447612*



**NBB Alpha 225 Pro Xenon, with LED Position light, Ref. 45**  
Xenon spot lamp, 225 mm, broad beam, D1S Xenon bulb, integrated ballast, alu reflector, black alu housing with chrome trim ring, clear hardened glass lens. Grommet version, no cables included, 12V/24V. Recommended D1S replacement bulb: Scania part no. 2022920.  
*Part no. 2447613*



**ABL NBB Snowplough headlights**  
Full LED, with integrated turn indicators and position light. 164x240 mm. 22W high beam and 32W low beam. Black plastic housing, with bracket in rear position. Hardened clear glass lens. Built in DT 6 pin connector. 24 V, with built in resistors, thermal management and reverse polarity protection. IP class IP68-IP69K. EMC CISPR25 class 3. ECE R112, R6, R7. L&R units sold separately.  
*Left unit for R/H traffic. Part no. 2793591*  
*Right unit for R/H traffic. Part no. 2793592*

*Left unit for L/H traffic. Part no. 2793593*  
*Right unit for L/H traffic. Part no. 2793594*



**NBB Alpha 175 LED Ref. 25**  
Full LED Spotlamp, 175 mm, Broad beam Ref. 25. Black aluminium housing, Clear polycarbonate lens. LED position lamp function. 35 W. Multivolt 10–30 V. DT 3 pin connector with 0,5 cable included. IP68. EMC R10.  
*Part no. 2793608*



**NBB Alpha 225 LED Ref. 50**  
Full LED Spotlamp 225 mm, Broad beam Ref. 50. Black aluminium housing, Clear polycarbonate lens. LED position lamp function. 50 W. Multivolt 10–30 V. DT 3 pin connector with 0,5 cable included. IP68. EMC R10.  
*Part no. 2793609*



## SCANIA RALLYE



**Scania Rallye halogen spot lamp, Ref. 37.5**  
 Classic style spot lamp, 225 mm. Broad beam. Housing made of zinc-plated steel with a matte black finish. Clear glass lens with position light. H3 70 W bulb included. Ref. 37.5.  
 Recommended H3 HD premium replacement bulb: Scania part no. 1905135.  
 Part no. 1549350



**Scania Rallye halogen spot lamp clear lens, Ref. 37.5. Kit of 4**  
 Kit of 4 x 1549350. See technical info above.  
 Part no. 1782015



**Classic style rectangular spot lamps 242x136 mm**  
 For PGR-series (pre-Streamline) sun visor. Housing made of zinc-plated steel with a matt black finish. Transparent glass lens. H3 70 W bulb included.  
 Broad beam, Ref. 17.5. Part no. 1749953  
 Pencil beam, Ref. 17.5. Part no. 1749955  
 Broad beam for upright mounting, Ref. 17.5. Part no. 1749962



**Scania Rallye LED compact. Ref. 25**  
 Compact rectangular full LED spotlamp, 139x80 mm, Broad beam. 2 separate reflectors with optical lenses. Multivolt 16–33 V. 33 W, Black aluminium housing, Clear polycarbonate lens. GoreTex membrane valve. Built in cable with DTconnector. IP 69. EMC CISPR25 class 5.  
 Part no. 2781600



## SCANIA GRIFFIN



**Scania Griffin LED Ref. 17.5**  
 Rectangular full LED clusterlamp, with position lamp function. 245x158 mm incl. bracket. Broad beam, Cree LEDs 6x8 W, Black aluminium housing. Polycarbonate lens. E-marked. Ref. 17.5. IP 67. Built in cable with AMP connector. Kit incl. transparent stone chip protection cover, with phosphoric Griffin print.  
 Part no. 2750272  
 Stone chip cover Part no. 2750273



## MAXTEL



**Xenon spot lamp Ref. 27.5**  
 Xenon spot lamp for sun visor and light bar. E-marked. Ref. 27.5. Xenon bulb D1S included. Recommended D1S replacement bulb: Scania part no. 2022920.  
 For mounting on light bars. Part no. 2059034  
 For mounting in PGR-series (pre-Streamline) sun visor. Part no. 2003203  
 Replacement glass. Part no. 2121759



## HELLA RALLYE 3003 LED



**Hella Rallye 3003 LED, broad beam, clear lens, Ref. 25**  
Hella Rallye 3003 LED, 222 mm, Black plastic housing (identical to halogen versions), with sealed insert, clear lens, full LED with light signature position light.  
*Part no. 2860455*



**Hella Rallye 3003 LED, pencil beam, clear lens, Ref. 50**  
Hella Rallye 3003 LED, 222 mm, Black plastic housing (identical to halogen versions), with sealed insert, clear lens, full LED with light signature position light.  
*Part no. 2860456*



**LED Insert for upgrade, broad beam, clear lens, Ref. 25**  
LED Insert for upgrade of Hella Rallye 3003 halogen and Hella Luminator metal/chrome halogen. Sealed insert, full LED with light signature position light.  
*Part no. 2860457*



**LED Insert for upgrade, pencil beam, clear lens, Ref. 50**  
LED Insert for upgrade of Hella Rallye 3003 halogen and Hella Luminator metal/chrome halogen. Sealed insert, full LED with light signature position light.  
*Part no. 2860458*



## HELLA 3003 COMPACT



**Hella 3003 Compact, broad beam, clear lens Ref. 37.5**  
Compact version, 172 mm, broad beam, chrome trim ring, clear lens without position light.  
*Part no. 2596699*



**Hella 3003 Compact, broad beam, blue lens Ref. 37.5**  
Compact version, 172 mm, broad beam, chrome trim ring, blue lens without position light.  
*Part no. 2596700*



## HELLA RALLYE 3003



**Hella Rallye 3003, pencil beam, blue lens, Ref. 50**

Hella halogen spot lamp, 222 mm. Black plastic housing with chrome trim ring. Real, clear glass lens, pencil beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 2060524



**Hella Rallye 3003, pencil beam, clear lens, Ref. 50**

Hella Halogen spot lamp, 222 mm. Black plastic housing with chrome trimring. Real, clear glass lens, pencil beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 2060523



**Hella Rallye 3003, broad beam, blue lens, Ref. 37.5**

Hella halogen spot lamp, 222 mm. Black plastic housing with silver trim ring. Real, blue glass lens, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 1906615



**Hella Rallye 3003, broad beam, clear lens, Ref. 37.5**

Hella halogen spot lamp, 222 mm. Black plastic housing with silver trim ring. Real, clear glass lens, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 1906614



**Hella Rallye 3003, broad beam, clear lens, LED position light, Ref. 25**

Hella halogen spot lamp, 222 mm. Black plastic housing with chrome trim ring. Real, clear glass lens, broad beam, with position LED light. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 2060525



## HELLA RALLYE 3000



**Hella Rallye 3000, broad beam, blue lens, Ref. 37.5**

Halogen spot lamp 222 mm. Black plastic housing, silver coloured trim ring. Broad beam with position light, blue lens. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 1906607



**Hella Rallye 3000, broad beam, clear diffusing lens, Ref. 37.5**

Halogen spot lamp 222 mm. Black plastic housing, black coloured trim ring. Broad beam with position light, clear diffusing lens. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 1906605



**Hella Rallye 3000, broad beam, clear lens, Ref. 17.5**

Halogen spot lamp 222 mm. Black plastic housing, silver coloured trim ring. Broad beam with position light, clear lens. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134. Part no. 2121473



## HELLA LUMINATOR BLACK LED



**Hella Luminator Metal Black LED, broad beam, clear lens, Ref. 25**

Hella Luminator Metal Black LED, 233 mm, Black aluminium housing (identical to halogen versions), with sealed insert, clear lens, full LED with light signature position light.  
Part no. 2860451



**Hella Luminator Metal Black LED, pencil beam, clear lens, Ref. 50**

Hella Luminator Metal Black LED, 233 mm, Black aluminium housing (identical to halogen versions), with sealed insert, clear lens, full LED with light signature position light.  
Part no. 2860452



## HELLA LUMINATOR BLACK



**Hella Luminator Metal Black, broad beam, clear lens, Ref. 17.5**

Hella halogen spot lamp, 233 mm. Black metal housing, clear lens, CELIS LED position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
Part no. 1906611



**Hella Luminator Metal Black, broad beam, clear lens, Ref. 37.5**

Hella halogen spot lamp, 233 mm. Black metal housing, clear lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
Part no. 1934113



**Hella Luminator Metal Black, pencil beam, clear lens, Ref. 50**

Hella halogen spot lamp, 233 mm. Black metal housing, clear lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
Part no. 2254020



## HELLA LUMINATOR LED AND XENON



**Hella Luminator LED, pencil beam, clear lens, Ref. 50**

Hella LED spot lamp, 222 mm. Black cast metal housing, chrome trim ring, clear plastic lens, triple reflectors, replacable LED insert, pencil beam. Power consumption 30 W, Multivolt 12–24 V.  
Part no. 2724785



**Hella Luminator Compact LED, broad beam, clear lens, Ref. 45**

Hella LED spot lamp, 181 mm. Black cast metal housing, chrome trim ring, clear plastic lens, dual reflectors, broad beam. Power consumption 11 W, Multivolt 12–24 V.  
Part no. 2331313



**Hella Luminator Xenon, broad beam, clear lens, Ref. 37.5**

Hella Xenon spot lamp, 222 mm. Black cast metal housing, chrome trim ring, clear lens. Built-in electronics, D1S Xenon bulb included.  
Part no. 2254045



## HELLA LUMINATOR CHROMIUM LED



**Hella Luminator Chromium LED, broad beam, clear lens, Ref. 25**  
 Hella Luminator Chromium LED, 233 mm, Chrome aluminium housing (identical to halogen versions), with sealed insert, clear lens, full LED with light signature position light.  
*Part no. 2860453*



**Hella Luminator Chromium LED, pencil beam, clear lens, Ref. 50**  
 Hella Luminator Chromium LED, 233 mm, Chrome aluminium housing (identical to halogen versions) with sealed insert, clear lens, full LED with light signature position light.  
*Part no. 2860454*



## HELLA LUMINATOR CHROMIUM



**Hella Luminator Chromium Clear, broad beam, clear lens, Ref. 17.5**  
 Hella halogen spot lamp, 233 mm. Chrome metal housing, clear lens, CELIS LED position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 1906612*



**Hella Luminator Chromium Clear, broad beam, clear lens, Ref. 37.5**  
 Hella halogen spot lamp, 233 mm. Chrome metal housing, clear lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 1934114*



**Hella Luminator Chromium Clear, broad beam, clear lens, Ref. 37.5**  
 Hella halogen spot lamp, 233 mm. Chrome metal housing, clear lens, LED position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2254023*



**Hella Luminator Chromium Clear, broad beam, clear diffusing lens, Ref. 37.5**  
 Hella halogen spot lamp, 233 mm. Chrome metal housing, clear diffusing lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 1906609*



**Hella Luminator Chromium Clear, pencil beam, clear lens, Ref. 50**  
 Hella halogen spot lamp, 233 mm. Chrome metal housing, clear lens, position light, pencil beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2254021*



**Hella Luminator Chromium Clear Compact, broad beam, clear lens, Ref. 37.5**  
 Hella halogen spot lamp, 170 mm. Chrome metal housing, clear lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2596701*



## HELLA LUMINATOR CHROMIUM BLUE



**Hella Luminator Chromium Blue, broad beam, blue diffusing lens, Ref. 37.5**  
Hella halogen spot lamp, 233 mm. Chrome metal housing, blue diffusing lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 1906610*



**Hella Luminator Chromium Blue, broad beam, blue lens, Ref. 37.5**  
Hella halogen spot lamp, 233 mm. Chrome metal housing, blue lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 1906613*



**Hella Luminator Chromium Blue, pencil beam, blue lens, Ref. 50**  
Hella halogen spot lamp, 233 mm. Chrome metal housing, blue lens, position light, pencil beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2254022*



**Hella Luminator Chromium Blue Compact, broad beam, blue lens, Ref. 37.5**  
Hella halogen spot lamp, 170 mm. Chrome metal housing, blue lens, position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2596702*



## HELLA SNOWPLOUGH HEADLIGHT



**Hella plough headlight replacement kit**  
Kit containing 1 pair of Hella replacement headlights with direction indicators, suitable for Scania plough bar part no. 2433073. Kit contains of Hella headlights. 1 x Scania part no. 2767894 + 1 x part no. 2767908. (Left- and right-hand parts).  
*Part no. 2767911*



## HELLA JUMBO 320



**Hella Jumbo 320, broad beam, clear lens, LED position light, Ref. 37.5**

Hella halogen spot lamp, 245x141 mm. Black plastic housing, clear lens with LED position light, broad beam. H7 bulb, not included. Recommended H7 HD premium replacement bulb: Scania part no. 1905137.  
Part no. 1934120



**Hella Jumbo 320, broad beam, clear lens, position light, Ref. 37.5**

Hella halogen spot lamp, 245x141 mm. Black plastic housing, clear lens with position light, broad beam. H7 bulb, not included. Recommended H7 HD premium replacement bulb: Scania part no. 1905137.  
Part no. 1906621



## HELLA JUMBO 220



**Hella Jumbo 220, broad beam, clear lens, Ref. 37.5**

Hella Halogen spot lamp, 242x133 mm. Black plastic housing with chrome trimring, clear lens. H3 bulb, not included. Recommended H3 HD premium replacement bulb: Scania part no. 1905135.  
Part no. 1906618



**Hella Jumbo 220, broad beam, blue lens, Ref. 37.5**

Hella Halogen spot lamp, 242x133 mm, black plastic housing with chrome trim ring, blue lens. H3 bulb, not included. Recommended H3 HD premium replacement bulb: Scania part no. 1905135.  
Part no. 1906620



**Hella Jumbo 220, broad beam, clear lens, Ref. 37.5**

Hella Halogen spot lamp, 242x133 mm. Black plastic housing with black coloured trim ring, clear lens. H3 bulb, not included. Recommended H3 HD premium replacement bulb: Scania part no. 1905135.  
Part no. 1906619



**Hella Jumbo 220, fog lamp, clear diffusing lens**

Hella halogen fog lamp, 242x133 mm. Black plastic housing with black coloured trim ring, clear diffusing lens. H3 bulb, not included. Recommended H3 HD premium replacement bulb: Scania part no. 1905135.  
Part no. 1911972





## LED BAR SPOT LAMPS

# COMPACT BRIGHTNESS

Highly effective LEDs mounted in clusters, create a new type of spot lamp: the so called LED bars, that outperform traditionally shaped halogen lamps. The design of the LED bars allows flush mounting, reducing drag and saving fuel. Through our co-operation with Vision X, Hella and Osram, we are able to offer a well-selected range of E-marked LED bars, with perfect fit to both Scania trucks, bus and coaches.

## HELLA



### Hella LED 350, LED bar spot lamp

Compact and lightweight LED bar spot lamp from Hella. 12 LED, 25 W. Plastic housing with built-in cooling fins. Multivolt 12–24 V, ECE approved: E24. Delivered with 2 flexible mounting brackets and 2 m cable with open ends. Possible to mount in all positions. Weight: 690 g. Length: 350 mm. Height: 56 mm.

*Broad beam, Ref. 20. Part no. 2660028*

*Pencil beam, Ref. 30. Part no. 2660029*



### Hella LED 470, LED bar spot lamp, Ref. 25

Compact and lightweight LED bar spot lamp from Hella. 16 LED, 35 W. Plastic housing with built-in cooling fins. Multivolt 12–24 V, ECE approved: E24. Delivered with 2 flexible mounting brackets and 2 m cable with open ends. Possible to mount in all positions. Weight: 950 g. Length: 528 mm. Height: 57 mm.

*Broad beam, Ref. 25. Part no. 2660030*

*Pencil beam, Ref. 37.5. Part no. 2660031*



## VISION X



### Bracket kit for LED bar in NTG sun visor

Bracket kit for flush-mounting in the NTG sun visor. All Vision X LED bar spot lamps in the Scania Accessory assortment can be fitted to this bracket. Cable preparation **FPC 3024A** is strongly recommended (lamps are not included).

*Kit for 1 lamp. Part no. 2709236*

*Kit for 2 lamps. Part no. 2709237*



### Bracket for large LED bars in PRG-series Streamline sun visor

Bracket for mounting of large Vision X LED bar spot lamps in Scania Streamline sun visor. Suitable for mounting of lamp part no. 2536259, 2536260, 2536261, 2536262, 2536263, and 2536264.

*Part no. 2536267*



VISION X LED UPGRADE KITS



**LED upgrade kit with Griffin print**

LED upgrade/halogen replacement kit for the classic Scania PGR-series sun visor. With phosforic Griffin print. Kit contains 2 x metal brackets to fit 4 x Vision X Optimus 10 W LED lamps (x 2 per side). 15-degree beam pattern, with optional halo/position light function. Ref. 7.5. Phosforic Griffin printed on 2 x lamps per kit. Cable harness included. Note: Optional halo function may not be applicable with local legislation on all markets.  
 Part no. 2617856



**LED upgrade kit without Griffin print**

LED upgrade/halogen replacement kit for the classic Scania PGR-series sun visor. Without phosforic Griffin print. Kit contains of 2 x metal brackets to fit 4 x Vision X Optimus 10 W LED lamps (x 2 per side). 15-degree beam pattern, with optional halo/position light function. Ref. 7.5. Cable harness included. Note: Optional halo function may not be applicable with local legislation on all markets.  
 Part no. 2617857





**Vision X LED spot lamp kit, pencil beam, Ref. 17.5**  
 LED cluster spot lamp kit. "Plug and play" for PGR-series Streamline sun visor as halogen spot lamps replacement. Containing 2 x spot lamps part no. 2390145 and 2 x brackets. Black alu housing, clear polycarbonate lens, 12 LEDs, Scania version including cable with Tyco connector, 24 V, IP68, E9.  
 Part no. 2461247  
 Separate bracket. Part no. 2390146



**Vision X LED spot lamp kit, broad beam, Ref. 17.5**  
 LED cluster spot lamp kit. "Plug and play" for PGR-series Streamline sun visor as halogen spot lamps replacement. Containing 2 x spot lamps part no. 2484670 and 2 x brackets. Black alu housing, clear Polycarbonate lens, 12 LEDs, Scania version including cable with Tyco connector, 24 V, IP68, E9.  
 Part no. 2484671  
 Separate bracket. Part no. 2390146



**Vision X LED spot lamp, pencil beam, Ref. 17.5**  
 LED cluster spot lamp, possible to fit in PGR-series Streamline sun visor, replacing Scania halogen spot lamps. Black alu housing, clear polycarbonate lens, 12 LEDs, Scania version including cable with Tyco connector, 24 V, IP68, E9.  
 Part no. 2390145



**Vision X LED spot lamp, broad beam, Ref. 17.5**  
 LED cluster spot lamp, possible to fit in PGR-series Streamline sun visor, replacing Scania halogen spot lamps. Black alu housing, clear polycarbonate lens, 12 LEDs, Scania version including cable with Tyco connector, 24 V, IP68, E9.  
 Part no. 2484670



VISION X



**Vision X XILPX 18, pencil beam, Ref. 25**  
LED cluster spot lamp in the same family as part no. 2390145. Black alu housing, clear polycarbonate lens, double row, 18x5 W LEDs, pencil beam 10-degree light distribution. Effective lumens: 6660. DT connector 24 V, IP68. H 75xD 85xW 282 mm excl. brackets.  
*Part no. 2536259*



**Vision X XILPX 18, broad beam, Ref. 25**  
LED cluster spot lamp in the same family as part no. 2484671. Black alu housing, clear polycarbonate lens, double row, 18x5 W LEDs, broad beam 25-degree light distribution. Effective lumens: 6660. DT connector 24 V, IP68. H 75xD 85xW 282 mm excl. brackets.  
*Part no. 2536260*



**Justera rubrik: Vision X XILPX 36, pencil beam, Ref. 37,5**  
LED cluster spot lamp in the same family as part no. 2536260. Black alu housing, clear polycarbonate lens, double row, 36x5 W LEDs, combination of broad beam and pencil beam. 25-degree light distribution for outer 6 LEDs cluster and 10-degrees for the 24 LEDs in the midsection. Effective lumens: 13320. DT connector 24 V, IP68. H 75xD 85xW 525 mm excl. brackets.  
*Part no. 2536261*



**Justera rubrik: Vision X XPR 9, pencil beam, Ref. 45**  
LED cluster spot lamp. Black alu housing, clear polycarbonate lens, single row, 9x10 W LEDs, pencil beam, 5-degree light distribution. DT connector 24 V. Effective lumens: 6795. 2 different types of brackets included. IP68. H 70xD 80xW 476 mm excl. brackets.  
*Part no. 2536262*



**Justera rubrik: Vision X XPR 9, broad beam, Ref. 20**  
LED cluster spot lamp. Black alu housing, clear polycarbonate lens, single row, 9x10 W LEDs, broad beam, 6.5/70 degree light distribution. DT connector 24 V. Effective lumens: 6795. 2 different types of brackets included. IP68. H 70xD 80xW 476 mm excl. brackets.  
*Part no. 2536263*



**Justera rubrik: Vision X XPR 12, broad beam, Ref. 30**  
LED cluster spot lamp. Black alu housing, clear polycarbonate lens, single row, 12x10 W LEDs, broad beam, 6.5/70 degree light distribution. DT connector 24 V. Effective lumens: 9064. 2 different types of brackets included. IP68. H 70xD 80xW 558 mm excl. brackets.  
*Part no. 2536264*



**Vision X XPRH9E Halo Ref. 45**  
LED cluster spot lamp. Updated version of part no. 2536262, including optional Halo function. Black alu housing, clear polycarbonate lens, single row, 9x10 W LEDs, pencil beam, 5-degree light distribution. DT connector 24 V. Effective lumens: 6795. 2 different types of brackets included. IP68. H 70xD 80xW 476 mm excl. brackets.  
*Part no. 2709226*



**Vision X XPRH9ME Halo Ref. 20**  
LED cluster spot lamp. Updated version of part no. 2536263, including optional Halo function. Black alu housing, clear polycarbonate lens, single row, 9x10 W LEDs, broad beam, 6.5/70-degree light distribution. DT connector 24 V. Effective lumens: 6795. 2 different types of brackets included. IP68. H 70xD 80xW 476 mm excl. brackets.  
*Part no. 2709227*



**Vision X XPRH12ME Halo Ref. 30**  
LED cluster spot lamp. Updated version of part no. 2536264, incl. optional Halo function. Black alu housing, clear polycarbonate lens, single row, 12x10 W LEDs, broad beam, 6.5/70-degree light distribution. DT connector 24 V, Effective lumens: 9064. 2 different types of brackets included. IP68. H 70xD 80xW 558 mm excl. brackets.  
*Part no. 2709228*



**Vision X XPR H6E Halo Ref. 25**  
LED cluster spotlamp. Black alu housing, clear polycarbonate lens, single row, 6x10 W LEDs, broad beam. DTconnector 24 V, Effective Lumens: 4531. 2 different types of brackets included. IP68. H 70xD 80xW 292 mm excl. brackets.  
*Part no. 2786407*



OSRAM



**Osram LEDriving FS250-SP, Ref. 37,5**  
 LED cluster spot lamp. Black aluminium housing. Polycarbonate lens. Pencil beam light pattern, 5 degree beam angle. 10 LEDs. 35 W. Multivolt 12–24 V. Reverse polarity protection. Integrated thermal management. Cable 1000 mm. IP 67. ECE R10, R112. H 77xD 93,5xW 400 mm, incl. brackets.  
*Part no. 2839290*



**Osram LEDriving FS250-CB, Ref. 27,5**  
 Black aluminium housing. Polycarbonate lens. Combined broad and pencil light pattern, 5 degree beam angle. 10 LEDs. 35 W. Multivolt 12–24 V. Reverse polarity protection. Integrated thermal management. Cable 1000 mm. IP67. ECE R10, R112. H 77xD 93,5xW 400 mm, incl. brackets.  
*Part no. 2839291*



**Osram LEDriving FS500-SP, Ref. 45**  
 Black aluminium housing. Polycarbonate lens. Pencil beam light pattern, 5 degree beam angle. 20 LEDs. 36 W. Multivolt 12–24 V. Reverse polarity protection. Integrated thermal management. Cable 1000 mm. IP67. ECE R10, R112. H 77xD 93,5xW 655 mm, incl. brackets.  
*Part no. 2839292*



**Osram LEDriving FS500-CB, Ref. 45**  
 Black aluminium housing. Polycarbonate lens. Combined broad and pencil light pattern, 5 degree beam angle. 20 LEDs. 68 W. Multivolt 12–24 V. Reverse polarity protection. Integrated thermal management. Cable 1000 mm. IP67. ECE R10, R112. H 77xD 93,5xW 655 mm, incl. brackets.  
*Part no. 2839293*





WORK AND REVERSE LAMPS

# LIGHT UP YOUR WORK

Working in low light is not only dangerous and ineffective, but also avoidable – our range of work and reverse lamps includes everything you will need, both to manoeuvre your vehicle and work safely around it. The range consists of products from leading brands like ABL, Grote, Hella, and Vision X.

ABL



Part no.	1931540	2960135	2862201	2447637	2447638
Trade name	ABL 500 H3	ABL SL 1000 LED Scania	ABL SL 2000 LED Scania	ABL 500 LED 2000	ABL 500 LED 3000
Technology	Halogen	LED	LED	LED	LED
Bulbtype	H3 70 W	N/A	N/A	N/A	N/A
No of LED/bulb	1	6	6	6	6
Effective Lumens	1400	1000	2000	2000	3000
Light pattern	Flood	Flood	Flood	Flood	Flood
Voltage	12–24 V. Dep. on bulb type	12–24 V	12-24 V	12–100 V	12–100 V
Watt	70 W max	14 W	29 W	28 W	36 W
Connection	Grommet	Built in DT 2 way	Built in DT 2 way	Built in DT 2 way	Built in DT 2 way
Polarity	N/A	Reverse voltage protection	Reverse voltage protection	No polarity	Reverse voltage protection
Housing	Fibre reinforced plastic	Plastic Aluminium	Plastic Aluminium	Aluminium	Aluminium
Colour	Black	Black	Black	Black	Black
Lens type	Hardened glass	Hardened glass	Hardened glass	Hardened glass	Hardened glass
Operating temp range °C	-40 °C to +85 °C	-40 °C to +60 °C	-40 °C to +60 °C	-40 °C to +85 °C	-40 °C to +85 °C
Water protection class	IP54	IP68–IP69K	IP68–IP69K	IP68–IP69K	IP68–IP69K
ECE/EMC	No	R10/CISPR25 Classe 5 - ISO 13766, 14982, 12985	R10/CISPR25 Classe 5 - ISO 13766, 14982, 12985	No/ISO 13 766, 14 982, 12 895	No/ISO 13 766, 14 982, 12 895
ADR	Only with DT connector	Approved	Approved	Approved	Approved
Reverse	No	Yes R23	No	No	No
Housing measurements HxWxD mm	94x104x83 mm	102 x 103 x 57 mm	102 x 145 x 63 mm	98x102x80 mm	98x102x80 mm
Misc. info	Bulb not included. Salt spray tested to ISO 9227. U shaped, anti corrosion treated, steel mounting bracket with vibration damper. M10 bolt. Mounting options: pedestal, suspended, side mount.	Free form reflector. Estimated service life 20000 Hours. Salt spray tested to ISO 9227. U shaped stainless steel mounting bracket. M8 bolt. Mounting options: Pedestal, Suspended. Designed and produced in the EU (France).	Free form reflector. Estimated service life 20000 Hours. Salt spray tested to ISO 9227. Scania special, U shaped stainless steel mounting bracket. Mounting options: Pedestal. Designed and produced in the EU (France).	Free form reflectors. Estimated service life 20000 hours. Salt spray tested to ISO 9227. U shaped, anti corrosion treated, steel mounting bracket. M10 bolt. Mounting options: pedestal, suspended. Designed and produced in the EU (France).	Multi lens system reflectors. Estimated service life 20000 hours. Salt spray tested to ISO 9227. U shaped, anti corrosion treated, steel mounting bracket. M10 Bolt. Mounting options: pedestal, suspended. Designed and produced in the EU (France).



HELLA



Part no.	2486990	2486991	2860434
Trade name	Hella Valuefit 600	Hella Valuefit 1200	Hella Valuefit S800
Technology	LED	LED	LED
Bulbtype	N/A	N/A	N/A
No of LED/bulb	4	8	4
Effective Lumens	600	1200	610
Light pattern	Flood	Flood	Close Range
Voltage	10–30 V	10–30 V	10–30 V
Watt	12 W	24 W	9 W
Connection	500 mm cable with open ends	500 mm cable with open ends	3000 mm cable with open ends
Polarity	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection
Housing	Diecast Aluminium	Diecast Aluminium	Diecast Aluminium
Colour	Black	Black	Black
Lens type	Polycarbonate clear	Polycarbonate clear	Polycarbonate diffusing
Operating temp range °C	No info	No info	No info
Water protection class	IP67	IP67	IP6K9K
ECE/EMC	ECE R10/EMC approved	ECE R10/EMC approved	ECE R23 Reverse/ECE R10 EMC
ADR	No	No	No
Reverse	No	No	Yes
Housing measurements HxWxD mm	111.2x83,9x64,7 mm incl. bracket	120.3x142,6x65 mm incl. bracket	129x100x40 mm incl. bracket
Misc. info	Compact round design. U shaped stainless steel bracket. M 8 Bolt. Salt spray tested 220 h. Mounting options: upright.	Oval design. U shaped stainless steel bracket. M 8 Bolt. Salt spray tested 220 h. Mounting options: upright.	Square, very flat design. U shaped stainless steel bracket. M8 Bolt. Mounting options: upright.





	2860445	2860446	2860447	2860448
	Hella Valuefit S1500	Hella Valuefit S1500	Hella Valuefit S2500	Hella Valuefit S3000
	LED	LED	LED	LED
	N/A	N/A	N/A	N/A
	9	9	16	9
	1210	1210	2100	3000
	Close Range	Close Range	Close Range	Close Range
	10–30 V	9–30 V	10–30 V	10–30 V
	15 W	15 W	25 W	30 W
	3000 mm cable with open ends	2000 mm cable with open ends	3000 mm cable with open ends	Built in DT
	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection
	Diecast Aluminium	Diecast Aluminium, with handle	Diecast Aluminium	Diecast Aluminium
	Black	Black	Black	Black
	Polycarbonate diffusing	Polycarbonate diffusing	Polycarbonate diffusing	Polycarbonate diffusing
	No info	No info	No info	No info
	IP6K9K	IP6K9K	IP6K9K	IP67
	ECE R23 Reverse/ECE R10 EMC	ECE R23 Reverse/ECE R10 EMC	ECE R23 Reverse/ECE R10 EMC	ECE R10/EMC approved
	No	No	No	No
	Yes	Yes	Yes	No
	129x100x40 mm incl. bracket	184.5x100x57 mm incl. bracket and handle	137x108x48 mm incl. bracket	123x100x73 mm incl. bracket
	Square, very flat design. U shaped stainless steel bracket. M8 Bolt. Mounting options: upright.	Square, very flat design. U shaped stainless steel bracket + extra base bracket with 4 predrilled holes. Mounting options: upright.	Square, flat design. U shaped stainless steel bracket. M8 Bolt. Mounting options: upright.	Square design, with nicely rounded corners. High output. Housing with membrane. U shaped stainless steel bracket. M10 Bolt. Mounting options: upright.



HELLA



Part no.	1906629, 1906631, 1906632, 1912013, 1934130, 1934132, 1934133	1906626, 1934128	1934125, 1934126	1906624, 1934127, 1906625
Trade name	Hella Ultra Beam	Hella Master	Hella Torero	Hella Matador
Technology	Halogen	Halogen	Halogen	Halogen
Bulbtype	H3 70 W	H3 70 W	H3 70 W	H3 70 W
No of LED/bulb	1	1	1	1
Effective Lumens				
Light pattern	Different versions available	Different versions available	Long range	Flood
Voltage	12–24 V. Dep on bulb	12–24 V. Dep on bulb	12–24 V. Dep on bulb	12–24 V. Dep on bulb
Watt	70 W max	70 W max	70 W max	70 W max
Connection	Different versions available	Grommet	Grommet	Grommet
Polarity	N/A	N/A	N/A	N/A
Housing	Glass fibre reinforced plastic	Glass fibre reinforced plastic	Glass fibre reinforced plastic	Glass fibre reinforced plastic
Colour	Black	Black	Black	Black
Lens type	Hardened glass diffusing	Glass diffusing	Glass diffusing	Glass diffusing
Operating temp range °C	No info	No info	No info	No info
Water protection class	IP6K9K	IP5K4K	IP5K4K	IP5K4K
ECE/EMC	ECE 00AR E12 23005 (Reverse)	N/A	N/A	N/A
ADR	Approved: part no. 1912013	No	No	No
Reverse	Approved: part no. 1912013	No	No	No
Housing measurements HxWxD mm	126.5x112x97 mm incl. standard bracket, excl. handle where applicable.	118x153x92 mm incl. bracket	203x152x119.5 mm incl. bracket, without handle	227x168x116 mm incl. bracket
Misc. info	Bulb not included. Free form aluminium reflector glued together with the glass lens. M10 bolt. Steel brackets in different versions where applicable. Grommet versions available. One reverse lamp version available. Mounting options: upright, suspended.	Bulb not included. Parabolic reflector. Housing edges extended in front to protect the lens. M10 bolt. U shaped steel bracket. Two versions available. Mounting options upright, suspended.	Bulb not included. Housing edges extended to protect lens. M10 bolt. U shaped steel bracket. Mounting options: upright, suspended or side.	Honeycomb lens pattern for close-range illumination. Optimal inclination angle: 20 °C–30 °C. Black fibre-glass plastic housing with built in handle.





	2254046, 2254049	2570004	2254047	2254048	2331319
	Hella Power Beam 1000	Hella Power Beam 1800	Hella Power Beam 2000	Hella Power Beam 3000	Hella Power Beam 5000
	LED	LED	LED	LED	LED
	N/A	N/A	N/A	N/A	N/A
	6	6	16	16	23
	850	1850	2200	3000	4500
	Flood	Flood	Flood	Flood	Flood
	9–33 V	11–32 V	9–33V	9–33 V	9–33 V
	18 W	30	43	43	70
	DT	DT	Cable with open ends	Cable with open ends	DT
	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection
	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
	Black and blue	Black	Black and blue	Black and grey	Black
	Hardened glass	Plastic	Glass	Glass	Plastic
	No info	No info	-40 °C to +50 °C	-40 °C to +50 °C	-40 °C to +50 °C
	IP6K9K/IPX7	IP6K9K	IP6K9K	IP6K9K	IP6K9K
	ECE R23 part no. 2254049	ECE R10	ECE R10	ECE R10	ECE R10
	No	No	No	No	No
	Approved, part no. 2254049	No	No	No	No
	120.2x145.3x61.6 mm incl. bracket	129x112x62 mm incl. bracket	144,8x114.5x109.9 mm incl. bracket	145x115x110 mm incl. bracket	170x195x108 mm incl. bracket
	Reverse approved lamp: Diffusing lens. Worklamp: clear lens. Housing with built in cooling fins and small colored handle. DT connector. Built in pressure compensating valve and temperature sensor for overheat protection.	Diffusing plastic lens. Housing with built in cooling fins and small colored handle. DT connector. Built in temperature sensor for overheat protection.	Diffusing plastic lens. Housing with built in cooling fins. Cable 2 m. Built in temperature sensor for overheat protection.	Diffusing plastic lens. Housing with built in cooling fins. Cable. Built in temperature sensor for overheat protection.	Diffusing plastic lens. Housing with built in cooling fins. DT connector. Built in temperature sensor for overheat protection.



HELLA



Part no.	2331318	2331320	2331321	2570005
Trade name	Hella Flat Beam 500	Hella Flat Beam 1000	Hella Module 70 LED Gen III	Hella Module 70 Gen 4
Technology	LED	LED	LED	LED
Bulbtype	N/A	N/A	N/A	N/A
No of LED/bulb	30	60	4	3
Effective Lumens	550	1,100	800	2500
Light pattern	Flood	Flood	Flood	Flood
Voltage	9–33 V	9–33 V	9–33 V	9–33 V
Watt	7	11	13	30
Connection	Cable	Cable	Cable	Cable
Polarity	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection
Housing	Plastic	Plastic	Aluminium	Aluminium
Colour	Black	Black	Black	Black
Lens type	Plastic	Plastic	Plastic	Plastic
Operating temp range °C	No info	No info	No info	No info
Water protection class	IP6K9K	IP6K9K	IP6K9K	IP6K9K
ECE/EMC	ECE R10	ECE R10	ECE R10	ECE R10
ADR	No	No	No	No
Reverse	No	No	No	No
Housing measurements HxWxD mm	144x113x48 mm incl. bracket	112x190x31 mm	111x83x73.8 mm incl. bracket	111x83x75.3 mm
Misc. info	Diffusing plastic lens. Extremely flat plastic housing. Cable 2 m. Built in temperature sensor for overheat protection.	Diffusing plastic lens. Extremely flat plastic housing for flush mount. Cable 2 m. Built in temperature sensor for overheat protection.	Compact round LED worklamp. Aluminium housing with built in cooling fins. Clear lens. Cable 2 m. Mounting options: upright or suspended.	Compact round LED worklamp. High output LEDs vs Gen III. Aluminium housing with built in cooling fins. Diffusing lens. Cable 2 m. Mounting options: upright or suspended.





2570006	2570007	2570008	2570009
Hella Module 70 Gen 4	Hella Q90 LED 1000	Hella Q90 LED 1200	Hella Q90 LED 1200
LED	LED	LED	LED
N/A	N/A	N/A	N/A
3	4	4	4
2500	1000	1200	1200
Long range <a href="https://westelmhotels.com/">https://westelmhotels.com/</a> 9-33 V	Flood 9-33 V	Flood 9-33	Long range 9-33 V
30	15	25	25
Cable	Cable	Cable	Cable
Reverse polarity protection	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection
Aluminium	Plastic	Plastic	Plastic
Black	Black	Black	Black
Plastic	Plastic	Plastic	Plastic
No info	No info	No info	No info
IP6K9K	IP6K9K	IP6K9K	IP6K9K
ECE R10	ECE R10	ECE R10	ECE R10
No	No	No	No
No	No	No	No
111x83x75.3 mm	123x95x57 mm	123x95x57 mm	123x95x57 mm
Compact round LED worklamp. High output LEDs vs Gen III. Aluminium housing with built in cooling fins. Diffusing lens. Cable 2 m. Mounting options: upright or suspended.	Thermo Pro plastic housing and plastic bracket. Cable 0.5 m. Mounting options: upright or suspended.	Thermo Pro plastic housing and plastic bracket. Cable 0.5 m. Mounting options: upright or suspended.	Thermo Pro plastic housing and plastic bracket. Cable 0.5 m. Mounting options: upright or suspended.



HELLA



Part no.	2570010	2570011	2570012
Trade name	Hella Ultra Beam LED 2200	Hella Ultra Beam LED 2200	Hella Ultra Beam LED 2200
Technology	LED	LED	LED
Bulbtype	N/A	N/A	N/A
No of LED/bulb	9	9	9
Effective Lumens	2200	2200	2200
Light pattern	Flood	Flood	Long range
Voltage	9-33 V	9-33 V	9-33 V
Watt	30	30	30
Connection	DT	DT	DT
Polarity	Reverse polarity protection	Reverse polarity protection	Reverse polarity protection
Housing	Aluminium	Aluminium	Aluminium
Colour	Black	Black	Black
Lens type	Plastic	Plastic	Plastic
Operating temp range °C	No info	No info	No info
Water protection class	IP6K9K	IP6K9K	IP6K9K
ECE/EMC	ECE R10	ECE R10	ECE R10
ADR	Yes	Yes	Yes
Reverse	No	No	No
Housing measurements HxWxD mm	132x116x85 mm	132x116x85 mm	132x116x85 mm
Misc. info	Powerful LED version of the famous Hella Ultra Beam. Mounting options: upright.	Powerful LED version of the famous Hella Ultra Beam. Mounting options: pendant.	Powerful LED version of the famous Hella Ultra Beam. Mounting options: upright.



GROTE



2881484	2881485
Grote Trilliant 7000, Hybrid long range	Grote Trilliant 7000, Long range
LED	LED
N/A	N/A
8	8
7260	7260
Hybrid Wide & Long Range	Long Range
9 - 32 V	9 - 32 V
80 W	80 W
Built in DT	Built in DT
Reverse voltage protection	Reverse voltage protection
Aluminium	Aluminium
Black	Black
Clear, hard coated polycarbonate	Diffusing, hard coated Polycarbonate
-40 °C to +50 °C	-40 °C to 50 °C
IP69K	IP69K
ECE R10/EMC approved	ECE R10/EMC approved
No	No
No	No
148x157x105 mm incl. bracket	148x157x105 mm incl. bracket
Extremely powerful dual range worklamp. Thermal management system. U shaped black coated steel mounting bracket. M8 bolt. Mounting options: Upright. Weight 1600 g.	Extremely powerful long range worklamp. Thermal management system. U shaped black coated steel mounting bracket. M8 bolt. Mounting options: Upright. Weight 1600 g.





	2193177	2786403	2786404	2786405	2262521
	Scania	Grote eQuad (163L199)	Grote eQuad (163L299)	Grote eQuad (163L099)	Grote Trilliant mini (637484)
	LED	LED	LED	LED	LED
	N/A	N/A	N/A	N/A	N/A
	6	6	6	6	6
	1700	1260	1260	1260	700
	Flood	Wide Flood	Reverse	Long Range	Flood
	24 V	9–32 V	9–32 V	9–32 V	24 V
	33.6 W	20 W	20 W	20 W	18 W
	Built in DT 2 way	Built in DT	Built in DT	Built in DT	Fixed cables with open ends
	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection
	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
	Black	Black	Black	Black	Black
	Clear, hard coated polycarbonate	Clear, hard coated Polycarbonate	Clear, hard coated Polycarbonate	Clear, hard coated Polycarbonate	Clear diffusing hard coated polycarbonate
	-40 °C to +80 °C	-40 °C to +50 °C	-40 °C to +50 °C	-40 °C to +50 °C	-40 °C to +80 °C
	IP6K9K	IP6K9K/IPX7	IP6K9K/IPX7	IP6K9K/IPX7	IP6K9K
	ECE R10/EMC approved	ECE R10 EMC approved CISPR 25 Cl 5	ECE R23/ECE R10 CISPR 25 Cl 5	ECE R10 EMC approved CISPR 25 Cl 5	ECE R23
	No	Yes	Yes	Yes	Yes
	No	No	Yes	No	Yes
	125x100x75 mm incl. bracket	125x100x60 mm incl. bracket	125x100x60 mm incl. bracket	125x100x60 mm incl. bracket	92.2x148.5x80.2 mm incl. bracket
	Polycarbonate metallised free form reflector. Powder coated alu housing. Estimated service life 30000 hours. Salt spray tested in accordance IEC 60068-2-11. U shaped stainless steel mounting bracket, with built in vibration damper. Mounting options: pedestal.	Estimated servicelife 40000 Hours. Thermal management system. U shaped stainless steel mounting bracket. M8 bolt. Mounting options: Pedestal. Weight 630 g.	Estimated servicelife 40000 Hours. Thermal management system. U shaped stainless steel mounting bracket. M8 bolt. Mounting options: Pedestal. Weight 630 g.	Estimated servicelife 40000 Hours. Thermal management system. U shaped stainless steel mounting bracket. M8 bolt. Mounting options: Pedestal. Weight 630 g.	Estimated service life 40000 hours. U shaped stainless steel bracket. M5 bolt. Suitable for flush mount.



VISION X



Part no.	2617837	2617838	2617839
Trade name	Vision X Solo Pod 30	Vision X Solo Pod 30X65	Vision X Blacktips
Technology	LED	LED	LED
Bulbtype	N/A	N/A	N/A
No of LED/bulb	1	1	4
Lumens	750	750	950
Light pattern	Flood	Close range/Eliptical	Close range
Voltage	9–48 V	9–48 V	9–32 V
Watt	10 W	10 W	12 W
Connection	DT with short cable	DT with short cable	DT
Polarity	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection
Housing	Aluminium	Aluminium	Aluminium
Colour	Black	Black	Black
Lens type	Polycarbonate	Polycarbonate	Polycarbonate
Operating temp range °C	No info available	No info available	-40 °C to +85 °C
Water protection class	IP68	IP68	IP69K
ECE	No info available	No info available	R23 Reverse CISPR 25
ADR	No	No	No
Reverse	No	No	No
Housing measurements HxWxD mm	82x52x62 mm	82x52x62 mm	90x90x59 mm
Misc. info	Extremely compact and powerful for it's size.	Extremely compact and powerful for it's size.	Heavy duty lamps for construction, mining applications etc.





	2617840	2786406	2617841	2617842	2617853
	Vision X Blacktips	Vision X Blacktips	Vision X DURA mini M460	Vision X DURA 4 X460	Vision X DURA 4 E490
	LED	LED	LED	LED	LED
	N/A	N/A	N/A	N/A	N/A
	5	9	4	4	4
	3300	5700	950	1500	650
	Close range	Close range	Close range/Reverse	Close range	Close range/Reverse
	9–32V	9–32V	9–32 V	9–32 V	9–32 V
	35 W	63 W	12 W	12 W	35 W
	DT	DT	DT	DT	DT
	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection
	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
	Black	Black	Black	Black	Black
	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
	-40 °C to +85 °C	-40 °C to +85 °C	-40 °C to +85 °C	-40 °C to +85 °C	-40 °C to +85 °C
	IP69K	IP69K	IP69K	IP69K	IP69K
	EMC CISPR25 Class 1	EMC CISPR25 Class 1	R23 Reverse CISPR 25	CISPR 25	R23 Reverse CISPR 25
	No	No	No	No	No
	No	No	Yes	No	Yes
	100x116x75 mm	130x145x84,5 mm	91x69x49 mm	107x100x65 mm	107x100x65 mm
	Heavy duty lamp for construction, mining applications etc.	Heavy duty lamp for construction, mining applications etc.	Compact worklamp lamp approved for reverse applications.	General purpose, cost effective worklamp.	General purpose worklamp approved for reverse applications.



VISION X



Part no.	2617854	2617855	2709229	2709230	2709231
Trade name	Vision X UMX 60	Vision X UMX 40	Vision X Value line	Vision X Value line	Vision X Value line
Technology	LED	LED	LED	LED	LED
Bulbtype	N/A	N/A	N/A	N/A	N/A
No of LED/bulb	7	7	6	6	6
Lumens	2600	2600	2200	2200	2200
Light pattern	Close range	Flood	Flood	Flood	Flood
Voltage	10–48 V	10–48 V	9–32 V	9–32 V	9–32 V
Watt	35 W	35 W	30 W	30 W	30 W
Connection	DT	DT	DT	DT	DT
Polarity	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection	Reverse voltage protection
Housing	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Colour	Black	Black	Black	Black	Black
Lens type	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Operating temp range °C	-40 °C to +80 °C	-40 °C to +80 °C	-40 °C to +80 °C	-40 °C to +80 °C	-40 °C to +80 °C
Water protection class	IP68	IP68	IP67	IP67	IP67
ECE	No info available	No info available	EMC CISPR25 Class 3	EMC CISPR25 Class 3	EMC CISPR25 Class 3
ADR	No	No	No	No	No
Reverse	No	No	No	No	No
Housing measurements HxWxD mm	119x119 x75 mm	119x119x75 mm	111x142x57 mm	131x110x60 mm	131x110x60 mm
Misc. info	High output, regular size General purpose lamp close range version.	High output, regular size. General purpose lamp flood version.	Oval. High output/ Quality to price ration. Hight incl. bracket.	Round. High output/ quality to price ratio. Hight incl. bracket.	Square. High output/ quality to price ration. Hight incl. bracket.



MISCELLANEOUS CABLES



**ADR cable harness**  
RKKIB 2x1 mm<sup>2</sup> extension cable. 1 DT female 2 pol + 3 m cable with open end.  
*Part no. 2786409*



**ADR cable harness**  
RKKIB 2x1 mm<sup>2</sup> extension cable. 1 DT female 2 pol + 7.5 m cable with open end.  
*Part no. 2786410*



**ADR cable harness**  
RKKIB 2x1.5 mm<sup>2</sup> extension cable. 1 DT female 2 pol + 2 m cable ending with DT male 2 pole connectors.  
*Part no. 2786411*



**ADR cable harness**  
RKKIB 2x1.5 mm<sup>2</sup> extension cable. 1 DT female 2 pol + 5 m cable ending with 1 DT male 2 pole connectors.  
*Part no. 2786412*



**ADR cable harness**  
RKKIB 2x1.5 mm<sup>2</sup> branch cable. 1 DT male 2 pol + 1.1 + 2.5 m cable ending with 2 DT female 2 pole connectors.  
*Part no. 2786413*



**ADR cable harness**  
RKKIB 2x1.0 mm<sup>2</sup> branch cable. 1 DT male 2 pol + 1.1 + 2.5 m + one extra loop with 2,2 m cable. ending with 1x3 DT female 2 pole connectors.  
*Part no. 2786414*



**ADR cable harness**  
RKKIB 2x1.5 mm<sup>2</sup> + 2x1 mm<sup>2</sup> branch cable. 1 DT male 4 pol + 1.1 + 2.5 m cable ending with 2 DT female 4 pole connectors.  
*Part no. 2786415*





MARKER LIGHTS, DRL AND TAIL LIGHTS, LAMP PROTECTION

# BE SEEN FROM A DISTANCE

Legislation is constantly being updated, and it is crucial to keep the truck in order to meet new legal requirements. In this range of OEM products you will find a number of LED upgrades for mandatory products, such as DRL (daytime running lights), tail lights, and EOLs (end marker lamps). To highlight your company profile, there is also a LED upgrade kit for the PGR-series Topline roof sign.



**Roof sign illumination LED upgrade**

6 x kit part no. 2298399 for upgrading roof sign from bulb version to LED.



**Roof sign illumination LED upgrade kit**

Replace the old bulb type illumination lamps with the latest LED version. Each assembly contains 6 long life LEDs which provide extremely high light output. Kit contains 1 lamp assembly part no. 2293241 and 2 fixing screws.  
*Part no. 2298399*



**Scania LED end outline marker lamp**

Marker lamp for the PGR- and 4-series sun visor, for upgrade or replacement. LED technology provides a bright light, long service life, and low power consumption compared to bulb version.

*White lens. Part no. 2035104*

*Amber lens. Part no. 2035105*



**Scania LED end outline marker lamp**

5 x p/n 2035104 mounted.





**Scania LED combination lamps kit**

LED tail light combination kit including stop, indicator, number plate light, reversing alarm. Kit includes both clusters: left (combines number plate light) and right (includes reverse alarm) plus adapter plates.  
*Part no. 2273861*



**LED tail lamp**

General purpose LED tail lamp suitable for heavy duty environment. Nice design and long service life. Functions: direction indicator, tail light, brake light, fog light, reverse light, and integrated rectangular reflex.  
*Part no. 1884604*



**Hella DRL kit**

General purpose DRL kit from Hella, including 2 rectangular lamps.

*Part no. 2008003*



**Hella DRL kit**

General purpose DRL kit from Hella, including 2 round lamps.

*Part no. 2008002*



**Scania DRL LED kit**

Daytime running light, LED version for PGR-series bumper, fog lamp position. Kit of 1 left-hand and 1 right-hand, for upgrade or replacement. LED technology provides long service life and low energy consumption.

*Part no. 1935157*



**Scania DRL LED**

Daytime running light, LED version for PGR-series bumper, fog lamp position.

*Left-hand unit. Part no. 2127431*

*Right-hand unit. Part no. 2127432*





**Bumper lamp protection kit**

Scania-branded transparent plastic covers, to protect the bumper lamps from stone chip damage. Fits most PGR-series trucks produced up to November 2009. Not for protruding bumpers. Sold in packs of 4.  
*Part no. 1750530*



**Bumper lamp protection kit**

Scania-branded transparent plastic covers, to protect the bumper lamps from stone chip damage. Fits PGR-series trucks produced after November 2011. Not for protruding bumpers. Sold in packs with 2 oval and 2 round protectors.  
*With bumper part no. 1923742/43 and 1923744/45.  
Part no. 2030727  
With bumper part no. 1865182/83, 1884914/915, 1926448 and 1929904. Part no. 2030486*





**PRG series lamp guard kits**

Steel grid lamp protection kits for PGR-series with protruded bumper, without Xenon lights. Includes lamp guards and all mounting hardware needed for fitting.

*Complete kit for both left-hand and right-hand lamp protectors (includes 2411863 + 2411264). Part no. 1859813*

*Left-hand kit. Part no. 2411864*

*Right-hand kit. Part no. 2411863*



**4 series lamp guard kits**

Steel grid lamp protection kits for 4-series trucks with steel or plastic bumper. Includes lamp guards and all mounting hardware needed for fitting.

*Left-hand kit. Part no. 581307*

*Right-hand kit. Part no. 581308*





ROTATING BEACONS

# CONFIRM YOUR LOCATION

When working on the roadside in heavy traffic, or on a construction site close to people, safety is always an issue. Compact, cost-effective, and easy-to-mount rotating beacons ensure others can see you while you safely carry out your tasks. Main suppliers to this range are Scania/Bosch, Grote, and Hella.



**Grote rotating beacon**

LED beacon 12–24 V 10.8 W. For flush mount. Amber lense and black plastic socket. No moving parts. Flashing or rotating light pattern possible. Short pre-mounted cables with open ends. IP65. Reverse polarity protection. Socket diameter 153 mm, height 120 mm. Type approvals ECE-R65, E11-00207, E2-0010245. Rotating/Flashing LED.

Part no. 2546911



**Scania rotating beacon**

Scania halogen rotating beacon, 24 V H1 70 W. For flush mount. Amber lense and black plastic/metal socket with separate rubber base plate. Screw drive. H1 bulb including pre-wired with 2 short wires. IP65. Diameter 150 mm, height 225 mm including rubber base plate. Type approvals ECE-R65, E2-0089004, EMC 95-54- CE 002600, E6-72245.

Part no. 583195



**Scania rotating beacon**

Scania halogen rotating beacon, 24 V H1 70 W. For flush mount. Amber lense and black plastic open socket, with separate rubber base gasket. Replaceable cover. Screw drive, built in socket. H1 bulb including pre-wired internally. IP5K9K. Diameter 150 mm, height 195 mm including rubber base gasket. Type approvals ECE-R65, E3-007166, ECE R10 E3-10R 041213.

Part no. 2264158



**Adapter plate for beacons**

For Scania/KAMA METEC lightbars. Used with bracket part no. 2203838.

Part no. 2203837



**Scania rotating beacon bracket**

Plastic/aluminium beacon bracket to fit the Scania NTG roof rail system. This easy to fit bracket, makes it possible to mount traditional beacons to the rail system. No drilling required.

Part no. 2184695





**Hella rotating beacon KL Junior F**

Halogen rotating beacon 24 V, H1 70 W. Amber lense and socket. Flat mount. Reverse polarity protection. Diameter 137 mm, height 173 mm. Type approvals ECE-R65, E1-002182. E4-06514. Part no. 1906692



**Hella rotating beacon KL Junior R**

Halogen rotating beacon 12 V, H1 55 W. Amber lense and socket. Tube mount. Reverse polarity protection. Diameter 137 mm, height 173 mm. Type approvals ECE-R65, E1-002182. E4-06514. Part no. 1911995



**Hella rotating beacon KL Junior M**

Halogen rotating beacon 24 V, H1 70 W. Amber lense and socket for flat mount as KL Junior f. but with spiral cable and cigarette lighter socket. Reverse polarity protection. Diameter 137 mm, height 173 mm. Type approvals ECE-R65, E1-002182. E4-06514. Part no. 1906692



**Hella rotating beacon KL 7000 F**

Halogen rotating beacon 24 V 70 W 3.5 Amp. For flush mount. Amber lense and socket. Double drive belts. IP5K4K and IP9K. Reverse polarity protection. Diameter 155 mm, height 194 mm. Type approvals ECE-R65, E1-001241. EMC class 5, E1-021470. 24 V. Part no. 1906697 12 V. Part no. 1934214



**Hella rotating beacon KL 7000 FL**

Halogen rotating beacon 24 V 70 W 3.5 Amp. As 7000F but for tube mount. Amber lense and black amber socket. Double drive belts. IP5K4K and IP9K. Reverse polarity protection. Diameter 155 mm, height 240 mm. Type approvals ECE-R65, E1-001241. EMC class 5, E1-021470. Part no. 1934215



**Hella rotating beacon KL 7000 R**

Halogen rotating beacon 24 V 70 W 3.5 Amp. As 7000FL with narrow socket for tube mount. Amber lense and socket. Double drive belts. IP5K4K and IP9K. Reverse polarity protection. Diameter 135 mm, height 221 mm. Type approvals ECE-R65, E1-001241. EMC class 5, E1-021470. Part no. 1911998



**Hella rotating beacon KL Rotafix F**

Compact halogen rotating beacon 24 V 70 W, 3.5 Amp. Amber lense and black socket, for flat mount. IP5K4K and IPX9K. Reverse polarity protection. Diameter 135 mm, height 174 mm. Type approvals ECE-R65, E4-006509. EMC class 3, E1-032181. Part no. 1906688



**Hella rotating beacon KL Rotafix FL**

Compact halogen rotating beacon 24 V 70 W, 3.5 Amp. Amber lense and black socket as Rotafix F, but for tube mount. IP5K4K and IPX9K. Reverse polarity protection. Diameter 135 mm, height 174 mm. Type approvals ECE-R65, E4-006509. EMC class 3, E1-032181. Part no. 1906686



**Hella rotating beacon KL Rotafix M**

Compact halogen rotating beacon 24 V 70 W, 3.5 Amp. Amber lense and black socket, for flat mount as Rotafix F, but with spiral cable and cigarette lighter socket. IP5K4K and IPX9K. Reverse polarity protection. Diameter 135 mm, height 174 mm. Type approvals ECE-R65, E4-006509. EMC class 3, E1-032181. Part no. 1911993





**Hella rotating beacon Rota LED F**

Flat, compact LED rotating beacon. Multivolt 10–32 V, 10 W, 0,4 Amp. No moving parts. Amber lense and black socket, for flat mount. IP5KX, IPX4K and IPX9K. Reverse polarity protection. Diameter 135 mm, height 124 mm. Type approvals ECE-R65, E1-003109. E1-033517.  
Part no. 2254050



**Hella rotating beacon Rota LED FL**

Flat, compact LED rotating beacon. Multivolt 10–32 V, 10 W, 0,4 Amp. No moving parts. Amber lense and black socket, for tube mount. IP5KX, IPX4K and IPX9K. Reverse polarity protection. Diameter 165 mm, height 183 mm. Type approvals ECE-R65, E1-003109. E1-033517.  
Part no. 2254051



**Hella rotating beacon Rota LED M**

Flat, compact LED rotating beacon. Multivolt 10–32 V, 10 W, 0,4 Amp. No moving parts. Amber lense and black socket, as Rota LED F, but with spiral cable and cigarette lighter socket. IP5KX, IPX4K and IPX9K. Reverse polarity protection. Diameter 135 mm, height 126 mm. Type approvals ECE-R65, E1-003109. E1-033517.  
Part no. 2254052



**Hella flashing warning lamp KLX 7000 F**

Xenon flashing beacon 24 V 1.6 Amp. For flush mount. Amber lense and silver coloured socket. IP5K4K and IPX9K. Reverse polarity protection. Diameter 157 mm, height 205 mm. Type approvals ECE-R65, EMC class 5. E1-031889  
Part no. 1906700



**Hella heavy duty flashing beacon, UltraRay**

Heavy Duty LED flashing beacon. Multivolt 10–30 V, 22 W max, 0,9 Amp. Doubled lighting systems. No moving parts. Amber polycarbonate lens and yellow socket, for flat mount. Water protection class: IP6K7, IP 6K9K. Reverse polarity protection. Diameter 169 mm, height 123 mm. Type approvals ECE-R65, E1-004442. EMC ECE R10 RCM. ADR approval.  
Part no. 2728927



**Hella universal flashing/rotating beacon, K-LED 2.0**

Flat, compact LED rotating and flashing beacon. Multivolt 10–32 V, 30 W max, 0,45–2.5 Amp. Programmable with 16 signal types. No moving parts. Amber lense and grey socket, for flat mount. IP67. Reverse polarity protection. Diameter 169 mm, height 88 mm. Type approvals ECE-R10, E1-036816. EMC Class 5. E1-03468. ADR approval. Adapter p/n 2740946 recommended to fit Scania rail bracket p/n 2184695.  
Part no. 2286673



**Hella universal flashing/rotating beacon K-LED Rebelution**

K LED Rebelution. Flat compact LED, rotating or flashing beacon. Multivolt 10–30 V, 12–14 W. Patented innovative LED technology. No moving parts. Black aluminium housing. Ring shaped polycarbonate light band/lens. Black socket for flat mount. Water protection class: IP6K7, IP6K9K. Reverse polarity protection. Thermal management. Diameter 149 mm, height 61 mm. Type approvals ECE-R10, ECE R65 Cl 1. EMC Class 5. ADR approval.

Rotating light pattern. Part no. 2860449

Flashing light pattern. Part no. 2860450





TRAFFIC WARNING SYSTEMS AND STROBE FLASHERS

# SEND A VISUAL MESSAGE

Featuring similar functions as rotating beacons, the efficient traffic warning systems and strobe flashers make sure you have caught the attention of others in your vicinity. The products and solutions in this range come in a variety of sizes and are supplied by Federal Signal, Juluen and Hella.

FEDERAL SIGNAL TRAFFIC WARNING SYSTEMS



**Aurum low profile, amber LED warning system with empty modules mid backside. 1778 mm**  
Width 1778 mm (70 inches). This size fits perfectly on the roof rails of the new generation Scania. As part no. 2614249, but with empty modules mid backside. Orange top plate. (Use 4 x roof rail brackets part no. 2439366 for mounting in new roof rails). Factory mount **FPC 7577**.

Part no. 2614248



**Aurum low profile, fully equipped, amber LED warning system. 1778 mm.**  
Width 1778 mm (70 inches). This size fits perfectly on the roof rails of the new generation Scania. Fully equipped, with amber LEDs in all positions. Orange top plate. (Use 4 x roof rail brackets part no. 2439366 for mounting in new roof rails).

Part no. 2614249



**Aurum low profile, fully equipped, amber LED warning system, with transparent top plate. 1778 mm**

Width 1778 mm (70 inches). This size fits perfectly on the roof rails of the new generation Scania. Fully equipped, with amber LEDs in all positions. Transparent top plate. (Use 4 x roof rail brackets part no. 2439366 for mounting in new roof rails).

Part no. 2843997



**Aurum low profile, fully equipped, amber LED warning system. 1549 mm**  
Width 1549 mm (61 inches). Fully equipped, with amber LEDs in all positions. Orange top plate.

Part no. 2546808



**Aurum low profile, amber LED warning system with empty modules mid backside. 1549 mm**  
Width 1549 mm (61 inches). As part no. 2546808, but with empty modules mid backside. Orange top plate. Factory mount **FPC 7577**.

Part no. 2546809



**Aurum low profile, fully equipped, amber LED warning system, with transparent top plate. 1549 mm**

Width 1549 mm (61 inches). Fully equipped, with amber LEDs in all positions. Transparent top plate.

Part no. 2843996



**Aurum low profile, fully equipped, amber LED warning system. 1130 mm**  
Width 1130 mm (45 inches). Fully equipped, with amber LEDs in all positions. Orange top plate.

Part no. 2546805



**Aurum low profile, fully equipped, amber LED warning system. 1346 mm**  
Width 1346 mm (53 inches). Fully equipped, with amber LEDs in all positions. Orange top plate.

Part no. 2546806



**Aurum low profile, amber LED warning system with empty modules mid backside. 1346 mm**

Width 1346 mm (53 inches). As part no. 2546806, but with empty modules mid backside. Orange top plate.

Part no. 2546807



Applicable to all products on page 181 och 182: Easy wiring connections and installation. 24 V. Standard brackets included. Approved to ECE R10 and R65 regulations.



**P2000. Normal profile, amber halogen warning system. 1400 mm**

Old school, normal profile halogen roof-mounted warning system. Width 1400 mm. Two built-in amber rotating halogen beacons. 24 V. Belt drive. Wire harness and standard brackets included. Approved to ECE R10 and R65 regulations.

*Part no. 2546810*



**P2000. Normal profile, amber halogen warning system with centre sign. 1400 mm**

Old school, normal profile halogen roof-mounted warning system. Width 1400 mm. As part no. 2546810, but with a 1000 mm illuminated centre sign. 24 V. Belt drive. Wire harness and standard brackets included. Approved to ECE R10 and R65 regulations.

*Part no. 2546811*



**P4000. Normal profile, amber LED warning system. 1400 mm**

Normal profile LED roof-mounted warning system. Width 1400 mm. Same housing as P2000 series but with two built-in amber LED solarins ring beacons. 24 V. Wire harness and standard brackets included. Approved to ECE R10 and R65 regulations.

*Part no. 2546812*




**P4000. Normal profile, amber LED warning system with centre sign. 1400 mm**

Normal profile LED roof-mounted warning system. Width 1400 mm. Same housing as P2000 series but with two built-in amber LED solarins ring beacons. As part no. 2546812, but with a 1000 mm illuminated centre sign. 24 V. Wire harness and standard brackets included. Approved to ECE R10 and R65 regulations.

*Part no. 2546813*




FEDERAL SIGNAL TRAFFIC WARNING SYSTEMS BRACKETS



**Bracket adapter for Scania roof light bars/  
Federal Signal Aurum**

This kit is used when a long (1778 mm) Federal Signal Aurum (p/n 2614248, 2614249, 2843997) is mounted on top of a Scania roof lightbar.

Part no. 2754809



**Roof rail bracket for short Federal Signal roof warning systems**

This kit is used when a Federal Signal Aurum or P2000/P4000 series system is mounted to the Scania NTG roof rail. It's recommended to use for all Aurums, 1549 mm or shorter, as well as for P2000/P4000 series which are 1400 mm long.

Part no. 2754810



**Multi purpose/lamp bracket**

Aluminium bracket to fit the new roof rail system. This small, easy-to-fit bracket, makes it possible to mount work lamps, roof warning systems etc in the roof rail system.

Part no. 2439366



**Lamp bracket**

For Scania and KAMA/METEC 60 mm bars.

Part no. 2203838



**Bracket for Federal Signal roof warning systems**

Bracket specially designed for Federal Signal VAMA roof warning systems. Suitable for Scania CR14/CR19 cabs with roof rail. A roof hatch can be opened if fitted.

Part no. 2545486



**Bracket for Federal Signal roof warning systems**

Bracket specially designed for Federal Signal VAMA roof warning systems. Suitable for CR14 cabs with low roof, without roof rail. Shown here with a P2000/P4000.

Part no. 2545487



**Bracket for Federal Signal roof warning systems**

Bracket specially designed for Federal Signal VAMA roof warning systems. Suitable for Scania CR14/CR19 cabs with high roof (not Topline). With or without roof rail. The bracket gives the roof warning system a forward position.

Part no. 2545488



**Bracket for Federal Signal roof warning systems**

Bracket specially designed for Federal Signal VAMA roof warning systems. Suitable for Scania CR14/CR19 cabs with normal or high roof (not Topline). With or without roof rail 2014-. The bracket gives the roof warning system a forward position.

Part no. 2558006



## FEDERAL SIGNAL LED STROBE FLASHER



**Federal Signal NanoLED strobe flashers**  
 Black plastic housing and black trim, 6 x AmberLEDs. Multivolt 10–30 V. R65 Cl 2, EMC R10. Possible to sync. with up to 12 NanoLEDs. IP9K. H 27.5xW 107.5xD 9.3 mm. Weight 42 g. Chromed optional trim for NanoLED: Scania p/n 2754770.  
 Part no. 2754765



**NanoLED Trimpanel Chrome**  
 Optional Chromed trim panel for NanoLED p/n 2754765.  
 Part no. 2754770



**Federal Signal MicroLED strobe flashers**  
 Amber plastic housing, 3x2 W LEDs. Multivolt 10–30 V. R65 CL1. EMC R10. IP9K. H 46xW 106xD 25 mm. Weight 80 g. Mounting frame not incl.  
 Part no. 2754766



**Mounting bracket MicroLED Flush**  
 Frame kit for flush mount of MicroLED p/n 2754766.  
 Part no. 2754768



**Mounting bracket MicroLED Base**  
 Frame kit for base/external mount of MicroLED p/n 2754766.  
 Part no. 2754767



**Mounting bracket MicroLED Pedestal**  
 Frame kit for pedestal mount "L" bracket, for MicroLED p/n 2754766.  
 Part no. 2754769



## HELLA TRAFFIC WARNING SYSTEM AND STROBE FLASHER



### LED strobe flasher BST

Flat compact LED warninglamp for flat mount. No bracket needed. No moving parts. Different flash types and sync programmable. Multivolt 10–30 V, 9.6 W, black alu housing and clear diffusing glass lens. IP5K4K and IP9K. H 28xW 128xD 17 mm. Type approvals ECE R65 E6 65-000078 ECE R10 E6 10R-040471  
Part no. 2287282



### LED strobe warninglamp BST

Flat compact LED warninglamp for flush mount. No bracket needed. No moving parts. Different flash types and sync programmable. Multivolt 10–30 V, 9.6 W, black alu housing and clear diffusing glass lens. IP5K4K and IP9K. H 28xW 128xD 17 mm. Type approvals ECE R65 E6 65-000078 ECE R10 E6 10R-040471.  
Part no. 2380986



### OWS 1600 24V, 1600 mm

OWS 1600, Roof Warning System. Halogen H1. 24 V 2 rotating beacons. 2x70 W, 2x2.7 Amp. Amber lenses and white centre section. Centre section can be retrofitted with lights. IP5K4K and IP9K. Width 1600 mm. Type approvals ECE-R65, E1-00817. EMC E1-021309.  
Part no. 1934213



## JULUEN LED STROBE FLASHER



### Juluen HB6 Halo Blitz dual function Amber/White

LED strobe flasher and side marker/position lamp. Black aluminium housing. Transparent lens. 6 colored LEDs for strobe flash function. Halo LED position/sidemark function. Programmable and syncable. 9 W. Multivolt 12/24 V. ECE R65 XA1. EMC R10. IPX8. Built in 3 m ADR cable. H 50xW 132xD 19 mm.  
Part no. 2786416



### Juluen HB6 Halo Blitz dual function Amber/Amber

LED strobe flasher and side marker/position lamp. Black aluminium housing. Transparent lens. 6 colored LEDs for strobe flash function. Halo LED position/sidemark function. Programmable and syncable. 9 W. Multivolt 12/24 V. ECE R65 XA1. EMC R10. IPX8. Built in 3 m ADR cable. H 50xW 132xD 19 mm.  
Part no. 2786417



### Juluen HB6 Halo Blitz dual function Amber/Red

LED strobe flasher and side marker/position lamp. Black aluminium housing. Transparent lens. 6 colored LEDs for strobe flash function. Halo LED position/sidemark function. Programmable and syncable. 9 W. Multivolt 12/24 V. ECE R65 XA1. EMC R10. IPX8. Built in 3 m ADR cable. H 50xW 132xD 19 mm.  
Part no. 2786418





NTG: SCANIA STAINLESS STEEL LIGHT BARS

# TAILORED LIGHT CARRIERS

Scania stainless-steel light bars are ideal for displaying lamps from the vast range available whilst also enhancing the looks of your truck. Many light bars come complete with built-in connections and wiring. The “plug and play” feature ensures that connections always match the factory cable harness prep, making fitting of the bar to the vehicle easy and intuitive.

Recommended cable preparations. Roof bars, roof rail: **FPC 1401A**. Aux lamps on roof bars: **FPC 5062**. Aux lamps on front bars: **FPC 5063**. Snowplough lamps: **FPC 1854**. Backwards facing fifth wheel / worklamps: **FPC 5900 B**

## SCANIA ROOF LIGHT BARS AND KITS

Attractive, durable and stylish Scania light bars. Different models available, all made of 60 mm polished stainless steel. Fixed lamp brackets and cables with connectors included to match the factory cable harness prep, where applicable. Order separately or as a complete kit including selected Hella or Cibié lamps.



**Scania light bar for normal roof, short without LED**  
Polished 60 mm stainless steel roof light bar. Short version, without styling LEDs for normal roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706262*



**Scania light bar for normal roof, short with LED**  
Polished 60 mm stainless steel roof light bar. Short version, with styling LEDs for normal roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706264*



**Scania roof light bar for normal roof, long without LED**  
Polished 60 mm stainless steel light bar. Long version, without styling LEDs for normal roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706263*



**Scania light bar for normal roof, long with LED**  
Polished 60 mm stainless steel roof light bar. Long version, with styling LEDs for normal roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706265*



**Scania light bar for normal roof, short with LED strobe flashers**  
Polished 60 mm stainless steel roof light bar. Short version, with 2 strobe flasher LEDs, for normal roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706266*



**Scania light bar for normal roof, long with LED strobe flashers**  
Polished 60 mm stainless steel roof light bar. Long version, with 2 strobe flasher LEDs, for normal roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706267*



**Note!** When fitting a roof light bar, at least 107 mm of the front edge of the roof rail must be accessible. The short version of the light bar fits day cabs and sleeper cabs with smaller roof air deflectors, but not cabs with large roof air deflectors that take up the entire roof rail. The long version of the light bar does not fit day cabs or sleeper cabs with roof air deflectors.



**Scania light bar for high roof, short without LED**  
 Polished 60 mm stainless steel roof light bar. Short version, without styling LEDs for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706256*



**Scania light bar for high roof, short with LED**  
 Polished 60 mm stainless steel roof light bar. Short version, with styling LEDs for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706258*



**Scania light bar for high roof, long without LED**  
 Polished 60 mm stainless steel roof light bar. Long version, without styling LEDs for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706257*



**Scania light bar for high roof, long with LED**  
 Polished 60 mm stainless steel roof light bar. Long version, with styling LEDs for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706259*



**Scania light bar for high roof, short with LED strobe flashers**  
 Polished 60 mm stainless steel roof light bar. Short version, with 2 strobe flasher LEDs, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706260*



**Scania light bar for high roof, long with LED strobe flashers**  
 Polished 60 mm stainless steel roof light bar. Long version, with 2 strobe flasher LEDs, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
*Part no. 2706261*





**Scania light bar for high roof, short with lamp brackets in high position**

Polished 60 mm stainless steel roof light bar. Short version, with lamp brackets in high position, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
Part no. 2712604



**Scania light bar for high roof, long with lamp brackets in high position**

Polished 60 mm stainless steel roof light bar. Long version, with lamp brackets in high position, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
Part no. 2706673



**Scania light bar for high roof, short with styling LED and lamp brackets in high position**

Polished 60 mm stainless steel roof light bar. Short version, with styling LEDs and lamp brackets in high position, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
Part no. 2712606



**Scania light bar for high roof, long with styling LED and lamp brackets in high position**

Polished 60 mm stainless steel roof light bar. Long version, with styling LEDs and lamp brackets in high position, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
Part no. 2706675



**Scania light bar for high roof, short with LED strobe flashers and lamp brackets in high position**

Polished 60 mm stainless steel roof light bar. Short version, with 2 strobe flasher LEDs and lamp brackets in high position, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
Part no. 2712607



**Scania light bar for high roof, long with LED strobe flashers and lamp brackets in high position**

Polished 60 mm stainless steel roof light bar. Long version, with 2 strobe flasher LEDs and lamp brackets in high position, for high roof. Pre-wired and fixed brackets for 4 aux lamps (lamps are not included).  
Part no. 2706676





**Kit light bar long, with LED for normal roof and 4 x Cibié lamps**

Kit consisting of 1 x 2706264, stainless steel roof light bar, long for normal roof with styling LED + 4 x 2447400, Cibié Super Oscar LED, Chromium, with LED position light.  
Ref. 27.5.  
Part no. 2782247



**Kit light bar long, with LED for high roof and 4 x Cibié lamps**

Kit consisting of 1 x 2706259, stainless steel roof light bar, long for high roof with styling LED and 4 x 2447400, Cibié Super Oscar LED, Chromium, with LED position light.  
Ref. 27.5.  
Part no. 2782248



**Kit light bar long, with LED for normal roof and 4 x Hella 3003 lamps**

Kit consisting of 1 x 2706264, stainless steel roof light bar, long for normal roof with styling LED and 4 x 2060525, Hella 3003 halogen chrome trim ring, LED position light. Ref. 25.  
Part no. 2782249



**Kit light bar long, with LED for high roof and 4 x Hella 3003 lamps**

Kit consisting of 1 x 2706259, stainless steel roof light bar, long for high roof with styling LED and 4 x 2060525, Hella 3003 halogen chrome trim ring, LED position light. Ref. 25.  
Part no. 2782250



**Kit light bar long, with LED for normal roof and 4 x Hella Luminator lamps**

Kit consisting of 1 x 2706264, stainless steel roof light bar, long for normal roof with styling LED and 4 x 2254023, Hella Luminator Chromium Halogen, LED position light. Ref. 37.5.  
4 x 2587819 Luminator adapter bracket.  
Part no. 2782251



**Kit light bar long, with LED for high roof and 4 x Hella Luminator lamps**

Kit consisting of 1 x 2706259, stainless steel roof light bar, long for high roof with styling LED and 4 x 2254023, Hella Luminator Chromium Halogen, LED position light. Ref. 37.5.  
4 x 2587819 Luminator adapter bracket.  
Part no. 2782252



## SCANIA FRONT LIGHT BARS AND KITS



**Kit front light bar, without LED + 4 x Cibié lamps**  
 Kit consisting of 1 x 2433090, stainless steel front light bar, without styling LED + 2 x 2447400, Cibié Super Oscar LED, Chromium, with LED position light. 230 mm. Ref. 27.5. + 2 x 2596713, Cibié Oscar LED 180 mm.  
*Part no. 2603731*



**Kit front light bar, with LED + 4 x Cibié lamps**  
 Kit consisting of 1 x 2532777, stainless steel front light bar, with styling LED + 2 x 2447400, Cibié Super Oscar LED, Chromium, with LED position light. 230 mm. Ref. 27.5. + 2 x 2596713, Cibié Oscar LED 180 mm.  
*Part no. 2603728*



**Kit front light bar, without LED + 4 x Luminator Chrome lamps**  
 Kit consisting of 1 x 2433090, stainless steel front light bar, without styling LED + 2 x 2254021, Hella Luminator Chromium halogen. 233 mm Ref. 50 + 2 x 2596701, Hella Luminator Chromium halogen. Ref. 37.5. 170 mm + 4 x 2587819 Luminator adapters.  
*Part no. 2603730*



**Kit front light bar, with LED + 4 x Luminator Chrome lamps**  
 Kit consisting of 1 x 2532777, stainless steel front light bar, with styling LED + 2 x 2254023, Hella Luminator Chromium halogen, with LED position light. 233 mm Ref. 37.5 + 2 x 2596701, Hella Luminator Chromium halogen. Ref. 37.5. 170 mm + 4 x 2587819 Luminator adapters.  
*Part no. 2603727*



**Kit front light bar, without LED + 4 x Hella 3003 lamps**  
 Kit consisting of 1 x 2433090, stainless steel front light bar, without styling LED + 2 x 2060523, Hella 3003 chrome trim ring. 222 mm. Ref. 50. + 2 x 2596699, Hella 3003 Chrome trim ring 172 mm. Ref. 37.5.  
*Part no. 2603729*



**Kit front light bar, with LED + 4 x Hella 3003 lamps**  
 Kit consisting of 1 x 2532777, stainless steel front light bar, with styling LED + 2 x 2060525, Hella 3003 chrome trim ring, with LED position light. 222 mm Ref. 25. + 2 x 2596699, Hella 3003 Chrome trim ring 172 mm. Ref. 37.5.  
*Part no. 2603723*



Bars without lamps also available.  
 Without LED. Part no. 2433090  
 With styling LED. Part no. 2532777



**Scania front light bar straight, without LED**

Polished 60 mm front light bar in stainless steel. Straight and simple design, without styling LEDs. Pre-wired and fixed brackets for 4 extra lamps (lamps are not included). Not compatible with protruding bumper.  
Part no. 2706274



**Scania front light bar straight, with LED**

Polished 60 mm front light bar in stainless steel. Straight and simple design, with styling LEDs. Pre-wired and fixed brackets for 4 extra lamps (lamps are not included). Not compatible with protruding bumper.  
Part no. 2706282



**Foldable XT frontbar/footstep, without LED**

60 mm stainless steel front light bar for XT trucks. Foldable, with dual functions: Lampholder and footstep. Without styling LEDs. Prewired and fixed brackets for 4 aux lamps (lamps are not included). Only compatible with XT protruded bumper.

Polished steel. Part no. 2777243  
Black painted steel (available from June 2020).  
Part no. 2833354



**Foldable XT frontbar/footstep, with LED**

60 mm stainless steel front light bar for XT trucks. Foldable, with dual functions: Lampholder and footstep. With styling LEDs. Prewired and fixed brackets for 4 aux lamps (lamps are not included). Only compatible with XT protruded bumper.

Polished steel. Part no. 2777471  
Black painted steel (available from June 2020).  
Part no. 2833435



**Foldable XT frontbar/footstep, with strobe flashers**

60 mm stainless steel front light bar for XT trucks. Foldable, with dual functions: Lampholder and footstep. With 2 strobe flasher LEDs. Prewired and fixed brackets for 4 aux lamps (lamps are not included). Only compatible with XT protruded bumper.

Polished steel. Part no. 2833353  
Black painted steel (available from June 2020).  
Part no. 2833436



## SCANIA SNOW PLOUGH LIGHT BARS, KITS AND BRACKETS



### Scania plough light bar, without LED

Polished 60 mm stainless steel light bar for ploughs. Without styling LEDs. Pre-wired and fixed brackets for 4 aux lamps + 2 headlamp replacements (lamps are not included).

Part no. 2433073



### Scania plough light bar, with strobe flashers

Polished 60 mm stainless steel light bar for ploughs. As part no. 2433073, but with 2 built-in LED flashing lights. Pre-wired and fixed brackets for 4 extra lamps + 2 replacements for headlamps (lamps are not included).

Part no. 2706275



### Scania plough light bar kit, without LED

Polished 60 mm stainless steel plough light bar kit without styling LEDs. Pre-wired and fixed brackets for 4 aux lamps + 2 Hella headlamp replacements. Kit contains of 1 x 2433073 + 4 x 1934120 + 1 x Hella headlamp replacement kit 2767911.

Part no. 2563617



### Scania plough light bar kit, without LED

Polished 60 mm stainless steel plough light bar kit without styling LEDs. Pre-wired and fixed brackets for 4 Cibié aux lamps + 2 Hella headlamp replacements. Kit contains of 1 x 2433073 + 4 x 2447400 + 1 x Hella headlamp replacement kit 2767911.

Part no. 2563616



Lock design is based on the same solution integrated in P- and G-cabs. When installed, this lock kit will ensure that the front hatch will take the loads from the heavy plough-bar/lamps, even when driving on poor roads. If not installed, there is a risk that vibration will cause cracks in the front hatch.

Bracket/lock kit is NOT compatible with right-hand drive vehicles!

Some early models of R- and S-cabs do not have pre-drilled holes for fitting.

### Bracket/lock kit for Scania plough-bar

Bracket/front hatch lock kit, with Scania plough-bar part no. 2433073. This kit is strongly recommended for all vehicles using a Scania snow plough bar.

S-cab. Part no. 2660532

R-cab. Part no. 2660553



## SCANIA FRONT PROTECTION "WILDBARS"



### Scania front protection "Wildbar", High version

Rugged, yet stylish front protection bar. High version. Made from polished 76 and 60 mm stainless steel. Made to fit Scania G, R and S cabs, with normal or high bumpers. 0 mm protrusion bumper is recommended for best possible clearance. Easy to mount, easy folding and access/usage of the original tow bar, replaceable lower pipes. Wire harness premounted in the lower section. Does NOT fit low bumpers or protruded "XT" steel bumpers. Mounting hardware, badge holder, 8 x lamps brackets and mounting instruction included (lamps are not included).  
Part no. 2761788



### Scania front protection "Wildbar", Low version

Rugged, yet stylish front protection bar. Low version. Made from polished 76 and 60 mm stainless steel. Made to fit Scania P, G, R and S cabs, with normal or high bumpers. 0 mm protrusion bumper is recommended for best possible clearance. Easy to mount, easy folding and access/usage of the original tow bar, replaceable lower pipes. Wire harness premounted in the lower section. Does NOT fit low bumpers or protruded "XT" steel bumpers. Mounting hardware, 8 x lamps brackets and mounting instruction included (lamps are not included).  
Part no. 2761789



## SCANIA WORKLAMP BAR



**Scania rear facing fifth wheel / worklamp bar, without LED**  
 Polished 60 mm stainless steel light bar for worklamps. Main application is low roof cabs, but will also fit to all normal and high roof cabs, with or without roof spoilers. Clamping position is identical for all cabs. Separate lamp brackets allow adjustable lamp positions. Prewired for up to 4 lamps (lamps are not included).  
 Part no. 2775277. Cable prep from FFU: **FPC5900B**



**Scania rear facing fifth wheel / worklamp bar, with LED strobe flashers**  
 Polished 60 mm stainless steel light bar for worklamps, with 2 strobe flasher LEDs. Main application is low roof cabs, but will also fit to all normal and high roof cabs, with or without roof spoilers. Clamping position is identical for all cabs. Separate lamp brackets allow adjustable lamp positions. Prewired for up to 4 lamps (lamps are not included).  
 Part no. 2775279. Cable prep from FFU: **FPC5900B**



Our range of work lamps are designed to deliver added safety and manoeuvrability to your operations. See the full range on page 154.

SCANIA LIGHT BAR ADAPTERS AND REPLACEMENT LEDS



**Badge holders for Wildbar High**  
Stainless steel badge holder, for Scania symbol.  
Fit to Wildbar High p/n 2761788.  
L/H. Part no. 2782223  
R/H. Part no. 2782224




**Lamp brackets for Scania Wildbars**  
Stainless steel lamp brackets for Scania Wildbars 2761788 and 2761789. Brackets fits to predrilled attachment points.  
For 60 mm pipes. Part no. 2790809  
For 76 mm pipes. Part no. 2790810



**Lower endpipe replacement for Scania Wildbars**  
Replacement lower end pipes for Scania Wildbars, p/n 2761788 and 2761789.  
L/H. Part no. 2782245  
R/H. Part no. 2782246



**Lamp bracket**  
For Scania and KAMA/METEC bars.  
60 mm. Part no. 2203838  
70 mm. Part no. 2864459



**Bracket adapter for Scania roof light bars/ Federal Signal Aurum**  
This kit is used when a long (1778 mm) Federal Signal Aurum (p/n 2614248, 2614249, 2843997) is mounted on top of a Scania roof lightbar.  
Part no. 2754809



**Stainless steel attachment cover**  
Polished stainless steel cover for lower attachment bolts. Fits to vehicles with Scania light bars, but without sun visors.  
Part no. 2716073



**Adapter bracket for Hella Luminator lamps**  
Bracket mainly used for certain Hella Luminator models, but may also fit other lamp brands. This bracket moves the lamp position slightly forward, relative the fixed bracket.  
Part no. 2587819



**Adapter bracket for general purpose and Vision X LED bars**  
Bracket mainly used for fitting of various Vision X LED bar models, but may also serve as a general purpose adapter. This bracket comes with a pre-drilled hole pattern suitable for various lamps. Also possible to drill new holes to match other types of LED bars and lamps.  
Part no. 2587820



**Replacement LED module, white**  
Replacement white LED modules for all applicable KAMA bars produced from early 2017 and all Scania bars from 2016-.  
White. Part no. 2654485  
Orange. Part no. 2654486  
Red. Part no. 2654487



LAMPS FOR LIGHT BAR KITS



**Cibié Super Oscar, 230 mm, LED, broad beam, LED position lights, chrome, Ref. 27.5**  
Full LED spot lamp, chromed alu housing and trim ring, clear plastic lens, IP67, 12 V/24 V.  
*Part no. 2447400*



**Cibié Oscar, 180 mm, LED, broad beam, chrome, Ref. 17.5**  
Full LED spot lamp, chrome alu housing and trim ring, clear plastic lens, IP67, 12 V/24 V.  
*Part no. 2596713*



**Hella Jumbo 320, broad beam, clear lens, LED position light, Ref. 37.5**  
Hella halogen spot lamp, 245x141 mm. Black plastic housing, clear lens with LED position light, broad beam. H7 bulb, not included. Recommended H7 HD premium replacement bulb: Scania part no. 1905137.  
*Part no. 1934120*



**Hella Rallye 3003, broad beam, clear lens, LED position light, Ref. 25**  
Hella halogen spot lamp, 222 mm. Black plastic housing with chrome trim ring. Real, clear glass lens, broad beam, with position LED light. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2060525*



**Hella Rallye 3003, pencil beam, clear lens, Ref. 50**  
Hella Halogen spot lamp, 222 mm. Black plastic housing with chrome trimring. Real, clear glass lens, pencil beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2060523*



**Hella 3003 Compact, broad beam, clear lens Ref. 37.5**  
Compact version, 172 mm, broad beam, chrome trim ring, clear lens without position light.  
*Part no. 2596699*



**Hella Luminator Chromium Clear, broad beam, clear lens, Ref. 37.5**  
Hella halogen spot lamp, 233 mm. Chrome metal housing, clear lens, LED position light, broad beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2254023*



**Hella Luminator Chromium Clear, pencil beam, clear lens, Ref. 50**  
Hella halogen spot lamp, 233 mm. Chrome metal housing, clear lens, position light, pencil beam. H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2254021*



**Hella Luminator Chromium Clear Compact, broad beam, clear lens, Ref. 37.5**  
Hella halogen spot lamp, 170 mm. Chrome metal housing, clear lens, position light, broad beam H1 bulb, not included. Recommended H1 HD premium replacement bulb: Scania part no. 1905134.  
*Part no. 2596701*





SCANIA NTG: KAMA/METEC STAINLESS STEEL LIGHT BARS

# MIX AND MATCH

Supplying extensive options, the classic design and functionality of KAMA/METEC light bars enable a perfect match with the original Scania light bars and other accessories. The KAMA/METEC light bars come pre-wired with separate brackets included. The range also includes robust front protection, “wild bar”, as well as stylish front and side pipes.

Recommended option and cable preparations.. Roof bars, roof rail: **FPC 1401A**. Aux lamps on roof bars: **FPC 5062**. Aux lamps on front bars: **FPC 5063**. Snowplough lamps: **FPC 1854**.

## KAMA/METEC ROOF LIGHT BARS



**Roof light bar “Top” for normal and high roof, without LED**  
Roof light bar, made from 60 mm polished stainless steel, without LED, for cabs with high roof. Pre-wired with cables for up to 6 lamps. Separate brackets for 4 lamps included (lamps are not included). Note: On “hovering” roof bars with no middle support, Scania recommends fitting of only 4 low-weight lamps, such as Cibie Super Oscar LED, Hella 3003, Hella Jumbo 320.  
*Part no. 2654476*



**Roof light bar “Top” for normal and high roof, with LED**  
Roof light bar, made from 60 mm polished stainless steel, with LED, for cabs with high roof. Pre-wired with cables for up to 6 lamps. Separate brackets for 4 lamps included (lamps are not included). Note: On “hovering” roof bars with no middle support, Scania recommends fitting of only 4 low-weight lamps, such as Cibie Super Oscar LED, Hella 3003, Hella Jumbo 320.  
*Part no. 2654477*



**Roof light bar “Wide” for low roof, without LED**  
Roof light bar, made from 70 mm polished stainless steel, without LED, for cabs with low roof. Pre wired with cables for up to 6 lamps. Does not fit to cabs with handle bar mounted on the roof over the door (lamps are not included).  
*Part no. 2839302*



**Roof light bar “Wide” for low roof, with LED**  
Roof light bar, made from 70 mm polished stainless steel, with LED, for cabs with low roof. Pre wired with cables for up to 6 lamps. Does not fit to cabs with handle bar mounted on the roof over the door (lamps are not included).  
*Part no. 2839301*



## KAMA/METEC FRONT PROTECTION



### Front protection “Wild bar”

Robust front protection bar, made from polished 60 mm stainless steel with replacable steel net. Brackets for 4 aux lamps included. Made to fit Scania R- and S-cabs. Compatible with AEB/Radar. Possible to replace different parts, like the steel net, if damaged. Easy to drop for access to front hatch. Tow bar function remains (lamps are not included).

*With low- or normal bumper. Part no. 2654474*

*With high bumper. Part no. 2654475*



## KAMA/METEC FRONT LIGHT BARS



### Front bar "Classic", without LED

Front bar in classic style, made from 60 mm polished stainless steel, without LED. Pre-wired with cables for 4 lamps. Separate brackets for 4 lamps included (lamps are not included).  
Part no. 2654478



### Front bar "Classic", with LED

Front bar in classic style, made from 60 mm polished stainless steel, with LED. Pre-wired with cables for 4 lamps. Separate brackets for 4 lamps included (lamps are not included).  
Part no. 2654479



### Front bar "Spider X", with LED

Front bar, made from 60 mm polished stainless steel, with LED. Pre-wired with cables for 4 lamps (lamps are not included).  
Part no. 2782222



## KAMA/METEC FRONT AND SIDE PIPES



### Front pipe, for low bumpers, without LED

Front pipe, made from 60 mm polished stainless steel. Without LEDs. For trucks with low and normal bumpers. Does not fit protruded bumper.  
Part no. 2654480



### Front pipe, for low bumpers, with LED

Front pipe, made from 60 mm polished stainless steel. With 5 white LEDs. For trucks with low and normal bumpers. Does not fit protruded bumper.  
Part no. 2654481



### Side pipes with amber LEDs, 1 pair 3750 mm

Side pipes, made from 60 mm polished stainless steel with 5 amber LEDs. For trucks with wheel base 3750 mm, produced to September 2018. Sold in pairs.  
Part no. 2654484



### Front pipe, for high bumpers, without LED

Front pipe, made from 60 mm polished stainless steel. Without LEDs. For trucks with high bumpers. Does not fit protruded bumper.  
Part no. 2654482



### Front pipe, for high bumpers, with LED

Front pipe, made from 60 mm polished stainless steel. With 5 white LEDs. For trucks with high bumpers. Does not fit protruded bumper.  
Part no. 2654483



### Side pipes with or without amber LEDs, one pair 3750 mm

Side pipes, made from 60 mm polished stainless steel with or without 5 amber LEDs. For trucks with wheelbase 3750 mm, produced after October 2018. Sold in pairs.  
Without LEDs. Part no. 2839297  
With LEDs. Part no. 2839298



KAMA/METEC LIGHT BAR ADAPTERS, BRACKETS AND REPLACEMENT LEDS



**Adapter plate for beacons**  
 For Scania/KAMA METEC lightbars. Used with bracket  
 part no. 2203838.  
 Part no. 2203837



**Lamp bracket**  
 For Scania and KAMA/METEC bars.  
 60 mm. Part no. 2203838  
 70 mm. Part no. 2864459



**Replacement LED module**  
 Replacement white LED modules for all applicable KAMA  
 bars produced from early 2017 and all Scania bars from  
 2016-.  
 White. Part no. 2654485  
 Orange. Part no. 2654486  
 Red. Part no. 2654487



**Replacement LED module**  
 Replacement white LED modules for all applicable KAMA  
 bars produced until 2015 resp 2017.  
 White. Until 2015. Part no. 2292350  
 Orange. Until 2015. Part no. 2292351  
 Red. Until 2015. Part no. 2292352





ALUMINIUM LIGHT BARS FROM SCANIA

# LIGHTWEIGHT, YET TOUGH

Light bars constructed from anodised aluminium make a powerful impression. They can be mounted on the roof or grille and provide space to fit auxiliary lamps or rotating beacons.



**Front protection lightbar, Trux Highway Airflow kit**  
 TRUX Highway Airflow kit. Fits S, R and G cabs. Does NOT fit P cab or cabs with protruded bumpers. Anodized silver, with structure ("Airflow") (lamps are not included).  
 Part no. 2724638



**Front protection lightbar, Trux Highway kit**  
 TRUX Highway kit. Fits S, R and G cabs. Does NOT fit P cab or cabs with protruded bumpers. Anodized silver, without structure (lamps are not included).  
 Part no. 2724639




**Front protection lightbar, Trux Off-road Airflow kit**  
 TRUX Off-road Airflow kit. Fits S, R and G cabs. Does NOT fit P cab or cabs with protruded bumpers. Anodized silver, with structure (lamps are not included).  
 Part no. 2724640



**Front protection lightbar, Trux Off-road kit**  
 TRUX Off-road kit. Fits S, R and G cabs. Does NOT fit P cab or cabs with protruded bumpers. Anodized silver, without structure (lamps are not included).  
 Part no. 2724641





**Roof light bar, Airflow kit for High roof**

TRUX Front top bar Airflow kit for High roof, with pre-mounted cable harness for 6 lamps. Anodized silver, with structure ("Airflow") (lamps are not included).  
Part no. 2724642



**Roof light bar, kit for High roof**

TRUX Front top bar kit for High roof, with pre-mounted cable harness for 6 lamps. Anodized silver, without structure (lamps are not included).  
Part no. 2724643



**Roof light bar, Airflow kit for High and Normal roof**

TRUX Front top bar Airflow kit for High roof with sunvisor and Normal roof with sunvisor, but without upper A order aux lamps, with pre-mounted cable harness for 6 lamps. Anodized silver, with structure ("Airflow") (lamps are not included).  
Part no. 2724775



**Roof light bar, kit for High and Normal roof**

TRUX Front top bar kit for High roof with sunvisor and Normal roof with sunvisor, but without upper A order aux lamps, with pre-mounted cable harness for 6 lamps. Anodized silver, without structure (lamps are not included).  
Part no. 2724776



**Roof light bar, Airflow kit for High and Normal roof**

TTRUX Front top bar Airflow kit for High roof and normal roof, with pre-mounted cable harness for 6 lamps. Anodized silver, with structure ("Airflow"). Note: Scania recommends only 4 lightweight lamps on this type of bar. Recommended lamps are e.g. Cibie Super Oscar LED, part no. 2447399 and 2447400 (lamps are not included).  
Part no. 2724777



**Roof light bar, kit for High and Normal roof**

TRUX Front top bar kit for High roof and normal roof, with pre-mounted cable harness for 6 lamps. Anodized silver, without structure. Note: Scania recommends only 4 lightweight lamps on this type of bar. Recommended lamps are e.g. Cibie Super Oscar LED, part no. 2447399 and 2447400 (lamps are not included).  
Part no. 2724778





**Rear facing Airflow roof bar kit**

TRUX Rear top bar kit for C20 cabs with normal roof. Anodized silver, with structure ("Airflow") (lamps are not included).

Part no. 2724779



**Rear facing roof bar kit**

TRUX Rear top bar kit for C20 cabs with normal roof. Anodized silver, without structure (lamps are not included).

Part no. 2724780



**Snow plough light bar, Airflow kit**

TRUX snow plough bar, Airflow kit, with pre-mounted cable harness for 4 lamps. Anodized silver, with structure ("Airflow") (lamps are not included).

Part no. 2724781



**Snow plough light bar kit**

TRUX Snow plough light bar kit, with pre-mounted cable harness for 4 lamps. Anodized silver without structure (lamps are not included).

Part no. 2724782



**Front pipe, U bar Airflow kit**

TRUX U bar. Front decor tube Airflow. Anodized silver with structure ("Airflow"). Only suitable for vehicles with low bumper.

Part no. 2724783



**Front pipe, U bar kit**

Trux U bar. Front decor tube, Anodized silver without structure. Only suitable for vehicles with low bumper (lamps are not included).

Part no. 2724784





SCANIA PGR-SERIES: KAMA/METEC STAINLESS STEEL LIGHT BARS

# ENHANCE YOUR CLASSIC PARTNER

There are great opportunities for augmenting the appearance of your classic road partner. The KAMA/METEC assortment for the PRG-series features a comprehensive selection of stylish light bars, styling pipes and a massive front protection – “wild bar”.

## KAMA/METEC FRONT-FACING ROOF LIGHT BARS AND KITS

Attractive, durable and stylish light bars, styling pipes and front protection products. Many different models available, all made of 60 mm polished stainless steel. Cables and brackets for 4, 5 or 6 lights included, depending on version. Order separately or as a complete kit including selected Hella lamps.



### Highline

Cables and brackets for 4 lamps (lamps are not included).  
 Part no. 2203826  
 Without fixed brackets. Part no. 2551888



### Highline, LED

Roof light bar for Highline, same as part no. 2203826, with 5 white front-facing LED modules. Cables and brackets for 4 lamps (lamps are not included).  
 Part no. 2427060



### Highline, for 5 and 6 lamps

Roof light bar for Highline, same as part no. 2203826, with cables and brackets for 5–6 lamps (lamps are not included).  
 Part no. 2266906



### Highline, LED for 5 and 6 lamps

Roof light bar for Highline, same as art no. 2266906, with 5 white front-facing LED modules (lamps are not included).  
 Part no. 2488880



### Highline, kit including bar (2203826) + 4 Hella 3003 (2060523)

Lamps included are 4 Hella Rallye 3003. Ref. 50. Chrome trim ring, part no. 2060523.  
 Part no. 2251226



### Highline, LED Kit including 4 Hella 3003 (2060523)

Roof light bar for Highline, kit same as part no. 2251226, with 5 white front-facing LED modules. Lamps included are 4 Hella Rallye 3003. Ref. 50. Chrome trim ring, part no. 2060523.  
 Part no. 2427062





**Topline**

Cables and brackets for 4 lamps (lamps are not included).  
 Part no. 2203827  
 Without fixed brackets. Part no. 2471583



**Topline, LED**

Roof light bar for Topline, same as part no. 2203827, with 5 white front-facing LED modules. Cables and brackets for 4 lamps (lamps are not included).  
 Part no. 2427063



**Topline, for 5 and 6 lamps**

Roof light bar for Topline, same as part no. 2203827, with cables and brackets for 5–6 lamps (lamps are not included).  
 Part no. 2266905



**Topline, LED for 5 and 6 lamps**

Roof light bar for Topline, same as part no. 2266905, with 5 white front-facing LED modules (lamps are not included).  
 Part no. 2488881



**Topline, kit incl. bar (2203827) + 4 Hella 3003 (2060523)**

Lamps included are 4 Hella Rallye 3003. Ref. 50, chrome trim ring, part no. 2060523.  
 Part no. 2251227



**Topline, LED kit incl. 4 Hella 3003 (2060523)**

Roof light bar for Topline, kit same as part no. 2251227, with 5 white front-facing LED modules. Lamps included are 4 Hella Rallye 3003. Ref. 50, chrome trim ring,  
 part no. 2060523.  
 Part no. 2427065





**Normal cab**

Cables and brackets for 4 lamps (lamps are not included).  
Part no. 2203824



**Normal cab, LED**

Roof light bar for Normal cab, same as part no. 2203824, with 5 white front-facing LED modules. Cables and brackets for 4 lamps (lamps are not included). Picture shows version without LED.

Part no. 2427066



**Normal cab for 5 and 6 lamps**

Roof light bar for Normal cab, same as part no. 2203824, with cables and brackets for 5–6 lamps (lamps are not included).

Part no. 2266904



**Normal cab, LED for 5 and 6 lamps**

Roof light bar for Normal cab, same as part no. 2266904, with 5 white front-facing LED modules (lamps are not included).

Part no. 2488882



**Normal cab, kit including bar (2203824) + 4 Hella 3003 (2060523)**

Lamps included are 4 Hella Rallye 3003. Ref. 50, chrome trim ring, part no. 2060523.

Part no. 2251225



**Normal cab, LED kit including 4 Hella 3003 (2060523)**

Roof light bar for Normal cab, kit same as part no. 2251225, with 5 white front-facing LED modules. Lamps included are 4 Hella Rallye 3003. Ref. 50, chrome trim ring,

part no. 2060523.

Part no. 2427068





**Topline, Hydra Extended LED roof bar**

Extended roof light bar for Topline, with 5 white front-facing LED modules and 6 orange LED modules on each side.

Cables and brackets for 6 lamps (lamps are not included).

Part no. 2427069



**Low roof, kit including bar (2203819) + 4 Hella 3003 (2060523)**

Lamps included are 4 Hella Rallye 3003. Ref. 50, chrome trim ring, part no. 2060523.

Part no. 2251213



**Low roof**

Cables and brackets for 4 lamps (lamps are not included).

Part no. 2203819



## KAMA/METEC WORKLAMP BARS



### Rear-facing roof bar

Fits G- and R-series m/y 04- (lamp brackets and lamps are not included).

Part no. 2203835

With rear-facing red LEDs. Part no. 2551887



## KAMA/METEC FRONT PROTECTION



### Front protection stainless steel – KAMA/METEC

Robust and attractive universal stainless steel “wild bar” front protection from KAMA/METEC for all types of environments. Fits vehicles with both high and low bumpers. Note: The metal netting can be removed. Not compatible with protruded bumper and speed radar systems (lamps and cables are not included).

Part no. 2274568



KAMA/METEC FRONT LIGHT BARS AND KITS



**G- and R-series, for 4 x circular lamps. High/low bumper m/y 2010–**  
Cables and brackets for 4 lamps (lamps are not included).  
*Part no. 2266907*



**Style as 2266907, but possible to mount 4 x rectangular lamps. High/low bumper m/y 2010–**  
(Lamps are not included.)  
*Part no. 2471581*



**G- and R-series, style as 2266907 but with LED**  
(Lamps are not included.)  
*Part no. 2551885*



**G- and R-series, style as 2471581 but with LED**  
(Lamps are not included.)  
*Part no. 2551886*



**KAMA front light bar kit. (2266907) + 4 x Hella 3003 (2060523)**  
Cables and brackets for 4 lamps. Lamps included are 4 Hella Rallye 3003. Ref. 50, chrome trim ring, part no. 2060523.  
*Part no. 2251229*





**Kit including bar (2471581) + 4 Hella Jumbo 320 lamps (1906621)**  
Cables and brackets for 4 lamps. Lamps included are 4 Hella Jumbo 320, with position light. Ref. 37.5, part no. 1906621.  
*Part no. 2552758*



**Kit including bar (2551886) + 4 Hella Jumbo 320 lamps (1934120)**  
Cables and brackets for 4 lamps. Lamps included are 4 Hella Jumbo 320, with LED position light. Ref. 37.5, part no. 1934120.  
*Part no. 2552759*



## KAMA/METEC SNOW PLOUGH BARS AND KITS



**G- and R-series, m/y 2010–**  
Cables and brackets for 4 lamps (lamps are not included).  
*Part no. 2266908*



**Kit including lamps, bars and brackets**  
Kit including snow plough bar (2266908) + 4 Hella 3003 (2060523) + 2 Hella headlamp replacement (2282092/93) + 2 brackets (2203838) + brackets and cables for 4 lamps. Lamps included are 4 Hella Rallye 3003. Ref. 50, chrome trim ring, part no. 2060523.  
*Part no. 2282149*



## KAMA/METEC SIDE PIPES



**Side pipe with 6 orange LED modules**  
Suitable for vehicles with wheel base 3700 mm.  
Sold in pairs.  
*Part no. 2292347*



KAMA/METEC FRONT PIPES



**Front pipe, G- and R-series high bumper m/y 2004–**  
Styling pipes in polished stainless steel, without LEDs.  
*Part no. 2203831*



**Front pipe, G- and R-series low bumper m/y 2004–2013**  
Styling pipes in polished stainless steel, without LEDs.  
*Part no. 2203833*



**Front pipe with LED, G- and R-series high bumper m/y 2004–**  
As part no. 2203831 with 5 white front-facing LED modules + 1 orange LED module on each side.  
*Part no. 2387163*



**Front pipe with LED, G- and R-series low bumper m/y 2014–**  
As part no. 2203831 with 5 white front-facing LED modules + 1 orange LED module on each side.  
*Part no. 2387162*



**PGR-series, low bumper m/y 2004–**  
Styling pipes in polished stainless steel, without LED's.  
*Part no. 2396049*



**PGR-series, High bumper m/y 2004–**  
Styling pipes in polished stainless steel, without LED's.  
*Part no. 2396050*



## KAMA/METEC LIGHT BAR ADAPTERS, BRACKETS AND REPLACEMENT LEDS



**Adapter plate for beacons**  
For Scania/KAMA METEC lightbars. Used with bracket  
part no. 2203838.  
Part no. 2203837



**Lamp bracket**  
For Scania and KAMA/METEC bars.  
60 mm. Part no. 2203838  
70 mm. Part no. 2864459



**Adapter for 5 and 6 lamps**  
For KAMA roof bars.  
Part no. 2471582



**Replacement LED module**  
Replacement LED module for all applicable KAMA bars  
produced until 2015.  
White. Part no. 2292350  
Orange. Part no. 2292351  
Red. Part no. 2292352





## HAND-HELD WORKLAMPS

# CLEAR SIGHT IN EVERY CORNER

With a hand-held work lamp close at hand, you will be able to scrutinise every nook and cranny of your vehicle. Our range, mainly supplied by OSRAM, features various kinds of hand-held lamps and torches, from pen-size inspection lamps to multifunctional cordless saver lights and head lamps.



**Scania multifunction lamp EU**

Multifunctional, magnetic work and warning lamp with red and white work lights and several torch functions. Recharging: Transformer input AC 100 V or AC 240 V. Output: DC 12 V, 500 mA, 12 V socket (cigarette lighter). Supplied with Euro plug.  
*Part no. 2009564*



**OSRAM LEDinspect Foldable**

Functional LED work light with a flexible design. Rechargeable using 220 V adapter and 12 V cigarette lighter, no batteries required. Easy-grip, dirt-resistant surface with magnetic holder and a hook. Central joint for flexible adjustment/locking.  
*Part no. 2419296*



**OSRAM LEDinspect Mini**

Mini LED work light in a compact and very handy design. Easy-grip, dirt-resistant surface with magnetic holder and a hook. Three AAA batteries included.  
*Part no. 2419297*



**OSRAM LEDinspect Pro Pocket 280**

Mobile phone-size LED inspection lamp, with built-in mini flash light. Dual-purpose lamp, with 280-lm main light and 70-lm mini flash light. Equipped with both clip/support and magnet. Rechargeable via a mini USB connector. IP20.  
*Part no. 2614275*



**OSRAM LED inspect Slimline 280 EU**  
Cordless inspection lamp with magnet and hook for simple attachment. White, intensive light, up to 6,000 K. Bendable 180 degrees. Operating time 4 hours (main light), 8 hours (flash light). Battery status indication and charging protection.  
*EU plug. Part no. 2542562*  
*UK plug. Part no. 2542563*



**Osram Onyx LED reading lamp, black, with plug for cigarette lighter socket**  
An alternative to Hella, that admits a pleasantly warm, glare-free light. 12–24 V.  
*Part no. 2419293*



**OSRAM LEDinspect Pro Penlight 150 UVA.**  
Pen-size LED UV-A inspection lamp, mainly used for leak detection. Equipped with both clip and magnet. Rechargeable via a mini USB connector. IP20.  
*Part no. 2614274*



**OSRAM LEDinspect Pro Penlight 150**  
Pen-size LED inspection lamp, equipped with both clip and magnet. Rechargeable via a mini USB connector. IP20.  
*Part no. 2614273*



**OSRAM LEDguardian Saver Light**

LED flash light with safety features such as an emergency hammer, a seat belt knife and a flashing warning LED light built in the handle. 12 flashing amber LEDs in handle plus the regular LED flash light function with an output of 105 lm.  
 Part no. 2419298



**OSRAM LEDGuardian Road Flare**

Mini Road flare for emergency use, with built-in mini flash light. 12 orange and 4 white LEDs. 3 functions: continuous or rotating orange warning light and a white mini flash light. Orange, grippy plastic cover with metal clip and magnet. 3 AAA batteries included.  
 Part no. 2614277



**OSRAM LEDinspect Headlamp 300**

LED head lamp for various applications. Adjustable strap makes it possible to wear also with a helmet on. Adjustable angle and power, 60–300 lm. Built-in battery pack with red flashing rear warning light. On/off and flash mode controllable with a separate switch. IP64. 3 AA batteries included.  
 Part no. 2614276



**OSRAM LEDinspect Pro Bonnet 1400**

LED bonnet luminaire with ultra-thin, robust design and built-in 5 m cable. Hands-free usage, thanks to rotatable hook and extendable telescopic holder (1.15–1.8 m). Aluminium housing. 15 W, 90–250 V. IP65.  
 Part no. 2614252



FUEL-RELATED EQUIPMENT

# SEALED UP AND SAFE

Fuel is expensive and unfortunately, often a target for thieves. Protect your vehicle, enhance your safety, and secure your arrival by fitting an anti-siphon device and a robust, lockable filler cap.

## ANTI-SIPHONES

The robust Scania anti-siphon collars are made to prevent fuel siphoning from the top of the tank. Easy to fit directly to the 60 mm tank neck. Compatible with original Scania fuel caps. Flow tested to 120 litres/min.



**New design Anti-siphon kit – High**  
Kit, including Anti-siphone device part no. 2457921 and anti-spill valve part no. 2457924. Factory mount **FPC 6996**.  
Part no. 2457922



**New design Anti-siphon device – High**  
Anti-siphone device High, with built-in mesh for increased safety and a higher fluid flow rate.  
Part no. 2457921



**Chrome anti-spill valve**  
Anti-spill valve for Anti-siphons part no. 2457921 and 2457923.  
Part no. 2457924



**Kit, with anti-spill valve included**  
Kit, including Anti-siphone device part no. 2457923 and anti-spill valve part no. 2457924. Factory mount **FPC 6996**.  
Part no. 2457925



**New design Anti-siphon device – Low**  
Anti-siphone device Low, with built-in mesh for increased safety and a higher fluid flow rate.  
Part no. 2457923



**Chrome anti-spill valve**  
Anti-spill valve for Anti-siphons part no. 1910366 and 2155387.  
Part no. 2079280



**TankBlank**  
“TankBlank” protects against access to fuel through the redundant tank sender unit for vehicles with double-tank arrangements. “TankBlank” replaces the standard Scania plate and has been designed to allow the circular collar to freely rotate.  
Part no. 2375265



**DrainBlank**  
“DrainBlank” protects against theft of fuel through the existing drain plug beneath the tank. It has been designed to fit over the existing fuel tank drain plug. The outer ring rotates freely and cannot be removed.  
Part no. 2375264



## SCANIA FILLER CAPS



**Scania filler cap kit: Lockable, adapted for FAME**  
Part no. 2276409



**Scania filler cap: Lockable, without chain**  
Part no. 2276408



**Scania filler cap: Non-lockable, without chain**  
Part no. 2061501



**Scania filler cap: SCR lockable**  
Part no. 2477313



**Scania filler cap: 1 x lockable, FAME and 1 x AdBlue**  
Part no. 2278301



**Scania filler cap: 1 x lockable, without chain and 1 x AdBlue**  
Part no. 2278300





**Scania filler cap kit: 2 x lockable, adapted for FAME**  
Part no. 2278299



**Scania filler cap kit: 2 x lockable, without chain**  
Part no. 2278298



**Scania filler cap kit: 2 x lockable, FAME and 1 x AdBlue**  
Part no. 2278303



**Scania filler cap kit: 2 x lockable, without chain and 1 x AdBlue**  
Part no. 2278302



**Scania filler cap kit: Lockable, AdBlue cap kit for 50- and 75-liter tanks**  
Kit includes lockable filler cap, adapter, gasket and screws.  
Part no. 2222615





WARNING AND EMERGENCY EQUIPMENT

# IN CASE OF EMERGENCY

Should there be a serious incident, either in your vehicle or in the near vicinity, easy access to emergency equipment is vital. Here you will find a wide variety of fire extinguishers of different designs and sizes, along with instruction labels in several languages. The product range also includes road warning equipment, first aid kit, smoke detector etc.



**Fire extinguisher, 2 kg powder ABC**  
 Compact and suitable for the factory-mounted extinguisher bracket (optional on some markets). Type approval to DIN EN 3.  
 English printed text. Part no. 1425970



**Fire extinguisher, 2 kg powder ABC**  
 Compact and suitable for the factory-mounted extinguisher bracket (optional on some markets). Type approval to DIN EN 3.  
 French printed text. Part no. 2270526



**Fire extinguisher, 3 kg powder ABC**  
 French and Flemish labelled text.  
 Part no. 2324770



**Fire extinguisher, 6 kg powder ABC**  
 Gloria. English printed text. Language labels included: FR, DE, ES, IT, PT, RU, HU.  
 Part no. 2539013  
 Gloria. English printed text. Language labels included: SE, FI, DE, PL, NO, EE, LT, LV.  
 Part no. 2582175



**Fire extinguisher, 6 kg powder ABC**  
 French printed text. Part no. 2531643  
 Dutch printed text. Part no. 2539014



**Fire extinguisher, 9 kg powder ABC**  
 Dutch printed text. Part no. 1768551



**Language labels**

When ordering a 2 kg extinguisher with an alternative language, please choose the English or French extinguisher along with your desired language label (available in 10 languages):

- Danish text. Part no. 1519376
- Dutch text. Part no. 1519372
- Finnish text. Part no. 1519371
- German text. Part no. 1519368
- Italian text. Part no. 1519370
- Polish text. Part no. 1519373
- Portuguese text. Part no. 1519374
- Russian text. Part no. 1519377
- Spanish text. Part no. 1519369
- Swedish text. Part no. 1519367

Additional fire extinguishers are available, e.g. part no. 2670787 (Contran for Brazil) and part no. 2670788 (NCH for Chile), along with many specially adapted vehicle brackets. Please contact your local Scania dealer for more information.



**Night lock – mechanical safety door lock for NTG series**  
 Mechanical safety door lock for NTG series vehicles. Easy to install as well as easy to use. The kit includes both driver and passenger door locks.  
 Part no. 2786180



**Night lock – mechanical safety door lock for PRG series**  
 Mechanical safety door lock for PRG series vehicles. Easy to install as well as easy to use. The kit includes both driver and passenger door locks.  
 Part no. 2300591



**OSRAM LEDguardian Saver Light**  
 LED flash light with safety features such as an emergency hammer, a seat belt knife and a flashing warning LED light built in the handle. 12 flashing amber LEDs in handle plus the regular LED flash light function with an output of 105 lumens.  
 Part no. 2419298



**Smoke detector**  
 Specially developed vehicle fire smoke detector sounds the alarm when it senses fire smoke in the cab.  
 Part no. 1865071



**Basic LED torch**  
 Scania LED flashlight. CE approved. R20 Batteries are not included.  
 Part no. 2214000



**Foldable warning triangle**

Warning triangles are mandatory to bring in many countries. It's also the best way to warn road traffic of a safety hazard. E20 approved. Delivered folded in a plastic cover.

*Part no. 2020496*



**Foldable road cone**

Choose between fixed or flashing light. 2 AAA batteries included. Height 75 cm, weight 3.5 kg. Foldable, delivered in a bag.

*Part no. 1908283*



**OSRAM LEDGuardian Road Flare**

Mini Road Flare for emergency use, with built in mini flash light. 12 Orange and 4 white LEDs. 3 functions: Continuous or rotating orange warning light + a white mini flash light. Orange, grippy plastic cover with metal clip and magnet.

3 AAA batteries included.

*Part no. 2614277*



**First aid kit**

Includes first aid dressings, standard dressings, burn dressings, wound compress, disposable gloves, adhesive bandage, elastic bandages, emergency blanket and scissors. DIN 13164 approved.

*Part no. 2025246*



WHEEL EQUIPMENT

# STOP OR GO. IT'S YOUR CALL.

No matter what kind of weather you experience, your vehicle should keep rolling or standing still – always on your command. To help you stay in full control, make sure to carry sturdy wheel chocks and effective snow chains on board.



**Wheel chocks, plastic version**  
 Yellow, injection-molded with integrated handle bar.  
 Part no. 2082638



**Snow chains Trygg**  
 Premium snow chains, in four different versions from TRYGG Nosted k tting. All chains conforms to Norwegian standard NS5960:2010 and exceed Austrian  NORM V 5119.



**Loose wheel nut indicator**  
 Indicates loosening of safety critical nuts and includes a wheel overheating function. Protects the nut from weathering, corrosion and general damage.  
 Part no. 1877680



## SNOW CHAINS TRYGG

All chains delivered as a pair.



### Snow chains Easy Trac

Lightweight, low cost chains for general purpose applications where spikes are not allowed. Chain dimension: 5.5 mm without wear bar.

Wheel dimension	Part no
365/80R-19,5	2737643
385/65R-19,5	2737639
275/70R-22,5	2890873
295/80R-22,5	2737644
305/60R-22,5	2890874
305/70R-22,5	2737685
315/60R-22,5	2890875
315/70R-22,5	2890876
315/80R-22,5	2737686
385/55R-22,5	2890877
385/65R-22,5	2737687



### Snow chains Scan Trac

Lightweight chains, with wear bars, for general purpose applications where spikes are not allowed. Perfect chain for steering axles. Chain dimension: 5.5 mm with wear bar.

Wheel dimension	Part no
215/75R-17,5	2737689
265/70R-19,5	2737690
275/70R-22,5	2737692
295/60R-22,5	2737691
295/80R-22,5	2737693
305/70R-22,5	2890863
315/70R-22,5	2737695
315/80R-22,5	2737694
355/50R-22,5	2890864
385/55R-22,5	2737697
385/65R-22,5	2737696



### Snow chains SUPER

Heavy-duty drive axle chains for trucks, busses and c. Chain dimension: 7/8 mm with 7x9 mm square studs.

Wheel dimension	Part no
205/75R-17,5	2737698
235/75R-17,5	2737699
265/70R-19,5	2737701
275/70R-22,5	2737702
275/80R-22,5	2890865
295/60R-22,5	2737703
295/80R-22,5	2737725
305/70R-22,5	2890867
315/60R-22,5	2890866
315/80R-22,5	2737726
315/70R-22,5	2737728



### Snow chains Scan Trac Halfpairs (Single chain)

Lightweight chains, with wear bars, for general purpose applications where spikes are not allowed. Perfect chain for steering axles. Chain dimension: 5.5 mm with wear bar.

Wheel dimension	Part no
295/80R-22,5	2890856
315/70R-22,5	2890858
315/80R-22,5	2890857
305/70R-22,5	2890861
355/50R-22,5	2890862
385/55R-22,5	2890860
385/65R-22,5	2890859



295/80R-22,5 - twin mount	2890868
315/70R-22,5 - twin mount	2890870
315/80R-22,5 - twin mount	2890869



### Snow chains FRAM half tight

Heavy-duty, low-cost drive axle chains with a half-tight pattern for trucks, busses and coaches. Chain dimension: 7 mm with round studs.

Wheel dimension	Part no
205/75R-17,5	2737730
235/75R-17,5	2737737
265/70R-19,5	2737738
275/70R-22,5	2737739
295/80R-22,5	2737740
315/70R-22,5	2737743
315/80R-22,5	2737742



295/80R-22,5 - twin mount	2890871
315/80R-22,5 - twin mount	2890872

### Accessories and spare parts kit

TRYGG accessories and spare parts kit containing 2 x Z hooks (8.5 mm), 4 x couplings (7 mm), and 2 x spider rubber straps.

Part no. 2737744





SNOW CHAINS ONSPOT

# BUILT-IN TRACTION

The Onspot systems feature innovative functions for securing a safe grip and traction. We keep a large selection of spare parts and hardware for systems mounted on Scania vehicles.

For more information regarding this product area, see [accessories.scania.com](https://accessories.scania.com).



Onspot cylinders and cylinder kits



Onspot wheels and chains



Onspot bracket kits

## Part no. index

358202*	018	1777451	063	1900731	063	1934213	183	2060525	143	2153325	019	2270526	223
358204	018	1782015	141	1900732	063	1934214	176	2060525	195	2153326	019	2273861	170
581123	032	1783150	042	1900736	062	1934215	176	2061501	220	2156537	033	2274568	209
581307	173	1783150	042	1900737	062	1935157	171	2063025	137	2156538	033	2276408	220
581308	173	1783150	042	1900738	062	1939975	067	2063025	137	2156540	033	2276409	220
583032	075	1783150	042	1900740	062	2003203	141	2064803	079	2157938	063	2278298	221
583040	075	1786571	032	1900741	062	2008002	171	2064806	079	2166156	062	2278299	221
583041	075	1789380	050	1901754	130	2008003	171	2066042	040	2166156	063	2278300	220
583195	175	1789380	050	1901755	130	2009550	130	2066043	040	2184695	175	2278301	220
585069	019	1789386	130	1902784	128	2009551	128	2066044	040	2186590	079	2278302	221
589804	025	1789387	130	1903616	106	2009552	130	2066045	040	2192479	063	2278303	221
1322707	032	1789388	130	1903617	106	2009564	215	2066046	040	2193177	163	2279869	079
1406485	050	1789393	131	1904353	065	2013378	047	2076178	040	2198895	051	2282149	211
1406485	050	1797306	041	1905271	133	2014988	050	2076179	040	2198896	051	2282282	091
1406487	048	1797307	041	1905272	133	2014989	050	2076180	040	2198904	051	2282283	091
1406491	050	1797310	041	1906605	143	2014990	050	2076181	040	2198905	050	2282294	091
1406491	050	1797314	041	1906607	143	2014991	050	2076182	040	2198906	050	2286346	130
1406713	050	1798877	048	1906609	145	2020496	225	2076183	040	2198907	050	2286673	177
1406714	050	1798883	048	1906610	146	2022517	130	2076184	040	2198908	050	2287282	183
1421478	074	1798887	048	1906611	144	2022518	130	2076185*	040	2198909	050	2289347	130
1421841	019	1798889	048	1906612	145	2022518	130	2076186*	040	2198910	050	2289348	130
1423904	063	1798894	048	1906613	146	2024218	073	2076187*	040	2199110	049	2289349	130
1425970	223	1798896	048	1906614	143	2025246	225	2076188	042	2199111	049	2292055	021
1430665	050	1850802	050	1906615	143	2029220	133	2076189	042	2199127	049	2292120	061
1430667	048	1850803	050	1906618	147	2029220	133	2076190	042	2199128	049	2292121	061
1430668	048	1850804	050	1906619	147	2030239	067	2076191	042	2203819	208	2292347	211
1430669	048	1850804	050	1906620	147	2030240	067	2076192	042	2203824	207	2292350	199
1430671	048	1850805	133	1906621	147	2030241	067	2076193	042	2203826	205	2292350	213
1430672	048	1850807	133	1906624		2030261	067	2076194	042	2203827	206	2292351	199
1433597	065	1850847	026	1934127		2030263	067	2076195	042	2203831	212	2292351	213
1435236	065	1850848	026	1906625	158	2030264	067	2076196	042	2203833	212	2292352	199
1447109	063	1850849	026	1906626		2030265	067	2076197	042	2203835	209	2292352	213
1504039	041	1850850	026	1934128	158	2030443	137	2076873	018	2203837	175	2293832	061
1504040	041	1850851	026	1906629		2030444	137	2076873	018	2203837	199	2293833	061
1504061	041	1850853	026	1906631		2030445	137	2076873	018	2203837	213	2294292	021
1504063	041	1850854	026	1906632		2030446	137	2078064	049	2203838	181	2294371	033
1504064*	041	1853636	133	1912013		2030447	137	2078065	049	2203838	194	2294372	033
1504065*	041	1853637	133	1934130		2030448	137	2078066	049	2203838	199	2294373	033
1504066*	041	1853804	051	1934132		2030449	137	2078067	049	2203838	213	2298399	169
1508724	033	1854064	051	1934133	158	2030450	137	2078467	067	2204849	079	2300482	033
1508725	033	1854065	051	1906686	176	2030453	137	2079280	219	2214000	224	2300494	033
1508726	033	1854893	133	1906688	176	2030486	172	2082638	227	2222615	221	2300591	224
1515749	074	1854894	133	1906692	176	2030727	172	2095281	046	2231388	053	2304021	133
1515750	074	1859813	173	1906692	176	2031056	137	2095284	046	2238021	057	2304021	133
1519367	223	1865071	224	1906697	176	2033232*	018	2095787	025	2238021	059	2305623	130
1519368	223	1869561	051	1906700	177	2033233*	018	2095788	025	2245489	033	2323638	073
1519369	223	1869562	051	1908283	225	2034799	018	2109583	046	2245490	033	2324770	223
1519370	223	1869563	051	1908390	030	2034800	018	2109586	046	2245491	033	2325506	069
1519371	223	1869564	051	1911071	033	2034801	018	2114776	050	2245475	128	2325506	069
1519372	223	1871813	026	1911972	147	2035104	169	2114776	050	2251213	208	2329763*	040
1519373	223	1871816	026	1911993	176	2035105	169	2114777	050	2251225	207	2329764*	040
1519374	223	1871901	049	1911995	176	2036303	091	2114777	050	2251226	205	2329765*	041
1519376	223	1871902	049	1911998	176	2036304	091	2114778	049	2251227	206	2329766*	041
1519377	223	1871903	049	1919864	021	2037604	073	2114779	049	2251229	210	2331313	144
1540713	041	1871904	049	1919868	027	2039627	069	2114780	049	2253547	130	2331318	160
1549350	141	1872116	029	1919871	027	2040612	049	2114781	049	2254020	144	2331319	159
1723293	085	1872909	051	1919872	027	2040614	049	2114782	050	2254021	145	2331320	160
1723765	048	1872910	051	1920258	051	2040615	049	2114782	050	2254021	195	2331321	160
1723766	048	1872911	051	1920259	051	2040616	049	2114783	050	2254022	146	2373770	067
1723767	050	1872912	051	1920558	051	2040617	049	2114783	050	2254023	145	2373771	067
1723767	050	1872913	051	1921133	051	2040619	050	2114784	049	2254023	195	2373772	067
1745819	018	1872914	051	1922448	137	2040620	050	2114787	074	2254045	144	2373792	067
1745820	018	1877680	227	1922449	137	2040621	050	2114793	049	2254046		2373793	067
1745916	049	1877957	049	1922646	137	2040622	049	2114794	049	2254049	159	2373794	067
1745918	049	1877958	049	1922647	137	2040624	049	2114795	049	2254047	159	2375264	219
1745920	049	1877959	049	1924391	078	2040625	049	2116993	083	2254048	159	2375265	219
1745922	049	1877960	049	1925375	051	2040625	049	2117011	083	2254050	177	2380091	021
1749953	141	1878132	032	1929823	042	2040627	049	2118539	083	2254051	177	2380986	183
1749955	141	1878133	032	1929824	042	2040629	050	2118540	083	2254052	177	2382084	047
1749962	141	1879141	042	1931540	155	2040630	050	2119894	081	2255736	053	2382085	047
1750530	172	1884604	170	1931768	051	2040631	050	2121473	143	2255737	053	2382086	047
1766558	032	1885207	051	1931769	051	2051176	029	2121759	141	2255738	053	2387162	212
1766559	032	1885208	051	1931770	051	2051846	075	2127431	171	2258936	053	2387163	212
1766560	032	1885664	032	1933218	050	2054883	019	2127432	171	2262521	163	2390145	151
1766561	032	1886105	019	1934113	144	2055995	015	2128046	047	2264158	175	2390146	151
1767575	049	1889074	042	1934114	145	2059034	141	2128047	047	2266904	207	2390146	151
1767577	049	1893226	085	1934120	147	2059120	130	2148986	063	2266905	206	2390877	091
1767579	049	1899129	032	1934120	195	2060523	143	2152701	063	2266906	205	2390878	091
1767581	049	1899962	083	1934125		2060523	195	2152751	081	2266907	210	2396049	212
1768551	223	1900730	063	1934126	158	2060524	143	2152754	081	2266908	211	2396050	212

2399273	.....079	2477313	.....220	2551886	.....210	2618330	.....047	2706260	.....186	2737693	.....228	2761022	.....100
2399274	.....079	2482655	.....131	2551887	.....209	2618331	.....047	2706261	.....186	2737694	.....228	2761024	.....100
2409540	.....085	2482656	.....131	2551888	.....205	2618332	.....047	2706262	.....185	2737695	.....228	2761788	.....192
2411863	.....173	2484670	.....151	2552758	.....211	2620971	.....047	2706263	.....185	2737696	.....228	2761789	.....192
2411864	.....173	2484671	.....151	2552759	.....211	2620972	.....047	2706264	.....185	2737697	.....228	2766301	.....029
2416824	.....063	2485674	.....069	2558006	.....181	2621566	.....110	2706265	.....185	2737698	.....228	2767911	.....146
2419223	.....018	2486990	.....156	2558693	.....083	2623787	.....110	2706266	.....185	2737699	.....228	2770774	.....074
2419223	.....018	2486991	.....156	2559447	.....079	2623788	.....110	2706267	.....185	2737701	.....228	2770785	.....074
2419293	.....216	2487975	.....115	2563616	.....191	2628230	.....024	2706274	.....190	2737702	.....228	2770786	.....074
2419296	.....215	2488880	.....205	2563617	.....191	2628231	.....024	2706275	.....191	2737703	.....228	2775277	.....193
2419297	.....215	2488881	.....206	2563994	.....131	2628391	.....136	2706282	.....190	2737725	.....228	2775279	.....193
2419298	.....217	2488882	.....207	2567073	.....073	2628392	.....136	2706544	.....074	2737726	.....228	2777243	.....190
2419298	.....224	2489360	.....046	2570004	.....159	2628415	.....136	2706575	.....074	2737728	.....228	2777471	.....190
2427060	.....205	2489361	.....046	2570005	.....160	2628416	.....136	2706673	.....187	2737730	.....228	2781600	.....141
2427062	.....205	2489362	.....046	2570006	.....161	2628417	.....136	2706675	.....187	2737737	.....228	2782222	.....198
2427063	.....206	2489373	.....046	2570007	.....161	2629324	.....106	2706676	.....187	2737738	.....228	2782223	.....194
2427065	.....206	2489375	.....046	2570008	.....161	2629325	.....106	2709226	.....152	2737739	.....228	2782224	.....194
2427066	.....207	2489376	.....046	2570009	.....161	2629326	.....106	2709227	.....152	2737740	.....228	2782245	.....194
2427068	.....207	2489377	.....046	2570010	.....162	2629503	.....069	2709228	.....152	2737742	.....228	2782246	.....194
2427069	.....208	2489378	.....046	2570011	.....162	2629504	.....069	2709229	.....166	2737743	.....228	2782247	.....188
2429096	.....079	2489379	.....046	2570012	.....162	2629941	.....069	2709230	.....166	2737744	.....228	2782248	.....188
2433073	.....191	2489380	.....046	2577065	.....047	2633324	.....105	2709231	.....166	2738297	.....069	2782249	.....188
2433090	.....189	2489381	.....046	2582175	.....223	2642236*	.....041	2709236	.....149	2746045	.....026	2782250	.....188
2433775	.....019	2489382	.....046	2587819	.....194	2642238*	.....041	2709237	.....149	2748039	.....085	2782251	.....188
2433776	.....019	2489770	.....069	2587820	.....194	2642239*	.....041	2711382	.....040	2748040	.....085	2782252	.....188
2435462	.....021	2531532	.....043	2594622	.....019	2642751	.....069	2711383	.....040	2748254	.....136	2782255	.....079
2435463	.....021	2531643	.....223	2594622	.....019	2642752	.....069	2711384	.....040	2748265	.....136	2786180	.....224
2439366	.....181	2532777	.....189	2594676	.....131	2642925	.....133	2711395	.....042	2748266	.....136	2786403	.....163
2439387	.....073	2533319	.....057	2594677	.....131	2642931	.....069	2711396	.....042	2748267	.....136	2786404	.....163
2442881	.....042	2533319	.....059	2596699	.....142	2644357	.....129	2711397	.....042	2748268	.....136	2786405	.....163
2442882	.....042	2533321	.....057	2596699	.....195	2644590	.....026	2712604	.....187	2748269	.....136	2786406	.....165
2442883	.....042	2533321	.....059	2596700	.....142	2646489	.....133	2712606	.....187	2748270	.....136	2786407	.....152
2447116	.....133	2536259	.....152	2596701	.....145	2654354	.....030	2712607	.....187	2748271	.....136	2786409	.....167
2447399	.....139	2536260	.....152	2596701	.....195	2654355	.....029	2713161	.....023	2748272	.....136	2786410	.....167
2447400	.....139	2536261	.....152	2596702	.....146	2654474	.....197	2713162	.....022	2748273	.....136	2786411	.....167
2447400	.....195	2536262	.....152	2596713	.....139	2654475	.....197	2713164	.....023	2748274	.....136	2786412	.....167
2447612	.....140	2536263	.....152	2596713	.....195	2654476	.....197	2713185	.....023	2748275	.....136	2786413	.....167
2447613	.....140	2536264	.....152	2596714	.....139	2654477	.....197	2713186	.....023	2748276	.....136	2786414	.....167
2447637	.....155	2536267	.....149	2596992	.....128	2654478	.....198	2713187	.....022	2748277	.....136	2786415	.....167
2447638	.....155	2536321	.....025	2599617	.....085	2654479	.....198	2714080	.....063	2748278	.....136	2786416	.....183
2455832	.....075	2536322	.....025	2602308	.....069	2654480	.....198	2714081	.....063	2748279	.....136	2786417	.....183
2457921	.....219	2539013	.....223	2603723	.....189	2654481	.....198	2716073	.....194	2748280	.....136	2786418	.....183
2457922	.....219	2539014	.....223	2603727	.....189	2654482	.....198	2717618	.....098	2748281	.....136	2790809	.....194
2457923	.....219	2540271	.....074	2603728	.....189	2654483	.....198	2717770	.....033	2750272	.....141	2790810	.....194
2457924	.....219	2540272	.....074	2603729	.....189	2654484	.....198	2719518	.....098	2750273	.....141	2790811	.....137
2457925	.....219	2540273	.....074	2603730	.....189	2654485	.....194	2724637	.....105	2754765	.....182	2793591	.....140
2461247	.....151	2542520	.....057	2603731	.....189	2654485	.....199	2724637	.....115	2754766	.....182	2793592	.....140
2471581	.....210	2542520	.....059	2607786	.....065	2654486	.....194	2724637	.....128	2754767	.....182	2793593	.....140
2471582	.....213	2542562	.....216	2607787	.....065	2654486	.....199	2724638	.....201	2754768	.....182	2793594	.....140
2471583	.....206	2542563	.....216	2607788	.....065	2654487	.....194	2724639	.....105	2754769	.....182	2793605	.....140
2473456	.....049	2543318	.....051	2609854	.....019	2654487	.....199	2724639	.....115	2754770	.....182	2793606	.....140
2473457	.....049	2545486	.....181	2609854	.....019	2660028	.....149	2724639	.....128	2754809	.....181	2793607	.....140
2473458	.....049	2545487	.....181	2609854	.....019	2660029	.....149	2724639	.....201	2754809	.....194	2793608	.....140
2473459	.....049	2545488	.....181	2614248	.....179	2660030	.....149	2724640	.....201	2754810	.....181	2793609	.....140
2473461	.....051	2545694	.....129	2614249	.....179	2660031	.....149	2724641	.....201	2758807	.....107	2796076	.....062
2473463	.....051	2545696	.....129	2614252	.....217	2660320	.....029	2724642	.....202	2758809	.....107	2801825	.....078
2473464	.....051	2545696	.....129	2614273	.....216	2660321	.....105	2724643	.....202	2758810	.....107	2801997	.....046
2473465	.....051	2545697	.....129	2614274	.....216	2660322	.....105	2724775	.....202	2758811	.....107	2801998	.....046
2473466	.....051	2545697	.....129	2614275	.....215	2660323	.....106	2724776	.....202	2758812	.....107	2801999	.....046
2473467	.....051	2545698	.....129	2614276	.....217	2660324	.....105	2724777	.....202	2758813	.....107	2802000	.....046
2473468	.....051	2545698	.....129	2614277	.....217	2660325	.....107	2724778	.....202	2758814	.....107	2802001	.....047
2473471	.....051	2545699	.....121	2614277	.....225	2660532	.....191	2724779	.....203	2758815	.....107	2802002	.....047
2473472	.....051	2545699	.....123	2617531	.....065	2660553	.....191	2724780	.....203	2758816	.....106	2802003	.....047
2473473	.....051	2545699	.....129	2617532	.....065	2671952	.....067	2724781	.....203	2758817	.....106	2802004	.....047
2473474	.....051	2545700	.....129	2617837	.....164	2672076	.....067	2724782	.....203	2758818	.....106	2802015	.....047
2473475	.....051	2545700	.....129	2617838	.....164	2673321	.....057	2724783	.....203	2758819	.....106	2802016	.....047
2473476	.....051	2545704	.....129	2617839	.....164	2673321	.....059	2724784	.....203	2758820	.....106	2813273	.....021
2473489	.....049	2546805	.....179	2617840	.....165	2673442	.....056	2724785	.....144	2758821	.....106	2813320	.....023
2473489	.....049	2546806	.....179	2617841	.....165	2673442	.....059	2724786	.....139	2758822	.....105	2813321	.....023
2473490	.....049	2546807	.....179	2617842	.....165	2673443	.....056	2728927	.....177	2758823	.....106	2813322	.....022
2473490	.....049	2546808	.....179	2617853	.....165	2673443	.....059	2733090	.....073	2758824	.....106	2813323	.....022
2473491	.....051	2546809	.....179	2617854	.....166	2673731	.....030	2737643	.....228	2760059	.....056	2813324	.....023
2473492	.....051	2546810	.....180	2617855	.....166	2673732	.....030	2737644	.....228	2760059	.....058	2813345	.....023
2473497	.....115	2546811	.....180	2617856	.....150	2673733	.....030	2737685	.....228	2760060	.....056	2813346	.....023
2473498	.....115	2546812	.....180	2617857	.....150	2674927	.....081	2737686	.....228	2760060	.....058	2813347	.....023
2473500	.....115	2546813	.....180	2618324	.....047	2674928	.....081	2737687	.....228	2760061	.....057	2813348	.....023
2473501	.....115	2546911	.....175	2618325	.....047	2706256	.....186	2737689	.....228	2760061	.....058	2819978	.....015
2473788	.....077	2551613	.....065	2618326	.....047	2706257	.....186	2737690	.....228	2760062	.....057	2819981	.....015
2476347	.....130	2551614	.....065	2618327	.....047	2706258	.....186	2737691	.....228	2760062	.....058	2819984	.....015
2477228	.....049	2551885	.....210	2618329	.....047	2706259	.....186	2737692	.....228	2761021	.....100	2819997	.....015

## Part no. index

2820000	.....	015	2864459	.....	194
2820003	.....	015	2864459	.....	199
2822931	.....	093	2864459	.....	213
2823098	.....	100	2864960	.....	131
2823108	.....	100	2864962	.....	115
2823130	.....	025	2864963	.....	115
2823131	.....	025	2864964	.....	115
2823153	.....	098	2864965	.....	115
2823154	.....	098	2864966	.....	115
2826342	.....	079	2864967	.....	115
2828794	.....	070	2864968	.....	115
2828805	.....	070	2864969	.....	115
2828806	.....	070	2870771	.....	067
2828807	.....	070	2870773	.....	081
2828808	.....	070	2870774	.....	081
2828809	.....	070	2881484	.....	163
2828810	.....	070	2881485	.....	163
2828811	.....	070	2890856	.....	228
2828812	.....	070	2890857	.....	228
2828813	.....	071	2890858	.....	228
2828814	.....	071	2890859	.....	228
2828815	.....	071	2890860	.....	228
2828816	.....	070	2890861	.....	228
2828817	.....	070	2890862	.....	228
2828818	.....	070	2890863	.....	228
2828819	.....	070	2890864	.....	228
2828820	.....	070	2890865	.....	228
2828821	.....	070	2890866	.....	228
2828822	.....	070	2890867	.....	228
2828823	.....	070	2890868	.....	228
2828824	.....	070	2890869	.....	228
2828825	.....	070	2890870	.....	228
2828826	.....	071	2890871	.....	228
2828827	.....	071	2890872	.....	228
2828828	.....	071	2890873	.....	228
2833353	.....	190	2890874	.....	228
2833354	.....	190	2890875	.....	228
2833435	.....	190	2890876	.....	228
2833436	.....	190	2890877	.....	228
2836291	.....	077	2896874	.....	093
2836292	.....	077	2896875	.....	093
2836293	.....	079	2896876	.....	093
2839290	.....	153	2897383	.....	030
2839291	.....	153	2901107	.....	078
2839292	.....	153	2902545	.....	105
2839293	.....	153	2902545	.....	115
2839297	.....	198	2902545	.....	128
2839298	.....	198	2902546	.....	105
2839301	.....	197	2902546	.....	115
2839302	.....	197	2902546	.....	128
2841204	.....	071	2902922	.....	078
2841235	.....	071	2926994	.....	078
2841236	.....	071	2950462	.....	095
2843014	.....	071	2950464	.....	095
2843035	.....	071	2950465	.....	094
2843668	.....	110	2960135	.....	155
2843669	.....	110			
2843996	.....	179			
2843997	.....	179			
2847091	.....	078			
2860434	.....	156			
2860445	.....	157			
2860446	.....	157			
2860447	.....	157			
2860448	.....	157			
2860449	.....	177			
2860450	.....	177			
2860451	.....	144			
2860452	.....	144			
2860453	.....	145			
2860454	.....	145			
2860455	.....	142			
2860456	.....	142			
2860457	.....	142			
2860458	.....	142			
2862201	.....	155			
2862341	.....	079			
2862343	.....	079			
2862344	.....	079			
2862365	.....	079			



